



B 60 W (Disc brush)


Walk-behind scrubber dryer (60 I) with traction drive. Ideal for 1,000-2,500 m². Configuration example with disc brushes, 65 cm working width and battery (180 Ah).











- Battery types: maintenance-free 105 Ah (C5), maintenance-free 170 Ah (C5) with fleece technology, maintenance-free or low-maintenance 180 Ah (C5). Also available as a mains-operated version.
- The charging curve of the built-in charger is perfectly adjusted to the various battery types.

2 Automatic filling option

- Time-saving filling of the fresh water tank.
- Filling of the fresh water tank stops automatically when the tank is full.



3 Brush head with disc system

- Different working widths available from 51 to 65 cm.
- Brush can be replaced in seconds: unlocking brush via foot pedal, locking by lowering the machine or clipping in manually.

TECHNICAL DATA AND EQUIPMENT.

KARCHER



B 60 W (Disc brush)

Technical data		
Order no.		1.384-020.2
EAN code		4039784582545
Current type	V / Hz	100 - 240 / 50 - 60
Working width, vacuuming	mm	850
Max. Area Performance	m²/h	3900
Fresh/dirty water tank	I	60 / 60
Brush contact pressure	g/cm ²	26
Brush speed	rpm	180
Rated input power	W	max. 2100
Weight (with accessories)	kg	113
Dimensions (L × W × H)	mm	1520 × 746 × 1147
Battery voltage	V	24
Battery capacity	Ah	180
Battery runtime	h	max. 3
Equipment		
Disc brush		1
Fact		-

Fact	-
Tin	I Contraction of the second seco
Tank-in-tank design	I contraction of the second seco
Motor	Battery
Included in delivery.	

KARCHER

	<u></u>
1	

9



10

3

11



12



13



14





15



■ Included in delivery. □ Available accessories.

m

KARCHER





1



		Order no.	Hardness grade	Diameter	Colour	Quanti- ty	Price	Description	
Disc Brushes for BD									
Disc brush complete white D51	1	4.905-028.0	very soft	510 mm	white	1 Piece(s)		For cleaning sensitive floors and polishing. Fits D 51.	
Disc brush	2	4.905-027.0	soft	510 mm	natural	1 Piece(s)		Soft disc brush (natural, 510 mm) for cleaning and polishing Bristles: Union Burnish Mixture; 0.6 mm thick, 41 mm long.	
	3	4.905-026.0	medium	510 mm	red	1 Piece(s)		Medium hard disc brush (510 mm) in red version for all common cleaning tasks. Bristles made from polypropylene: 0.6 mm thick, 41 mm long.	
Disc brush complete black D51	4	4.905-029.0	hard	510 mm	black	1 Piece(s)		Hard disc brush (510 mm) in black for insensitive floor coverings. For stubborn dirt and deep cleaning. Bristles made from Tynex; 1.0 mm thick, 41 mm long.	
Disc brush	5	4.905-011.0	very soft	355 mm	white	1 Piece(s)		Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm.	
	6	4.905-012.0	soft	355 mm	natural	1 Piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 65.	
	7	4.905-010.0	medium	355 mm	red	1 Piece(s)		Disc brush, medium-hard, red, 355 mm diameter. For norma use. Also suitable for sensitive floors. Standard brush head D 65.	
	8	4.905-013.0	hard	355 mm	black	1 Piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensi- tive floors only. Fits D 65.	
	9	4.905-015.0	very soft	300 mm	white	1 Piece(s)		very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55	
	10	4.905-016.0	soft	300 mm	natural	1 Piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 55.	
	11	4.905-014.0	medium	300 mm	red	1 Piece(s)		Disc brush, medium-hard, red, 300 mm diameter. For norma use. Also suitable for sensitive floors. Standard for brush head D 55.	
	12	4.905-017.0	hard	300 mm	black	1 Piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensi- tive floors only. Fits D 55.	

KARCHER

	1	-	-
1	-2		













9 1	5	16	-17	18					e With centre hole, 356 mm diame- power. Also effectively cleans fine e for, e.g. D 65. x 300 mm) in red version for mbination with the S 65 head. x 300 mm) including Velcro fastener. ombination with the S 65 head. Only eaning of all surfaces and for spray ing stubborn soilings and for deep lings and for deep cleaning. colishing. Effectively removes scuff green. 356 mm diameter. For remo- basic cleaning. Suitable for, e.g. D 65. cm diameter. For removing stub- ning. Suitable for, e.g. D 65. cd, 280 mm diameter. For remo- basic cleaning. Suitable for, e.g. D 55. creen. 280 mm diameter. For remo- basic cleaning. Suitable for, e.g. D 55. cm diameter. For removing stub- basic cleaning. Suitable for, e.g. D 55. cm diameter. For removing stub- basic cleaning. Suitable for, e.g. D 55. cm diameter. For removing stub- basic cleaning. Suitable for, e.g. D 55. cm diameter. For removing stub-
		Order no.	Hardness grade	Diameter	Colour	Quanti- ty	Price	Description	
Microfibre pad		1		1	_				
Microfibre pad	1	6.371-271.0		508 mm	white	5 Piece(s)		Excellent cleaning power. Also effectively cleans fine stone- ware tiles.	C
	2	6.369-959.0		356 mm	white	5 Piece(s)		5 microfibre pads, white With centre hole, 356 mm diame- ter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	[
Pads									
Pad	3	6.371-000.0	medium-soft	650 mm	red	5 Piece(s)		Medium-hard pad (650 x 300 mm) in red version for cleaning all floors in combination with the S 65 head.	C
	4	4.642-025.0	hard	650 mm	brown	5 Piece(s)		Tough, brown pad (650 x 300 mm) including Velcro fastener For restoring shine in combination with the S 65 head. Only for insensitive surfaces.	
	5	6.369-079.0	medium-soft	508 mm	red	5 Piece(s)		Medium soft, for wet-cleaning of all surfaces and for spray cleaning.	C
	6	6.369-078.0	medium-hard	508 mm	green	5 Piece(s)		Medium hard, for cleaning stubborn soilings and for deep cleaning.	٢
	7	6.369-077.0	hard	508 mm	black	5 Piece(s)		Hard, for persistent soilings and for deep cleaning.	
Pad SPP 51 Set 2x	8	2.639-258.0	hard	508 mm	brown	2 Piece(s)			C
Pad	9	6.371-149.0	soft	432 mm	natural	5 Piece(s)		With natural hair, for polishing. Effectively removes scuff marks.	
	10	6.369-002.0	medium-hard	356 mm	green	5 Piece(s)		5 pads, medium-hard, green. 356 mm diameter. For remo- ving stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
	11	6.369-001.0	hard	356 mm	black	5 Piece(s)		5 pads, hard, black, 356 mm diameter. For removing stub- born dirt and basic cleaning. Suitable for, e.g. D 65.	
	12	6.371-153.0	medium-soft	280 mm	red	5 Piece(s)		5 pads, medium-soft, red, 280 mm diameter. For cleaning all floors. Suitable for, e.g. D 55.	
	13	6.371-154.0	medium-hard	280 mm	green	5 Piece(s)		5 pads, medium-hard, green. 280 mm diameter. For remo- ving stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	
	14	6.371-155.0	hard	280 mm	black	5 Piece(s)		5 pads, hard, black, 280 mm diameter. For removing stub- born dirt and basic cleaning. Suitable for, e.g. D 55.	
Pad drive board									

Disk pad BD65	15	4.762-590.0	335 mm	1 Piece(s)		
Pad drive board	16	4.762-534.0	479 mm	1 Piece(s)	For cleaning with pads. With quick-change coupling and Centerlock.	
	17	4.762-446.0	335 mm	1 Piece(s)	Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	
	18	4.762-445.0	280 mm	1 Piece(s)	Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	

KARCHER

B 60 W (DISC BRUSH) 1.384-020.2



		Order no.	Hardness grade	Diameter	Colour	Quanti- ty	Price	Description
Diamond pads								
Diamond pad	19	6.371-260.0	coarse	508 mm	white	5 Piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.
	20	6.371-261.0	medium	508 mm	yellow	5 Piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface prepa- ration prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.
	21	6.371-240.0	fine	508 mm	green	5 Piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high- gloss crystallisation.
	22	6.371-250.0	coarse	356 mm	white	5 Piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.
	23	6.371-251.0	medium	356 mm	yellow	5 Piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface prepa- ration prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.
	24	6.371-235.0	fine	356 mm	green	5 Piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high- gloss crystallisation.
	25	6.371-246.0	coarse	280 mm	white	5 Piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.
	26	6.371-247.0	medium	280 mm	yellow	5 Piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad.
	27	6.371-233.0	fine	280 mm	green	5 Piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high- gloss crystallisation.



		Order no.	Length	Colour	Quanti- ty	Price	Description	
Squeegees for suction bars								
Rubber lip set oil resistant BR- BD530,55	1	6.273-207.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil- resistant, transparent polyurethane. For all standard floors.	
Suction lips	2	6.273-229.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil- resistant, transparent polyurethane. For sensitive floors.	
	3	6.273-290.0	890 mm	transparent	2 -part		Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	
Rubber lip set standard	4	6.273-213.0	890 mm	blue	2 -part		Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	
Rubber lip set corrugated oil resis- tant	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	
Suction bar, complete								
Squeegee	6	4.777-079.0	900 mm	transparent	1 Piece(s)		900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long life- time and for all floors. With spirit level for precise adjust- ment.	



		Order no.			Price	Description	
Brush heads Floor head S 65	1	2.763-030.0				Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	
Connection kit S 65	2	4.036-063.0				Connection kit for connecting the S 65 floor head to the new generation of B 60 W and B 80 W.	



		Order no.	Length	Diameter	Quanti- ty	Price	Description	
Other attachment kits		oraci no.	Lengen	Diameter	, cy			L
Suction hose accessories	1	4.444-015.0	3,25 m		1 Piece(s)		For vacuuming water out of corners or containers (e.g. free- zers).	
Auto-Fill	2	4.035-345.0			1 Piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	
Set deflector roll stack formation SB	3	4.035-619.0			2 -part			
Spray extraction mounting kit								
Spray suction attachment kit	4	2.642-833.0			1 Piece(s)		Simplifies cleaning areas inaccessible for machines.	



		Order no.	Quantity	Battery volta- ge	Battery capaci- ty	Battery type	Price	Description	
Batteries			1	1					
Battery kit Gel 4x 6V/180Ah	1	2.815-101.0	4 -part	24 V	180 Ah	mainte- nance- free			
Battery kit Gel 2x 12V/105Ah	2	2.815-100.0	2 -part	24 V	105 Ah	mainte- nance- free			
Battery kit AGM 4x 6V/170Ah	3	2.815-092.0	4 -part	24 V	170 Ah	mainte- nance- free			
Battery kit AGM 2x 12V/115Ah	4	2.815-091.0	2 -part	24 V	115 Ah	mainte- nance- free			
Accessories for batteries									
Mounting kit battery kit	5	2.638-036.0	2 -part						
	6	2.638-037.0	3 -part						
	7	2.638-064.0	5 -part						
	8	2.638-106.0	3 -part						
Distance holder set	9	4.642-019.0	1 Piece(s)					Fits quick charger set 2.642-558.0. Prevents the battery from slipping into the machine.	



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 Piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	



		Order no.			Price	Description
Storage						
Basket with bottle insert	1	6.999-290.0				
Included in delivery		accossorios				