



## B 60 W

Walk-behind scrubber dryer (60 l). Ideal for 1,000-2,500 m<sup>2</sup>. Available in a range of different configurations including either roller or disc brush heads, varying from 55cm to 65cm.



### 1 4 batteries to choose from

- Battery types: maintenance-free 105 Ah (C5), maintenance-free 170 Ah (C5) with fleece technology, maintenance-free or low-maintenance 180 Ah (C5). Also available as a mains-operated version.
- The charging curve of the built-in charger is perfectly adjusted to the various battery types.

### 2 Automatic filling option

- Time-saving filling of the fresh water tank.
- Filling of the fresh water tank stops automatically when the tank is full.

### 3 Energy-saving ecoefficiency mode

- Significantly reduced energy use and substantially longer battery runtime.
- The ecoefficiency mode is extra quiet and optimal for noise-sensitive areas (e.g. hospitals or hotels).

### 4 Easy handling

- Simple handling thanks to clear control elements with colour-coding.
- Simplified use and shortened teach-in time.



## B 60 W

### Technical data

Order Number	1.384-020.2	
EAN code	4039784582545	
Working width, vacuum	mm	850
Fresh / waste water tank	l	60 / 60
Max. area performance	m <sup>2</sup> /h	3900
Brush rotation speed	rpm	600-1300
Brush contact pressure	g/cm <sup>2</sup>	-265 /
Current type	V / Hz	100-240 / 50-60
Motor rating	W	max. 2100
Weight (with accessories)	kg	109
Dimensions (L x W x H)	mm	1520 × 748 × 1147
Battery voltage	V	24
Battery capacity	Ah	180

### Equipment

Roller brush	■
FACT	-
DOSE	■
Pre-sweeping attachment	■
Battery type	maintenance-free
Tank-in-tank system	■

■ Included in delivery.

# B 60 W

## 1.384-020.2



		Order Number	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	■
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	■
Filling hose	3	6.680-124.0	1,5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK key, white	4	4.035-076.0		white	1 piece(s)		User key for using the appliance programmable	□
KIK key set, yellow	5	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	□
	6	4.035-064.0		white	5 piece(s)			□
Add-on kit ecolzero	7	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	□
<b>Cleaning tool kit accessories</b>								
Adapter Homebase	8	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	□
Holder handhold grey	9	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Bottle holder	10	6.980-080.0			1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	□
Home Base Box Kit	11	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Universal hook kit	12	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
<b>Wheels/tyres</b>								
Sports hall attachment kit	13	4.744-162.0			1 piece(s)		Reduces floor loading to < 0.5 N/mm <sup>2</sup> , in accordance with DIN 18032.	□
Wheel, oil resistant	14	6.435-702.0			1 piece(s)		Machine requires 2.	□
<b>RM Dosierstation</b>								
Cleaning agent dosage kit, wall mounted DS 3	15	2.641-811.0			1 piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	□

■ Included in delivery. □ Available accessories.

# B 60 W

## 1.384-020.2




		Order Number	Hardness/ Brush type	Length	Colour	Quantity	Price	Description	
<b>Roller brushes for BR</b>									
Roller brush	1	6.906-981.0	soft	638 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 65.	<input type="checkbox"/>
Roller brush red for replacement BR65	2	4.035-187.0	medium	638 mm	red	1 piece(s)			<input type="checkbox"/>
Roller brush	3	6.906-982.0	high / low	638 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 65.	<input type="checkbox"/>
	4	6.906-983.0	hard	638 mm	green	1 piece(s)		Roller brush, hard, green. Length: 638 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
	5	6.906-984.0	very hard	638 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65.	<input type="checkbox"/>
	6	6.906-977.0	soft	532 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 55.	<input type="checkbox"/>
Roller brush red for replacement BR 55	7	4.035-193.0	medium	532 mm	red	1 piece(s)			<input type="checkbox"/>
Roller brush	8	6.906-978.0	high / low	532 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 55.	<input type="checkbox"/>
	9	6.906-979.0	hard	532 mm	green	1 piece(s)		Hard, for heavy soiling and for deep cleaning; for unsensitive floors only. Fits R 55.	<input type="checkbox"/>
	10	6.906-980.0	very hard	532 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 55.	<input type="checkbox"/>
	11	4.762-409.0	soft	550 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
Roller brush complete for replacement BR	12	4.035-184.0	medium	550 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 550 mm. For all common cleaning tasks. Also suitable for sensitive floors. Bristles made from polypropylene; 0.4 mm thick, 20 mm long.	<input type="checkbox"/>
Roller brush	13	4.762-410.0	high / low	550 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	<input type="checkbox"/>
	14	4.762-411.0	hard	550 mm	green	1 piece(s)		Hard, for heavy soiling and for deep cleaning; for unsensitive floors only.	<input type="checkbox"/>
	15	4.762-412.0	very hard	550 mm	black	1 piece(s)		Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 60 W

## 1.384-020.2




		Order Number	Hardness/ Brush type	Length	Diame- ter	Colour	Price	Description	
<b>Roller pad shaft</b>									
Pad roller shaft	1	4.762-433.0		638 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56.	<input type="checkbox"/>
	2	4.762-415.0		550 mm				550 mm	<input type="checkbox"/>
	3	4.762-432.0		532 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 532 mm. Fits brush head R 55.	<input type="checkbox"/>
<b>Roller pads</b>									
Roller pad on sleeve	4	6.369-732.0	soft	530 mm	96 mm	yellow		For polishing and cleaning non-textured floors. In conjunction with pad roller shaft 4.762-415.0	<input type="checkbox"/>
	5	6.369-734.0	medium	530 mm	96 mm	red		For cleaning non-textured floors. In conjunction with pad roller shaft 4.762-415.0	<input type="checkbox"/>
	6	6.369-733.0	hard	530 mm	96 mm	green		For removing stubborn dirt and deep cleaning of non-textured floors. In conjunction with pad roller shaft 4.762-415.0	<input type="checkbox"/>
Roller pad	7	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
	8	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	<input type="checkbox"/>
	9	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
<b>Microfibre shaft</b>									
Microfibre roller	10	4.114-006.0	Microfibre	638 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0. Fits on R 65.	<input type="checkbox"/>
	11	4.114-010.0	Microfibre	550 mm	96 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-415.0.	<input type="checkbox"/>
	12	4.114-005.0	Microfibre	532 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-432.0. Fits on R 55.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 60 W

## 1.384-020.2




		Order Number	Hardness/ Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Pads</b>									
Pad	1	6.371-000.0	medium-soft	650 mm	red	5 piece(s)		Medium-hard pad (650 x 300 mm) in red version for cleaning all floors in combination with the S 65 head.	<input type="checkbox"/>
	2	4.642-025.0	hard	650 mm	brown	5 piece(s)		Tough, brown pad (650 x 300 mm) including Velcro fastener. For restoring shine in combination with the S 65 head. Only for insensitive surfaces.	<input type="checkbox"/>

■ Included in delivery.    □ Available accessories.

# B 60 W

## 1.384-020.2




		Order Number	Length	Colour	Quantity	Price	Description	
<b>Squeegees for suction bars</b>								
Suction lips	1	6.273-207.0	890 mm	transparent	2 parts		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	2	6.273-229.0	890 mm	transparent	2 parts		Slotted, oil-resistant, polyurethane, for sensitive floors.	<input type="checkbox"/>
	3	6.273-290.0	890 mm	transparent	2 parts		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
	4	6.273-213.0	890 mm	blue	2 parts		Fluted, standard, natural rubber.	<input type="checkbox"/>
Rubber lip set corrugated oil resistant	5	6.273-023.0	1010 mm	transparent	2 parts			<input type="checkbox"/>
<b>Suction bar, complete</b>								
Squeegee	6	4.777-079.0	900 mm	transparent	1 piece(s)			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order Number					Price	Description	
<b>Brush heads</b>									
Floor head S 65	1	2.763-030.0						Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	<input type="checkbox"/>
Connection kit S 65	2	4.036-063.0						Connection kit for connecting the S 65 floor head to the new generation of B 60 W and B 80 W.	<input type="checkbox"/>

■ Included in delivery.    □ Available accessories.



# B 60 W

## 1.384-020.2



		Order Number	Length	Diameter	Quantity	Price	Description	
<b>Other attachment kits</b>								
Suction hose accessories	1	4.444-015.0	3,25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Auto-Fill	2	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>
<b>Spray extraction mounting kit</b>								
Spray suction attachment kit	3	2.642-833.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order Number	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
<b>Batteries</b>									
Battery kit Gel 4x 6V/180Ah	1	2.815-101.0	4 parts	24 V	180 Ah	mainten- ance- free			<input type="checkbox"/>
Battery kit Gel 2x 12V/105Ah	2	2.815-100.0	2 parts	24 V	105 Ah	mainten- ance- free			<input type="checkbox"/>
Battery kit AGM 4x 6V/170Ah	3	2.815-092.0	4 parts	24 V	170 Ah	mainten- ance- free			<input type="checkbox"/>
Battery kit AGM 2x 12V/115Ah	4	2.815-091.0	2 parts	24 V	115 Ah	mainten- ance- free			<input type="checkbox"/>
<b>Accessories for batteries</b>									
Mounting kit battery kit	5	2.638-036.0	2 parts						<input type="checkbox"/>
	6	2.638-037.0	3 parts						<input type="checkbox"/>
	7	2.638-064.0	5 parts						<input type="checkbox"/>
	8	2.638-106.0	3 parts						<input type="checkbox"/>
Distance holder set	9	4.642-019.0	1 piece(s)					Fits quick charger set 2.642-558.0. Prevents the battery from slipping into the machine.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order Number	Quantity	ID	Width	Length	Price	Description	
<b>Other</b>									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery.     Available accessories.