

HD 4/8 CLASSIC

Mobile and compact HD 4/8 Classic high-pressure cleaner with reliable three-piston axial pump, automatic pressure relief, retractable pull handle and robust wheels.



Order no. 1.520-977.0

Technical data

EAN code		4054278826028
Current type	Ph / V / Hz	1 / 220 / 50
Flow Rate	l/h	400
Operating pressure	bar	80 - max. 120
Weight without accessories	kg	14.4
Weight incl. packaging	kg	18.3
Dimensions (L × W × H)	mm	335 × 320 × 845

Equipment

Power nozzle	■
Three piston axial pump	with stainless steel pistons
■ included in delivery.	



Outstanding mobility

- The robust D180 wheels are ideal for tough applications.
- Extendible handle for convenient transport over short distances.
- Additional handle makes it easier to carry the machine, e.g. up steps.



Perfect ergonomics

- Just one on/off switch for foolproof operation.
- Ergonomic and effortless trigger gun that is convenient to use.
- Convenient accessory storage.



Compact design

- Very easy to transport thanks to its low weight.
- Space saving and easy to store.

EQUIPMENT FOR HD 4/8 CLASSIC
1.520-977.0



		Order no.	Description	
KÄRCHER POWER NOZZLE				
Power nozzle spray angle 25°				
Power nozzle , 033	1	2.883-043.0		■
NOZZLE UNION / SPACER				
Nozzle union				
Nozzle connector	2	5.401-210.0	For protecting and connecting Kärcher power nozzles to spray lances (M 18 x 1.5 IG).	■
SPRAY LANCES				
Spray lance				
Spray lance 850 mm	3	9.751-146.0	Galvanised spray lance with manual screw fitting for high-pressure cleaners in the Classic range from Kärcher. Not rotatable. Length: 850 mm.	□
ROTARY NOZZLES (DIRT BLASTERS)				
Dirt Blaster, small				
Dirt blaster, 035	4	4.767-230.0	The new performance dirt blaster (nozzle size 035) with rotating point jet makes a big difference: up to 50% higher cleaning and area performance than its predecessor.	□
MULTIPLE-JET NOZZLES				
Triple nozzles				
Triple nozzle, 033	5	4.767-146.0	Triple nozzle with manual nozzle changeover. Convenient spray adjustment. For high-pressure cleaners with injector, low-pressure fan jet for detergent removal and application. Connector M 18x1.5.	□
ECO!BOOSTER				
HydroBooster JET TR 033 Professional	6	2.113-085.0		□
FLOOR AND HARD SURFACE CLEANER				
Machine-specific nozzle kits for FR Classic				
Nozzle kit for FR Classic, 034	7	2.885-313.0	Nozzle kit specifically for FR Classic surface cleaner.	□
FOAM SYSTEMS				
Cup foam lance				
Cup foam lance, 1200 l/h -	8	6.394-668.0	Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.	□

■ Included in delivery. □ Available accessories.