

## NT 22/1 AP BP L

SHELL machine so battery and charger not included: Compact and versatile battery powered wet and dry vacuum cleaner NT 22/1 Ap Bp for demanding wet and dry applications at locations without an external power supply.



Order no. 1.528-130.0

- Dust class L
- Efficient semi-automatic filter cleaning
- Flat pleated filter with filter casing

Technical data		
EAN code		4054278672328
Battery platform		36 V battery platform
Container content	l	22
Container material		Plastic
Sound pressure level	dB(A)	70
Air flow	l/s	57
Vacuum	mbar / kPa	152 / 15.2
Rated input power	W	max. 575
Standard nominal size		ID 35
Number of batteries required	Piece(s)	1
Performance per battery charge	m²	approx. 150 (7.5 Ah)
Runtime per battery charge	min	max. 31 (7.5 Ah) / max. 24 (6.0 Ah)
Battery charging time with fast charger 80%/100%	min	58 / 81
Charging current	A	6
Power supply for battery charger	V / Hz	100 - 240 / 50 - 60
Weight without accessories	kg	8.8
Weight incl. packaging	kg	11.1
Dimensions (L × W × H)	mm	401 × 372 × 499

Equipment		
Variant		Battery and charger not included
Suction hose	m	1.9 / with bend
Suction Tube	Piece(s) × mm	2 × 505 / Plastic
Filter bag		Fleece
Wet and dry floor tool	mm	300
Crevice nozzle		■
Auto shutdown when max. level is reached		■
Flat pleated filter		Paper
Filter cleaning		Semi-automatic filter cleaning Ap
Safety class		III

■ included in delivery.



## Powerful 36 V Kärcher Battery Power+ battery with 7.5 Ah capacity

- Ensures a long runtime of 31 minutes at full suction power.



## Effective protection cover for the battery bay

- Protects the battery from dirt and moisture. With viewing window.



## Semi-automatic filter cleaning system

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

## EQUIPMENT FOR NT 22/1 AP BP L 1.528-130.0



		Order no.	Description	
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Flat pleated filter (paper)</b>				
Flat pleated filter	1	6.904-156.0	Flat pleated filter (dust class M) suitable for all NT 14/1 vacuum cleaners as a standard main filter and for the NT 351 Eco/Professional series.	■
<b>Flat pleated filter (PES)</b>				
Flat pleated filter (PES)	2	6.906-123.0	Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Optional main filter for NT 14/1 and NT 351 Eco/Professional.	□
Flat-pleated filter packaged neutrally P	3	6.907-649.0		□
<b>BENDS</b>				
<b>Plastic bend</b>				
Elbow packaged NW35 1K	4	2.889-199.0	Plastic elbow, grey, with C-35 clip system.	■
<b>SUCTION NOZZLES</b>				
<b>All-purpose nozzles (wet/dry)</b>				
Floor tool packaged NT Entry Class DN35	5	2.899-811.0		■
<b>Crevice nozzles</b>				
Crevice nozzle wet and dry packaged NW35	6	2.889-159.0	Crevice nozzle ID 35, for new Tact range.	■
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, DN 35, 100 mm	7	2.889-356.0		□
Car nozzle, DN 35, 90 mm	8	6.906-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes plastic</b>				
Set suction tube DN35 505mm	9	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	■
<b>Suction tubes metal</b>				
Suction tube chromed NW35 - 505mm	10	6.902-074.0	Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	□
<b>BATTERIES</b>				
Accumulator special accessories 36V 5,0	11	2.445-031.0		□
Battery Power+ 36/75	12	2.445-043.0	A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	□
Battery Power+ 36/60	13	2.042-022.0	Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.	□
<b>FILTER BAGS</b>				
<b>Fleece filter bags (3 ply)</b>				
Fleece filter bags, 5 x , NT 22/1, ProNT 200, ProNT 400	14	6.907-469.0		□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 22/1 AP BP L  
1.528-130.0



		Order no.	Description	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose	15	2.889-134.0	2.5 m suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
CONNECTING SLEEVES				
Connecting sleeve C-DN (clip on taper), EL (electroconductive)				
Connection cone NW35	16	5.407-005.0		<input type="checkbox"/>
OTHER ACCESSORIES FOR T AND NT				
Adapter old packaged NW35	17	2.889-312.0		<input type="checkbox"/>

■ Included in delivery.    ☐ Available accessories.