



B 40 W DOSE (Disc brush)

Walk-behind scrubber dryer (40 l). Configuration example with traction drive, disc brush, 51 cm working width and battery (105 Ah).









- 1 Automatic filling option
- Time-saving filling of the fresh water tank.
- 2 Brush head with disc system

- 4 Easy handling
- Simple handling thanks to clear control elements with colour-coding.
- Simplified use and shortened teach-in time.

3 Energy-saving ecolefficiency mode

TECHNICAL DATA AND EQUIPMENT.





B 40 W DOSE (Disc brush)

| Technical data | | |
|---------------------------|-------|-------------------|
| Order no. | | 1.533-210.2 |
| EAN code | | 4039784538764 |
| Working width of brushes | mm | 430 |
| Working width, vacuuming | mm | 850 |
| Max. Area Performance | m²/h | 3060 |
| Fresh/dirty water tank | 1 | 40 / 40 |
| Brush contact pressure | g/cm² | 30 - 50 |
| Brush speed | rpm | 180 |
| Rated input power | W | max. 1300 |
| Weight (with accessories) | kg | 93 |
| Dimensions (L × W × H) | mm | 1249 × 620 × 1145 |
| Battery voltage | V | 24 |
| Battery runtime | h | max. 3,5 |

| Equipment Disc brush | | |
|-------------------------|---------|--|
| Disc brush | | |
| Fact | - | |
| Tin | - | |
| Tank-in-tank design | | |
| Motor | Battery | |
| | | |

■ Included in delivery.













| | | Order no. | Hardness grade | Diameter | Colour | Quanti- ty | Price | Description | |
|-------------------------------|---|-------------|-------------------|----------|---------|---------------|-------|---|--|
| Disc Brushes for BD | | | | <u>'</u> | | | | | |
| Disc brush complete white D51 | 1 | 4.905-028.0 | very soft | 510 mm | white | 1 Piece(s) | | For cleaning sensitive floors and polishing. Fits D 51. | |
| Disc brush | 2 | 4.905-027.0 | soft | 510 mm | natural | 1 Piece(s) | | Soft disc brush (natural, 510 mm) for cleaning and polishing Bristles: Union Burnish Mixture; 0.6 mm thick, 41 mm long. | |
| | 3 | 4.905-026.0 | medium | 510 mm | red | 1 Piece(s) | | Medium hard disc brush (510 mm) in red version for all common cleaning tasks. Bristles made from polypropylene: 0.6 mm thick, 41 mm long. | |
| Disc brush complete black D51 | 4 | 4.905-029.0 | hard | 510 mm | black | 1 Piece(s) | | Hard disc brush (510 mm) in black for insensitive floor coverings. For stubborn dirt and deep cleaning. Bristles made from Tynex; 1.0 mm thick, 41 mm long. | |
| Disc brush | 5 | 4.905-024.0 | very soft | 430 mm | white | 1 Piece(s) | | For cleaning sensitive floors and polishing. Fits D 43. | |
| | 6 | 4.905-023.0 | soft | 430 mm | natural | 1 Piece(s) | | Made of natural fibres for cleaning and polishing. Fits D 43. | |
| | 7 | 4.905-022.0 | medium | 430 mm | red | 1 Piece(s) | | For general cleaning of all floors. Standard with D 43. | |
| | 8 | 4.905-025.0 | hard | 430 mm | black | 1 Piece(s) | | For stubborn dirt and deep cleaning. Only for hard-wearing surfaces. Fits D 43. | |

[☐] Available accessories.



























| | 1 | | T | 1 | | 1 | | | \top |
|------------------------------|------|-----------------|-------------|------------|------------|---------------|-------|--|--------|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | Hardness | | | Quanti- | | | |
| | | Order no. | grade | Diameter | Colour | ty | Price | Description | |
| Microfibre pad | | | | | | 1 | 1 | | Ť |
| Microfibre pad | 1 | 6.371-271.0 | | 508 mm | white | 5 | | Excellent cleaning power. Also effectively cleans fine stone- | . [. |
| | | | | | | Piece(s) | | ware tiles. | |
| Pad micro-fibre set 5x D 432 | 2 | 6.371-346.0 | | 430 mm | white | 5 | | | |
| | | | | | | Piece(s) | | | Ľ |
| Pads | ١ . | 1 | | 1.500 | L. · | Le | ı | luming the contract in a | T |
| Pad | 3 | 6.369-468.0 | soft | 508 mm | beige | 5 Piece(s) | | With fine grains for perfect polishing results on floors. | |
| | 4 | 6.369-079.0 | medium-soft | 508 mm | red | 5 | | Medium soft, for wet-cleaning of all surfaces and for spray | + |
| | 4 | 0.303 073.0 | mediom sort | 300 111111 | Teu | Piece(s) | | cleaning. | |
| | 5 | 6.369-078.0 | medium-hard | 508 mm | green | 5 | | Medium hard, for cleaning stubborn soilings and for deep | + |
| | | | | | | Piece(s) | | cleaning. | |
| | 6 | 6.369-077.0 | hard | 508 mm | black | 5 | | Hard, for persistent soilings and for deep cleaning. | |
| | | | | | | Piece(s) | | | |
| Pad SPP 51 Set 2x | 7 | 2.639-258.0 | hard | 508 mm | brown | 2 | | | |
| Pad | 8 | 6.371-146.0 | soft | 500 mm | natural | Piece(s) | | With natural hair, for polishing. Effectively removes scuff | + |
| rau | 0 | 0.371-140.0 | SUIT | 300 111111 | l latul al | Piece(s) | | marks. | |
| | 9 | 6.369-469.0 | very soft | 432 mm | white | 5 | | 5 polishing pads, very soft, white, without grit, 432 mm | † |
| | | | 1, | | | Piece(s) | | diameter. For polishing floors. | |
| | 10 | 6.371-149.0 | soft | 432 mm | natural | 5 | | With natural hair, for polishing. Effectively removes scuff | Г |
| | | | | | | Piece(s) | | marks. | |
| | 11 | 6.371-081.0 | soft | 432 mm | beige | 5 | | Soft, with slight grain, for polishing. | |
| | - 10 | 6 0 6 0 4 7 0 0 | 11 61 | 100 | | Piece(s) | | 5 1 1 5 1 100 15 1 5 1 | + |
| | 12 | 6.369-470.0 | medium-soft | 432 mm | red | 5 Piece(s) | | 5 pads, medium-soft, red, 432 mm diameter. For cleaning al floors. | "[|
| | 13 | 6.369-472.0 | medium-hard | 432 mm | green | 5 | | 5 pads, medium-hard, green, 432 mm diameter. For remo- | + |
| | 15 | 0.503 172.0 | mediom nara | 152 11111 | 8 | Piece(s) | | ving stubborn dirt and basic cleaning. | |
| | 14 | 6.369-473.0 | hard | 432 mm | black | 5 | | 5 pads, hard, black, 432 mm diameter. For removing stub- | |
| | | | | | | Piece(s) | | born dirt and basic cleaning. | Ŀ |
| Pad drive board | | | | , | , | | | | |
| Pad disk complete STRONG D51 | 15 | 4.762-593.0 | | 479 mm | | 1 | | | |
| | | | | | | Piece(s) | | - | F |
| Pad disk complete STRONG D43 | 16 | 4.762-592.0 | | 403 mm | | 1 Dioco(s) | | | |
| Pad drive board | 17 | 4.762-534.0 | | 479 mm | + | Piece(s) | | For cleaning with pads. With quick-change coupling and | + |
| r au unive buaru | 17 | 4./02-334.0 | | 4/3111111 | | Piece(s) | | Centerlock. | |
| | 18 | 4.762-533.0 | | 403 mm | | 1 | | For cleaning with pads. With quick-change coupling and | + |
| | | | | | | Piece(s) | | Centerlock. Fits D 43. | |

[☐] Available accessories.









| | | | | | 1 | | | |
|--------------|----|-------------|-------------------|----------|--------|---------------|-------|--|
| | | Order no. | Hardness grade | Diameter | Colour | Quanti- ty | Price | Description |
| Diamond pads | | | | | | | | |
| Diamond pad | 19 | 6.371-260.0 | coarse | 508 mm | white | 5 Piece(s) | | For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation. |
| | 20 | 6.371-261.0 | medium | 508 mm | yellow | 5 Piece(s) | | For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation. |
| | 21 | 6.371-240.0 | fine | 508 mm | green | 5 Piece(s) | | For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for highgloss crystallisation. |
| | 22 | 6.371-256.0 | coarse | 432 mm | white | 5 Piece(s) | | White diamond pad (coarse) with a diameter of 432 mm for coarse cleaning and restoration. Removes small scratches, for a clean, silky matt surface. |
| | 23 | 6.371-257.0 | medium | 432 mm | yellow | 5 Piece(s) | | Yellow diamond pad (medium) with a diameter of 432 mm for coarse cleaning and restoration. Removes fine scratches and ensures a more homogeneous and shinier surface. |
| | 24 | 6.371-238.0 | fine | 432 mm | green | 5 Piece(s) | | Green diamond pad (fine) with a diameter of 432 mm. For effortless polishing of laminated floors, terrazzo and natural languages surfaces. |

[☐] Available accessories.













| | | Order no. | Length | Colour | Quanti- ty | Price | Description | |
|--|---|-------------|---------|-------------|---------------|-------|---|--|
| Squeegees for suction bars | | | | | | | | |
| Rubber lip set oil resistant BR- BD530,55 | 1 | 6.273-207.0 | 890 mm | transparent | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil- resistant, transparent polyurethane. For all standard floors. | |
| Suction lips | 2 | 6.273-229.0 | 890 mm | transparent | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil- resistant, transparent polyurethane. For sensitive floors. | |
| | 3 | 6.273-290.0 | 890 mm | transparent | 2 -part | | Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors. | |
| Rubber lip set standard | 4 | 6.273-213.0 | 890 mm | blue | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors. | |
| Rubber lip set corrugated oil resistant | 5 | 6.273-023.0 | 1010 mm | transparent | 2 -part | | Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors. | |
| Suction bar, complete | | | | | | | | |
| Squeegee | 6 | 4.777-079.0 | 900 mm | transparent | 1 Piece(s) | | 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment. | |

[☐] Available accessories.



























| | | Order no. | Length | Colour | Quanti- ty | Price | Description | |
|--|----|-------------|--------|--------|---------------|-------|--|--|
| Miscellaneous | | | | | | | | |
| Filling hose | 1 | 6.680-124.0 | 1,5 m | | 1 Piece(s) | | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | |
| KIK key, white | 2 | 4.035-076.0 | | white | 1 Piece(s) | | User key for using the appliance programmable | |
| KIK key set, white | 3 | 4.035-064.0 | | white | 5 Piece(s) | | | |
| Add-on kit eco!zero | 4 | 5.388-133.0 | | | 1 Piece(s) | | With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide. | |
| Cleaning tool kit accessories | | | | | | | | |
| Adapter Homebase | 5 | 5.035-488.0 | | | 1 Piece(s) | | Fastener for various hooks and clips on the machine. | |
| Mop holder kit | 6 | 4.035-374.0 | | | 1 Piece(s) | | Holder for convenient mop storage. | |
| Double hook | 7 | 6.980-077.0 | | | 1 Piece(s) | | Double hook for attaching rubbish bags, etc. to the machine Only for use with the Homebase adapter 5.035-488.0. | |
| Holder handhold grey | 8 | 6.980-078.0 | | grey | 1 Piece(s) | | Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0. | |
| Bottle holder | 9 | 6.980-080.0 | | grey | 1 Piece(s) | | Suitable for transporting spray bottles – only in conjunction with Home Base adapter 5.035-488.0. | |
| Home Base Box Kit | 10 | 4.035-406.0 | | | 1 Piece(s) | | The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc. | |
| Universal hook kit | 11 | 4.070-075.0 | | | 1 Piece(s) | | Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine. | |
| Holder suction bar complete | 12 | 9.753-088.0 | | | 1 Piece(s) | | | |
| RM Dosierstation | | | | | | | | |
| Cleaning agent dosage kit, wall mounted DS 3 | 13 | 2.641-811.0 | | | 1 Piece(s) | | Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit. | |

[☐] Available accessories







| | | Order no. | Length | Diameter | Quanti- ty | Price | Description | |
|--|---|-------------|--------|----------|---------------|-------|---|--|
| Other attachment kits | | | | | | | | |
| Suction hose accessories | 1 | 4.444-015.0 | 3,25 m | | 1 Piece(s) | | For vacuuming water out of corners or containers (e.g. freezers). | |
| Set deflector roll stack formation SB | 2 | 4.035-619.0 | | | 2 -part | | | |







| | T | | | | | | | | _ |
|------------------------------|---------------|----------------------------|--------------------|----------------|--------------------------|---------------------------|-------|--|---|
| | | Order no. | Quantity | Battery volta- | Battery capaci- ty | Battery type | Price | Description | |
| Batteries | | | | | | | | | |
| Battery kit Gel 2x 12V/105Ah | 1 | 2.815-100.0 | 2 -part | 24 V | 105 Ah | mainte- nance- free | | | |
| Battery kit AGM 2x 12V/115Ah | 2 | 2.815-091.0 | 2 -part | 24 V | 115 Ah | mainte- nance- free | | | |
| Battery kit AGM 2x 12V/80Ah | 3 | 2.815-090.0 | 2 -part | 24 V | 80 Ah | mainte- nance- free | | | |
| Accessories for batteries | | | | | | | | | |
| Mounting kit battery kit | <u>4</u> 5 | 2.638-036.0 2.638-059.0 | 2 -part 2 -part | | | | | | |
| Spacer | 6 | 4.642-020.0 | 1 Piece(s) | | | | | Fits quick charger set 2.642-559.0. Prevents the battery from slipping into the machine. | |

[☐] Available accessories.





| | | Order no. | Quantity | ID | Width | Length | Price | Description | |
|------------------------------------|---|-------------|------------|----|-------|--------|-------|--|--|
| Other | | | | | | | | | |
| Cleaning agent container, complete | 1 | 4.070-006.0 | 1 Piece(s) | | | | | Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail. | |

[☐] Available accessories.





| | | Order no. | | | | Price | Description |
|---------------------------|---|-------------|---|----------|--|-------|-------------|
| Storage | | | ' | ' | | | |
| Basket with bottle insert | 1 | 6.999-290.0 | | | | | |
| □ Available accessories | | | | | | | |

[☐] Available accessories.