



IV 60/36-3 W

The IV 60/36-3W is a very robust industrial vacuum cleaner used for wet and dry applications. The construction type and the various accessories available make it highly mobile, being used in different sites of the factory and practical for different cleaning tasks. The model is not recommended to be used for continuous duty (3-shift-operation) because of the motor type embedded in it. It will be operated with 220-240 V, 50-60 Hz. Depending on the operation, container (dry) part-no. 6.394-523.0 or container (wet) part-no. 6.394-528.0 need to be ordered separately.



1 Convenient storage area for accessories on the machine's chassis

- Large accessory basket on the machine chassis offers a convenient storage space for nozzles, bends and other parts.

2 Manual filter vibration for low operating costs

- The manual filter vibration increases the working time of the permanent filter, thereby reducing the maintenance effort.

3 Fitted with three blower motors

- Powerful and flexible machine with the highest possible cleaning performance using a single-phase power supply.

4 Resilient and versatile

- The extensive accessory line provides for ergonomic and economical cleaning solutions for numerous applications.



IV 60/36-3 W

- Antistatic equipment
- Filter status indicator
- Robust wheels and steering rollers

Technical data

Order Number		1.573-300.0
EAN code		4039784731158
Power rating in operation	kW	max. 3,6
Air flow	l/s / m³/h	168 / 605
Vacuum	mbar / kPa	235 / 23,5
Container capacity	l	60
Filter area	m²	2,3
Main filter dust class		M
Sound level	dB(A)	73
Nominal size		ID 50
Accessory nominal size		ID 50
Dimensions (L x W x H)	mm	870 × 640 × 1410

Equipment

Accessories included with machine	No
Container included	no
Container for wet vacuuming	6.394-822.0
Container for dry applications	6.394-821.0
Filter cleaning	Manual

IV 60/36-3 W 1.573-300.0

KÄRCHER


		Order Number	Quantity	ID	Length / width		Price	Description	
Adapter									
DN51 suction connection	1	6.789-003.0	1 piece(s)	ID 51				Connector for operation of DN 51 industrial hoses on one IV	■
DN61 suction connection	2	6.789-004.0	1 piece(s)	ID 61				Connector for operation of DN 61 industrial hoses on one IV	□
Y-piece connector	3	6.789-001.0	1 piece(s)	ID 51				Connector for operation of two DN 51 industrial hoses on one IV	□
	4	6.789-002.0	1 piece(s)	ID 61				Connector for operation of two DN 61 industrial hoses on one IV	□
Reducer, ID 61 to ID 51	5	6.902-147.0	1 piece(s)	ID 61				Reducer for connecting DN 51 accessories to a DN 61 suction hose	□
Adapter	6	6.906-799.0	1 piece(s)	ID 51				Connecting sleeve to connect two DN 51 suction hoses to each other.	□
Connecting sleeve	7	6.906-800.0	1 piece(s)	ID 61				Connecting sleeve to connect two DN 61 suction hoses to each other.	□
Hose connector	8	6.906-810.0	1 piece(s)	ID 51				Connector with live ring for the repair and manufacture of special hose lengths	□
	9	6.906-811.0	1 piece(s)	ID 61					□
Adapter IV to DN72	10	6.902-212.0	1 piece(s)	ID 72					□
Filter									
Star filter, white, IV 60 and IV 100/40-55	11	6.904-341.0	1 piece(s)					Start filter, white, replacement for IV 60 and 100 but not "M B1" and not 100/75	■
Star filter, green, approved for IV 60 and IV 100/40-55 M	12	6.904-342.0	1 piece(s)					"Star filter, green, replacement for IV 60 and 100 M B1 but not 100/75 (M B1); must be used for M B1 machines!"	□
Cpl. BIA-H absolute filter for IV 60 - 100	13	6.904-365.0	1 piece(s)					With mounting parts	□
BIA-H absolute filter (replacement)	14	6.904-345.0	1 piece(s)					Absolute filter BIA-H as a replacement for 6.904-365.0 and IV 100/55 H B1	□
Paper disposal sacks, 60 l	15	6.904-346.0	10 piece(s)					Disposal sack, paper, 60 l for dust-free disposal	□
Paper disposal bags, 60 - 100 l, 10 pcs	16	6.904-347.0	10 piece(s)					Disposal sack, paper, 100 l for dust-free disposal	□
Disposal bags, PE, 60-100 l, 20 pcs	17	6.904-348.0	20 piece(s)					Disposal sack PE 20 pcs 60/100 l for dust-free disposal	□
	18	6.907-336.0	5 piece(s)						□
	19	6.907-347.0	5 piece(s)						□
Stainless steel bends									
Stainless steel bend with nylon ring	20	6.906-767.0	1 piece(s)	ID 51				The stainless steel bend is equipped with a nylon ring in the upper cone area. This ring facilitates the loosening of the bend even after being used for a long time.	□
Bend (stainless steel)	21	6.906-850.0	1 piece(s)	ID 61					□
Suction tubes stainless steel									
Stainless steel suction tube with nylon ring	22	6.906-766.0	1 piece(s)	ID 51	500 mm			The suction tube (0.5 m) is equipped with a nylon ring in the upper cone area. This ring facilitates the loosening of the bend even after being used for a long time.	□
Suction tube (stainless steel)	23	6.906-851.0	1 piece(s)	ID 61	500 mm				□
Floor nozzles									
Brush strip	24	6.903-067.0	2 parts		500 mm				□
Rubber strip set	25	6.903-081.0	2 parts		370 mm			Rubber strip set 370 mm, oil-resistant, for floor nozzle 4.130-408.0	□
Floor nozzle cpl. 500 mm	26	4.130-412.0	1 piece(s)	ID 51	500 mm			"Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips and rubber lips; strip set 6.903-067.0; rubber lip set 6.906-168.0"	□
Rubber strip set	27	6.906-168.0	2 parts		500 mm			Rubber strip set 500 mm, oil-resistant, for floor nozzles 4.130-413.0 and -412.0	□
Floor nozzle cpl. 500 mm	28	4.130-413.0	1 piece(s)	ID 61	500 mm			Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)	□

■ Included in delivery. □ Available accessories.

IV 60/36-3 W 1.573-300.0

KÄRCHER


		Order Number	Quantity	ID	Length / width	Price	Description	
Floor nozzle, "heavy duty"	29	6.906-793.0	1 piece(s)	ID 51	500 mm		Floor nozzle, cast aluminium with height-adjustable rollers for demanding applications	<input type="checkbox"/>
	30	6.906-802.0	1 piece(s)	ID 61	500 mm			<input type="checkbox"/>
Rubber strip, floor nozzle 500 mm	31	6.906-833.0	1 piece(s)		500 mm		Rubber strip 500 mm, oil-resistant, for floor nozzles 6.906-793.0 and -802.0	<input type="checkbox"/>
Triangular nozzle (cast aluminium, rubber strip)	32	6.906-796.0	1 piece(s)	ID 51	300 mm		Flat surface nozzle 300 mm cast aluminium for demanding applications	<input type="checkbox"/>
	33	6.906-805.0	1 piece(s)	ID 61	300 mm			<input type="checkbox"/>
Steel strip for triangular nozzle	34	6.906-835.0	1 piece(s)		300 mm		Steel bar 300 mm, for flat surface nozzle 6.906-796.0 and -805.0 Replacement for 6.906-795.0 and -804.0	<input type="checkbox"/>
Rubber strip for triangular nozzle	35	6.906-834.0	1 piece(s)		300 mm		Rubber strip 300 mm, oil-resistant, for flat surface nozzles 6.906-796.0 and -805.0	<input type="checkbox"/>
	36	6.906-814.0	1 piece(s)	ID 51	370 mm			<input type="checkbox"/>
Other nozzles								
45° rubber suction nozzle	37	6.902-146.0	1 piece(s)	ID 51	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>
	38	6.902-106.0	1 piece(s)	ID 61	220 mm			<input type="checkbox"/>
Conical rubber attachment	39	6.906-764.0	1 piece(s)	ID 51	370 mm		Suction nozzle DN 51, rubber, round	<input type="checkbox"/>
Angled round brush	40	6.906-798.0	1 piece(s)	ID 51	120 mm		Flat surface nozzle, round, with brush, for the gentle vacuuming of machine surfaces	<input type="checkbox"/>
Round brush crown (replacement)	41	6.906-809.0	1 piece(s)				For round brushes 6.906-798.0 and 6.906-807	<input type="checkbox"/>
Straight nozzle with angled brush	42	6.906-797.0	1 piece(s)	ID 51	370 mm		Flat surface nozzle, round, with brush, for the gentle vacuuming of machine surfaces	<input type="checkbox"/>
Straight brush crown (replacement)	43	6.906-808.0	1 piece(s)				For brushes, straight 6.906-797.0 and 6.906-806.0	<input type="checkbox"/>
Plastic suction nozzle	44	6.906-773.0	1 piece(s)	ID 51	100 mm		Suction nozzle DN 51, plastic, 120 mm, for suction of machines and small surfaces	<input type="checkbox"/>
	45	6.903-056.0	1 piece(s)	ID 61	100 mm			<input type="checkbox"/>
Metal scratcher and scraper nozzle	46	6.906-770.0	1 piece(s)	ID 51	117 mm		Scratcher and scraper tool DN 51, sheet metal, 117 mm	<input type="checkbox"/>
	47	6.903-360.0	1 piece(s)	ID 61	104 mm		Scratcher and scraper tool DN 61, sheet metal, 117 mm	<input type="checkbox"/>
Aluminium surface nozzle	48	4.130-414.0	1 piece(s)	ID 51	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	<input type="checkbox"/>
	49	4.130-415.0	1 piece(s)	ID 61	200 mm			<input type="checkbox"/>
Pipe suction nozzle	50	6.906-837.0	1 piece(s)	ID 51			Plastic for 250 mm dia. pipes	<input type="checkbox"/>
Crevice tools								
Grout nozzle, synthetic	51	6.906-768.0	1 piece(s)	ID 51	370 x 50 mm		Plastic, 370 mm	<input type="checkbox"/>
	52	6.900-222.0	1 piece(s)	ID 61	370 x 64 mm		Grout nozzle, plastic, 370 mm	<input type="checkbox"/>
Grout nozzle, stainless steel	53	6.906-771.0	1 piece(s)	ID 51	400 x 70 mm		Grout nozzle, stainless steel, 400 mm	<input type="checkbox"/>
Grout nozzle, stainless steel, curved	54	6.906-831.0	1 piece(s)	ID 51	460 x 75 mm		Grout nozzle, curved, stainless steel	<input type="checkbox"/>
PVC hoses								
Plastic hose	55	6.906-791.0	1 piece(s)	ID 51	5 m		Suction hose, e.c., 5 m, PVC very flexible and light for all common applications	<input type="checkbox"/>
	56	6.906-787.0	1 piece(s)	ID 51	10 m		Suction hose, e.c., 10 m, PVC very flexible and light for all common applications	<input type="checkbox"/>
	57	6.906-781.0	1 piece(s)	ID 61	5 m		Suction hose, e.c., 5 m, PVC very flexible and light for all common applications	<input type="checkbox"/>
	58	6.906-782.0	1 piece(s)	ID 61	10 m		Suction hose, e.c., 10 m, PVC very flexible and light for all common applications	<input type="checkbox"/>
PU hoses								
PU hose	59	6.906-786.0	1 piece(s)	ID 51	5 m		Suction hose, e.c., 5 m, PU for higher demands and abrasive substances	<input type="checkbox"/>
Hose	60	6.906-788.0	1 piece(s)	ID 51	10 m		Suction hose, e.c., 10 m, PU for higher demands and abrasive substances	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

IV 60/36-3 W

1.573-300.0

KÄRCHER


		Order Number	Quantity	ID	Length / width	Price	Description	
PU hose	61	6.906-777.0	1 piece(s)	ID 61	5 m		Suction hose, e.c., 5 m, PU for higher demands and abrasive substances	<input type="checkbox"/>
	62	6.906-778.0	1 piece(s)	ID 61	10 m		Suction hose, e.c., 10 m, PU for higher demands and abrasive substances	<input type="checkbox"/>
Rubber hoses								
Rubber hoses	63	6.906-789.0	1 piece(s)	ID 51	5 m		Suction hose, e.c., 5 m, rubber for predominantly stationary applications and most severe conditions	<input type="checkbox"/>
	64	6.906-779.0	1 piece(s)	ID 61	5 m			<input type="checkbox"/>
Metal hoses								
Metal hoses	65	6.906-784.0	1 piece(s)	ID 51	5 m		Suction hose, e.c. 5 m, metal for hot media up to 400°C, not suitable for fluids	<input type="checkbox"/>
	66	6.906-775.0	1 piece(s)	ID 61	5 m			<input type="checkbox"/>
Suction container								
Disposal system Longopac	67	2.013-050.0	1 piece(s)					<input type="checkbox"/>
Cpl. stainless steel container (replacement) 60 l	68	4.070-837.0	1 piece(s)				60 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	<input type="checkbox"/>
Cpl. stainless steel container (replacement) 100 l	69	4.070-838.0	1 piece(s)				100 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	<input type="checkbox"/>
Conversion kit liquid	70	2.882-695.0	1 piece(s)				Includes drain valve and coarse screen for IVC container	<input type="checkbox"/>
Cpl. IV chip basket	71	6.394-530.0	1 piece(s)				Swarf basket cpl. for all IV 60 and IV 100 in conjunction with the wet container	<input type="checkbox"/>
	72	2.050-078.0	1 piece(s)					<input type="checkbox"/>
Zubehörsets IV, IVL								
Industrial kit for lighter-duty applications	73	2.641-177.0	7 parts	ID 51			1 x 4.130-412.0 floor nozzle DN 51, aluminium, 500mm 1 x 6.906-773.0 suction nozzle DN 51, plastic 1 x 6.906-768.0 grout nozzle DN51, plastic 1 x 6.906-767.0 bend DN51, stainless steel 2 x 6.906-766.0 suction tube 0.5 m, DN51, stainless steel 1 x 6.906-791.0 suction hose plastic, DN 51, 5m	<input type="checkbox"/>
Industrial kit for demanding applications	74	2.641-178.0	7 parts	ID 51			1 x 6.906-793.0 floor nozzle DN 51, H-D, 500 mm 1 x 6.906-773.0 suction nozzle DN 51, plastic 1 x 6.906-768.0 grout nozzle DN 51, plastic 1 x 6.906-767.0 bend DN 51, stainless steel 2 x 6.906-766.0 suction tube 0.5 m DN 51, stainless steel 1 x 6.906-786.0 suction hose PU, DN 51, 5 m	<input type="checkbox"/>
Industrial kit for lighter-duty applications	75	2.641-175.0	7 parts	ID 61			1 x 4.130-413.0 floor nozzle DN 61, aluminium, 500mm 1 x 6.903-056.0 suction nozzle DN 61, plastic 1 x 6.900-222.0 grout nozzle DN51, plastic 1 x 6.906-850.0 bend DN 61, stainless steel 2 x 6.906-851.0 suction tube 0.5 m, DN 61, stainless steel 1 x 6.906-781.0 suction hose plastic, DN 61, 5m	<input type="checkbox"/>
Industrial kit for demanding applications	76	2.641-176.0	7 parts	ID 61			1 x 6.906-802.0 floor nozzle DN 61, H-D, 500 mm 1 x 6.903-056.0 suction nozzle DN 61 plastic 1 x 6.900-222.0 grout nozzle DN 61 plastic 1 x 6.906-850.0 bend DN 61 stainless steel 2 x 6.906-851.0 suction tube 0.5 m, DN 61, stainless steel 1 x 6.906-777.0 suction hose PU DN 61, 5 m	<input type="checkbox"/>
Miscellaneous								
Crane- & forklift-emptying device	77	2.642-842.0	1 piece(s)					<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

IV 60/36-3 W
1.573-300.0



		Order Number	Quantity	ID	Length	Width	Price	Description	
Other									
Pre-separator	1	3.864-010.0	1 piece(s)						<input type="checkbox"/>
Barrel separator	2	3.864-012.0	1 piece(s)						<input type="checkbox"/>
Lid for separator	3	4.063-132.0	1 piece(s)						<input type="checkbox"/>
Adapter ring for 200 l drum	4	6.902-051.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.