IVC 60/30 AP M Z22

Compact industrial vacuum with wear-resistant side channel blower for continuous use (e.g. in manufacturing). For fine dusts in dust class M, ATEX zone 22 and hygiene-sensitive areas.













Order no.


1.576-106.0

- Certified according to 94/9/EC
- Manual filter cleaningAnti-static equipment

_		
Technical data		
EAN code		4039784463752
Current type	Ph / V / Hz	3 / 400 / 50
Air flow	l/s / m³/h	53.3 / 192
Vacuum	mbar / kPa	250 / 25
Container content	I	60
Container material		Stainless steel
Rated input power	kW	3
Vacuuming type		Electric
Nominal size		ID 70
Accessory nominal size		ID 40
Sound pressure level	dB(A)	77
Main filter dust class		M
Filter area for main filter	m²	1.9
Weight without accessories	kg	95
Dimensions (L × W × H)	mm	970 × 690 × 1240

Users must receive training on this device.


Equipment	
Main filter	Flat pleated filter
Accessories included with machine	no
Container emptying	Set down chassis
Included in delivery.	





Certified for ATEX Zone 22

 Explosion-proof industrial vacuum for safe vacuuming in ATEX Zone 22.



Dust class M

• Complete device certified according to DIN EN 60335-2-69 for dust class M.



Wear-resistant side channel compressor

 A side channel blower delivers high suction power with a very long lifetime of at least 20,000 hours. These machines are therefore ideal for multiple shift operation.





















		Order no.	Description	
ACCESORY SETS				
Solid / Dust				
Floor Cleaning Kit cond. Advanced DN50	1	9.990-894.0		
NOZZLES				
Standard nozzles				
Standard nozzle PVC DN40	2	9.989-674.0		
Standard nozzle PVC DN50	3	9.989-673.0		
Nozzle elastic silicon DN42	4	9.988-401.0		
Nozzle elastic silicon DN52	5	9.988-402.0		
Standard nozzle rubber cuttable DN40	6	9.989-677.0		
Standard nozzle rubber cuttable DN50	7	9.989-675.0		
Standard aluminium nozzle DN40	8	9.980-748.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 40.	
Standard aluminium nozzle DN50	9	9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	
Standard nozzles bendable		•		
Nozzle, zinc coated, flexible, with rubber tip	10	9.981-420.0		
	11	9.981-421.0		
Standard nozzle, flexible, angled 90° PP DN40	12	9.981-429.0	Flexible, electroconductive angled nozzle, DN 40, length: 800 mm.	
Floor nozzles				
Floor nozzle Alu 370 mm DN40	13	9.989-683.0		
Floor nozzle Alu el 370 mm DN40	14	9.989-682.0		

 $[\]blacksquare$ Included in delivery. \qed Available accessories.



















		Order no.	Description	
NOZZLES				
Floor nozzles				
Multi-purpose nozzle 370mm el. leit., DN	15	9.987-612.0		
	16	9.989-558.0		
Floor nozzle rubber strip oil-resistant. 220 mm	17	9.981-923.0	Squeegee with plastic strip for floor nozzle, 220 mm wide.	
Rubber lips with molding 370mm	18	9.981-914.0		
Floor nozzle rubber strip 500 mm	19	9.981-915.0	Oil-resistant squeegee with profiled strip for floor nozzle, 500 mm wide.	
Bürstenleiste Satz elektr. leitend, für	20	9.984-939.0		
Floor nozzle brush strip 500 mm	21	9.980-764.0	Brush strip set for floor nozzle 500 mm, with profiled strip.	
Crevice nozzles		<u>'</u>		
Crevice nozzle, lightweight plastic	22	9.988-116.0		
	23	9.988-117.0		
Crevice nozzle PU 19 mm × 160 mm DN40	24	9.981-483.0	Crevice nozzle made from PU, DN 40.	
Crevice nozzle PU 22 mm × 175 mm DN50	25	9.981-482.0	Crevice nozzle made from PU, DN 50.	
Nozzle Crevice nozzle 17 mm × 120 mm DN4	26	9.989-680.0		
Nozzle Crevice nozzle 25 mm × 120 mm DN4	27	9.989-678.0		
Crevice nozzle 18 mm × 120 mm DN50	28	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width.	

 $[\]blacksquare$ Included in delivery. $\hfill\square$ Available accessories.























		Order no.	Description	
NOZZLES				
Crevice nozzles				
Crevice nozzle 25 mm × 120 mm DN50	29	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width.	
Crevice nozzle slot nozzle V2A AK DN40	30	9.989-193.0		
Crevice nozzles bendable				
Nozzle Langschaft Silikon DN52	31	9.988-403.0		
Crevice nozzle, zinc coated, flexible	32	9.981-423.0		
Flexible crevice nozzle 12 mm × 45 mm DN50	33	9.981-424.0	Flexible, electroconductive galvanised crevice nozzle, DN 50, with 13 mm slot width.	
Crevice nozzle, zinc coated, flexible	34	9.981-425.0		
Surface nozzles				
Nozzle with connecting piece 90° DN40	35	9.988-118.0		
Nozzle with connecting piece 90° DN50	36	9.988-119.0		
Nozzle Surface nozzle Alu 150 mm DN40	37	9.989-666.0		
Nozzle Surface nozzle Alu 150 mm DN50	38	9.989-665.0		
Blind hole nozzles				
Nozzle Blind hole nozzle DN40	39	9.989-671.0		
Nozzle Blind hole nozzle bended 60° DN40	40	9.989-669.0		
Nozzle Blind hole nozzle bended 90° DN40	41	9.989-667.0		
Nozzle Blind hole nozzle bended 90° 200	42	9.989-670.0		

 $[\]blacksquare$ Included in delivery. \qed Available accessories.

KÄRCHER





















	_		
		Order no.	Description
BRUSHES			
Standard brushes			
Standard brush 40 mm DN40	43	9.981-431.0	Flat brush nozzle DN 40.
Standard brush 40 mm DN50	44	9.981-432.0	Flat brush nozzle DN 50.
Pencil brushes			-
Brush ø82 mm DN40	45	9.989-609.0	
Brush ø82 mm DN50	46	9.989-608.0	
Surface brushes			
Brush PP 24 mm DN40	47	9.989-610.0	
Vacuum brush	48	9.981-911.0	
	49	9.981-912.0	
HOSES			
PVC			
Hose PVC DN40 3 m	50	9.989-647.0	
Hose PVC DN40 5 m	51	9.989-614.0	
Hose without connection PVC DN40 15 m	52	9.989-633.0	
EVA			
Extension hose EVA el. DN42 3m	53	9.988-088.0	
Extension hose EVA el. DN42 5m	54	9.988-089.0	
Hose without connection EVA DN40 15 m	55	9.989-630.0	
ME			
Hose connection kit DN40	56	9.989-627.0	
	_		

 $[\]hfill \square$ Available accessories.























		Order no.
HOSES		<u> </u>
PU		
Hose PU DN40 3 m	57	9.989-617.0
Hose PU DN40 5 m	58	9.989-618.0
Hose without connection PU DN40 15 m	59	9.989-637.0
ME-PU		-
Hose ME-PU DN40 3 m	60	9.989-621.0
	61	9.989-622.0
Hose without connection ME-PU DN40 15 m	62	9.989-640.0
HANDLES		
Elbow aluminium 45° DN40	63	9.989-544.0
Elbow aluminium 45° DN50	64	9.989-547.0
Hand grip curved 45°, DN 42	65	9.977-679.0
Hand grip curved stainless steel 45°IK D	66	9.989-036.0
SUCTION TUBES		
Suction tube carbon 1500mm DN40	67	9.989-552.0
Suction tube carbon 1500mm DN50	68	9.989-553.0
Suction tube 750 mm DN40	69	9.977-525.0
Extension pipe stainless steel DN40 US	70	9.989-039.0

[☐] Available accessories.























			\neg
	Order no.	Description	
	<u> </u>		
71	9.988-114.0		
72	9.989-603.0		
73	9.989-601.0		
74	9.989-602.0		
75	9.989-604.0		
	'		
76	9.977-772.0		
77	9.989-690.0		
78	9.981-231.0	Reducer from DN 50 to DN 40. Material: Steel. Electroconductive.	
79	9.989-712.0		
80	9.989-713.0		
	'		
81	9.981-921.0	Reducer from external cone DN 50 to internal cone DN 70. Material: Steel. Electroconductive.	
82	9.989-611.0		
	72 73 74 75 76 77 78 79 80	71 9.988-114.0 72 9.989-603.0 73 9.989-601.0 74 9.989-602.0 75 9.989-604.0 76 9.977-772.0 77 9.989-690.0 78 9.981-231.0 79 9.989-713.0 81 9.981-921.0	71 9.988-114.0

[☐] Available accessories.