



NT 80/1 B1 MS

Specialist vacuum cleaner with water bath, designed for use in hazardous locations



1 Safety first

- The NT 80/1 B1 M S features automatic water level control and can only be operated with a sufficient water level.

2 Zone 22 + dust class M

- For combustible dusts in dust explosion classes, Zone 22 and health-endangering dusts, dust class M.



NT 80/1 B1 MS

- Antistatic system
- Stainless steel container
- For propellant residues

Technical data

Order no.	1.667-267.0	
EAN code	4039784725355	
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	56
Vacuum	mbar / kPa	235 / 23,5
Container content	l	80
Rated input power	W	max. 1380
Standard nominal size	DN 40	
Sound pressure level	dB(A)	70
Weight	kg	32,5
Dimensions (L × W × H)	mm	660 × 520 × 1078

Equipment

Suction hose	m	4 / with manifold (electrically conductible)	Caster with brake	■
Suction Tube	Piece(s) × m	1 × 1 / Metal	Dust class	M
Wet and dry floor tool	mm	370		
Crevice nozzle		■		
Antistatic system		■		
Stainless steel container		■		
Metal bend		■		
Cartridge filter		Paper		
Sturdy bumper		■		
Push handle		■		
Safety class		I		

■ Included in delivery.

NT 80/1 B1 MS

1.667-267.0



		Order no.	Quantity				Price	Description
Cartridge filter paper								
Cartridge filter	1	6.904-325.0	1 Piece(s)					Paper cartridge filter - M BIA-C dust class M, suitable for the following models: NT 801 B1, NT 801 B1 S, NT 80/1 B1 M, NT 80/1 B1 MS. ■

■ Included in delivery. □ Available accessories.

NT 80/1 B1 MS

1.667-267.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Bend metal									
Metal bend, ID 40	1	4.036-032.0	1 Piece(s)	DN 40				Unmistakeable bend, chromium-plates and crooked, ID 40, with special fixation sleeves use with special safety vacuum cleaner for dust explosion classes B1.	■
All-purpose nozzles (wet/dry)									
All-purpose nozzle, ID 40	2	4.130-399.0	1 Piece(s)	40		450 mm		Aluminium floor nozzle, earthed, non-interchangeable, 370 mm, height-adjustable.	■
Crevice nozzles									
Crevice tool ID 40	3	4.763-243.0	1 Piece(s)	40 mm	290 mm			Plastic crevice tool (DN 35) with non-interchangeable screw connection for vacuuming in crevices and corners. Length: 290 mm.	■
Suction tubes metal									
Suction tube, DN 40, 1 m	4	4.025-372.0	1 Piece(s)	40	1000 mm			Non-interchangeable suction tube ID 40, 1.0 m, metal chromed, with special fixation on both sides.	■
All-purpose brushes									
All-purpose brush, DN 40, B1	5	4.763-242.0	1 Piece(s)	40 mm	120 mm			All-purpose brush with natural bristles (cow hair) Bristles: 120 x 45 mm. Only for NT 801 B1 M, B1 MS and NT 80/1 B1 M & B1 MS.	□

■ Included in delivery. □ Available accessories.

NT 80/1 B1 MS 1.667-267.0



		Order no.	Quantity	ID	Length		Price	Description	
Suction hoses with distinctive connection for Zone 22									
Suction hose complete B1 M L=8m	1	4.440-013.0	1 Piece(s)	DN 40	8 m				<input type="checkbox"/>

■ Included in delivery. Available accessories.