





K 4 Compact *GB

Easy to transport and quick to stow away: the K 4 Compact for occasional use on moderate dirt. Includes telescopic handle and water-cooled motor. 30 m²/h area performance.



1 Telescopic handle

- The aluminium telescopic handle can be extended for transport and retracted again for storage.



2 Water-cooled motor and outstanding performance

- The water-cooled motor impresses with its particularly long service life and high power.



3 Hose storage on front cover

- The hose can be conveniently hung up on the front cover.



4 Integrated accessory storage on the device

- Convenient and space-saving accessory storage.



K 4 Compact *GB

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data

Order no.	1.637-501.0
EAN code	4054278497198
Pressure	bar / MPa
Flow rate	l/h
Max. inlet temperature	°C
Connection load	kW
Weight without accessories	kg
Dimensions (L × W × H)	mm

Equipment

High-pressure gun	G 180 Q
Vario Power Jet	■
High-pressure hose	m
Quick Connect on the side of the device	■
Water suction	■
Integrated water filter	■
A3/4" garden hose connector adapter	■
Telescopic handle	■
Water-cooled motor	■

■ Included in the scope of supply.

K 4 COMPACT *GB

1.637-501.0

KÄRCHER



		Order no.						Price	Description	
Spray lances										
VP 145 vario power jet Full Control for K 4-K 5	1	2.642-725.0							Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 145 dirt blaster Full Control for K 4-K 5	2	2.642-728.0							Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
Telescopic spray lance	3	2.642-347.0							Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
Splash guard	4	2.642-706.0							Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	5	2.638-817.0							Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under-bodies.	□
1-step lance extension	6	2.643-240.0							Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	7	2.643-254.0							VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
MP 145 multi power jet for K 3-K 5	8	2.643-239.0							Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	□
Vario Power Jet Short 360° VP 145 S for K 2 - K 4	9	2.643-253.0							VP 145 S: The Vario Power Jet Short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
Trigger guns										
G 180 Q Quick Connect trigger gun	10	2.642-889.0							The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	■
Surface cleaners										
T 7 Plus T-Racer surface cleaner	11	2.644-074.0							Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function - for effective and splash-free cleaning of large areas.	□
T 5 T-Racer surface cleaner	12	2.644-084.0							Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	13	2.644-123.0							The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
Replacement nozzles accessories for T 350	14	2.643-335.0							The high-quality replacement nozzles guarantee easy nozzle changing and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer ranges K 2 to K 7.	□
T-Racer T 250 Surface Cleaner	15	2.642-194.0							T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.	□

■ Included in the scope of supply. □ Available accessories.

K 4 COMPACT *GB

1.637-501.0

KÄRCHER


		Order no.						Price	Description	
T 450 T-Racer surface cleaner	16	2.643-214.0							Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges, handle for vertical cleaning, protection grid for gravel surfaces, cleaning pressure adjustment.	☐
PS 40 power scrubber surface cleaner	17	2.643-245.0							Power Scrubber PS 40 with 3 integrated high-pressure nozzles. Eliminates stubborn dirt from various surfaces powerfully, reliably and in a time-saving manner. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	☐
T 350 T-Racer surface cleaner	18	2.643-252.0							With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjustment for hard and sensitive surfaces. Handle for vertical cleaning.	☐
Replacement nozzles accessories	19	2.643-338.0							High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	☐
Brushes										
WB 150 power brush	20	2.643-237.0							WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	☐
WB 120 rotating wash brush	21	2.644-060.0							Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	☐
WB 120 rotating wash brush Car & Bike	22	2.644-129.0							Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	☐
WB 60 soft surface wash brush	23	2.643-233.0							Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	☐
Wheel washing brush	24	2.643-234.0							Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	☐
Garden hose adapter	25	2.640-732.0							Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	☐
Rotating wash brush	26	2.644-061.0							Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	☐
High-pressure replacement hose: With anti-twist system and Quick Connect system										
H 10 Q Flex PremiumFlex anti twist	27	2.643-585.0							Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	☐
High-pressure replacement hose: system from 2009 with Quick Connect system										
H 9 Q high-pressure hose Quick Connect	28	2.641-721.0							9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	☐

■ Included in the scope of supply. □ Available accessories.

K 4 COMPACT *GB

1.637-501.0

KÄRCHER



		Order no.						Price	Description	
High-Pressure replacement hose kit system from 1992										
Extension hose adapter kit	29	2.643-037.0							Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	☐
High-pressure extension hose: System for devices with Quick Connect system										
XH 10 Q Quick Connect extension hose	30	2.641-710.0							High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	☐
XH 6 Q extension hose Quick Connect	31	2.641-709.0							High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	☐
XH 10 QR extension hose Quick Connect rubber	32	2.641-708.0							High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	☐
Pipe cleaning										
PC 20 roof gutter and pipe cleaning kit	33	2.642-240.0							The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	☐
PC 15 pipe cleaning kit	34	2.637-767.0							Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	☐
PC 7.5 pipe cleaning kit	35	2.637-729.0							Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	☐
Pipe cleaning kit 7.5 m	36	2.642-790.0							Pipe cleaning kit for clearing blockages in pipes, drains, downpipes, etc.	☐
Foam jet										
FJ 6 foam jet	37	2.643-147.0							FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	☐
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner	38	2.643-143.0							Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	☐
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	39	2.643-144.0							Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	☐
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	40	2.643-145.0							Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	☐
FJ 3 foam jet	41	2.643-150.0							FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	☐
Miscellaneous										
SH 5 suction hose	42	2.643-100.0							Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	☐
Sand and wet-blasting kit	43	2.638-792.0							Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	☐
Vario joint	44	2.640-733.0							Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	☐
Water filter	45	4.730-059.0							Water filter protects pressure washer pumps against dirt particles from dirty water.	☐

■ Included in the scope of supply. □ Available accessories.

K 4 COMPACT *GB 1.637-501.0




		Order no.					Price	Description	
O-ring set	46	2.640-729.0						Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	☐
Organiser	47	2.641-630.0						Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	☐
Water filter	48	2.642-794.0						Water filter to protect the high-pressure pump against dirt particles from contaminated water.	☐
SH 3 suction hose	49	2.643-101.0						3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	☐

■ Included in the scope of supply. □ Available accessories.

K 4 COMPACT *GB

1.637-501.0

KÄRCHER



		Order no.						Price	Description	
Hose storage and hose trolley										
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0							Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	☐
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0							Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	☐
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0							Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	☐
Hoses										
Hose set for pressure washers	4	2.645-156.0							Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	☐
Water supply hose set	5	2.645-258.0							Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	☐
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0							The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	☐
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0							PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	☐
Hose connection systems										
Universal hose coupling Plus	8	2.645-193.0							Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	☐
Universal hose coupling Plus with Aqua Stop	9	2.645-194.0							Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	☐
Universal Hose Connector with Aqua Stop	10	2.645-192.0							Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	☐
Universal Hose Connector	11	2.645-191.0							Universal hose connector in ergonomic design for comfortable handling.	☐

■ Included in the scope of supply. □ Available accessories.