

NT 40/1 AP L

NT 40/1 Ap L: Powerful wet and dry vacuum cleaner in the middle class with 40 litre tank. The machine impresses with excellent suction power, clever equipment and durable components.



Order no. 1.148-324.0

- Semi-automatic filter cleaning system
- Flat pleated filter with filter casing
- Flexible hose and cable storage

Technical data

| | | |
|----------------------------|-------------|-------------------------|
| EAN code | | 4054278447995 |
| Current type | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Air flow | l/s | 74 |
| Vacuum | mbar / kPa | 273 / 27.3 |
| Container content | l | 40 |
| Container material | | Plastic |
| Rated input power | W | max. 1380 |
| Standard nominal size | | ID 35 |
| Cable length | m | 7.5 |
| Sound pressure level | dB(A) | 70 |
| Weight without accessories | kg | 12.4 |
| Weight incl. packaging | kg | 16.4 |
| Dimensions (L × W × H) | mm | 525 × 370 × 630 |

Equipment

| | | |
|--|---------------|-----------------------------------|
| Suction hose | m | 2.5 / with bend |
| Suction Tube | Piece(s) × mm | 2 × 550 / Steel, chromed |
| Filter bag | Piece(s) | 1 / Fleece |
| Wet and dry floor tool | mm | 300 |
| Crevice nozzle | | ■ |
| Auto shutdown when max. level is reached | | ■ |
| Flat pleated filter | | Paper |
| Filter cleaning | | Semi-automatic filter cleaning Ap |
| Safety class | | II |
| Caster with brake | | ■ |

■ included in delivery.



Semi-automatic filter cleaning system

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- Transport-proof storage of the power cable.

Removable filter casing

- Permits dust-free removal of the filter.
- Effectively prevents incorrect insertion of the flat pleated filter.

EQUIPMENT FOR NT 40/1 AP L 1.148-324.0



| | | Order no. | Description | |
|---|----|-------------|---|---|
| FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M | | | | |
| Flat pleated filter (paper) | | | | |
| Flat filter only for replacement Kaerche | 1 | 6.904-367.0 | Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M. | ■ |
| Flat pleated filter (PES) | | | | |
| Flat-pleated filter packaged PES | 2 | 6.907-662.0 | | □ |
| Flachfaltenfilter (PTFE) | | | | |
| Flat pleated filter, PTFE | 3 | 6.907-455.0 | Polyester fleece with PTFE coating for single-motor Tact and Ap vacuum cleaners, dust class M. Particularly suitable for very adhesive materials. | □ |
| BENDS | | | | |
| Plastic bend | | | | |
| Elbow packaged NW35 2K | 4 | 2.889-170.0 | Ergonomic bend for the new clip system. | ■ |
| Elbow electrically conducting packaged N | 5 | 2.889-148.0 | Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design. | □ |
| Elbow complete packaged NW35 2K | 6 | 2.889-168.0 | Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust. | □ |
| SUCTION NOZZLES | | | | |
| All-purpose nozzles (wet/dry) | | | | |
| Floor tool packaged NT Entry Class NW35 | 7 | 2.899-691.0 | | ■ |
| Floor tool packaged NW35 360mm | 8 | 2.889-152.0 | 360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees. | □ |
| Crevice nozzles | | | | |
| Crevice nozzle wet and dry packaged NW35 | 9 | 2.889-159.0 | Crevice nozzle ID 35, for new Tact range. | ■ |
| Car cleaning nozzles | | | | |
| Ergonomic car nozzle, DN 35, 100 mm | 10 | 2.889-356.0 | | □ |
| Car nozzle, DN 35, 90 mm | 11 | 6.906-108.0 | Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners. | □ |
| SUCTION TUBES | | | | |
| Suction tubes metal | | | | |
| Set suction tube chromed NW35 550mm | 12 | 2.889-191.0 | Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres. | ■ |
| SUCTION HOSES | | | | |
| Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on) | | | | |
| Suction hose | 13 | 2.889-134.0 | 2.5 m suction hose with new bayonet and clip fastener. | ■ |
| | 14 | 2.889-135.0 | 4 m suction hose with new bayonet and clip fastener. | □ |

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 40/1 AP L 1.148-324.0



| | | Order no. | Description | |
|---|----|-------------|---|--------------------------|
| SUCTION HOSES | | | | |
| Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on) | | | | |
| Electrically conductive suction hose | 15 | 2.889-136.0 | Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m. | <input type="checkbox"/> |
| | 16 | 2.889-137.0 | 4 m suction hose with new bayonet and clip fastener. Electrically conductive. | <input type="checkbox"/> |
| Suction hose | 17 | 2.889-138.0 | 4 m suction hose with new bayonet and clip fastener. | <input type="checkbox"/> |
| | 18 | 2.889-139.0 | Suction hose with new bayonet and clip fastener. Length: 2.5 m. | <input type="checkbox"/> |
| Suction hose, oil-resistant | 19 | 2.889-140.0 | Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m. | <input type="checkbox"/> |
| Electrically conductive suction hose | 20 | 2.889-141.0 | 4 m, electrically conductive suction hose with new bayonet and clip fastener. | <input type="checkbox"/> |
| Repair set NW35 | 21 | 2.889-149.0 | Repair kit ID 35 for the new clip system. | <input type="checkbox"/> |
| FILTER BAGS | | | | |
| Fleece filter bags (3 ply) | | | | |
| Fleece filter bags, 5 × , NT 40/1, NT 50/1 | 22 | 2.889-155.0 | Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head. | <input type="checkbox"/> |
| FILTER T/ NT | | | | |
| Membrane filter / fabric filter | | | | |
| Membrane filter, NT 30/1, NT 40/1, NT 50/1 | 23 | 2.889-281.0 | | <input type="checkbox"/> |
| CONNECTING SLEEVES | | | | |
| Connecting sleeve C-DN (clip on taper), EL (electroconductive) | | | | |
| Connection cone NW35 | 24 | 5.407-005.0 | | <input type="checkbox"/> |
| OTHER ACCESSORIES FOR T AND NT | | | | |
| Drilling dust tool | 25 | 2.679-000.0 | Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher. | <input type="checkbox"/> |
| Adapter old packaged NW35 | 26 | 2.889-312.0 | | <input type="checkbox"/> |
| Adapter connection old elektr. leitend | 27 | 5.031-436.0 | | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.