


B 90 R CLASSIC BP PACK

Compact, high productivity ride-on scrubber dryer with advanced features



Made in Germany



EASY-Operation



CONFIGURABLE

Order no.

1.161-307.0

- Very easy to use
- With operating hour counter
- For maintenance cleaning

Technical data

EAN code		4039784497856
Drive type		Battery
Traction drive		Traction motor
Working width of brushes	mm	550 - 750
Working width, vacuuming	mm	850 - 940
Fresh/dirty water tank	l	90 / 90
Waste Container	l	5, 7
Battery type		maintenance-free
Battery	V / Ah	24 / 170
Battery runtime	h	max. 3.5
Power supply for battery charger	V / Hz	230 / 50 - 60
Brush contact pressure	g/cm ² / kg	20 - 315 / 28 - 37
Water consumption	l/min	3.5
Sound pressure level	dB(A)	69
Total permissible weight	kg	460
Dimensions (L × W × H)	mm	1450 × 800 × 1200

This device does not require instruction.

Equipment

Powerful traction drive	■
Battery and built-in charger included	■
Automatic water stop	■
2-tank system	■

■ included in delivery.



Extremely easy to manoeuvre

- The extra short and sleek design makes this machine extremely agile and easy to manoeuvre – despite the large water capacity.
- 90° steering allows on-the-spot turning.
- A low centre of gravity guarantees good wheel grip.



Simple operation

- The basic functions are easily controlled using the EASY switch.
- Operating hours are displayed.
- Roller brushes save water and detergent.



Long operating time

- Large compartment for large battery capacity. Pack models include maintenance-free gel batteries.

EQUIPMENT FOR B 90 R CLASSIC BP PACK


1.161-307.0




1



2



3-4




5-7



8-11



12



13





14, 17, 20

	Order no.	Description	
TRACTION BATTERIES AND CHARGERS			
Batteries			
Battery kit AGM 4x 6V/170Ah, 24 V, 170 Ah, maintenance-free	1	2.815-092.0	■
Accessories for batteries			
Mounting kit battery kit	2	2.638-064.0	■
DISC PADS / PAD DRIVE BOARDS			
Pad drive board			
Pad disk complete STRONG BD75, 375 mm	3	4.762-591.0	<input type="checkbox"/>
Disk pad BD65, 335 mm	4	4.762-590.0	<input type="checkbox"/>
Pad drive board, 375 mm	5	4.762-447.0	<input type="checkbox"/>
Pad drive board, 335 mm	6	4.762-446.0	<input type="checkbox"/>
Pad drive board, 280 mm	7	4.762-445.0	<input type="checkbox"/>
Microfibre pad			
Microfibre pad, white, 381 mm, 5 x	8	6.371-078.0	<input type="checkbox"/>
Microfibre pad, white, 356 mm, 5 x	9	6.369-959.0	<input type="checkbox"/>
	10	6.905-060.0	<input type="checkbox"/>
Microfibre pad, white, 280 mm, 5 x	11	6.369-120.0	<input type="checkbox"/>
Pads			
Pad, medium-soft, red, 650 mm, 5 x	12	6.371-000.0	<input type="checkbox"/>
Pad, hard, brown, 650 mm, 5 x	13	4.642-025.0	<input type="checkbox"/>
Pad, medium-soft, red, 381 mm, 5 x	14	6.369-791.0	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR B 90 R CLASSIC BP PACK

1.161-307.0



	Order no.	Description		
DISC PADS / PAD DRIVE BOARDS				
Pads				
Pad, medium-hard, green, 381 mm, 5 x	15	6.369-790.0	5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	<input type="checkbox"/>
Pad, hard, black, 381 mm, 5 x	16	6.369-789.0	5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	<input type="checkbox"/>
Pad, medium-soft, red, 356 mm, 5 x	17	6.369-003.0	5 pads, medium-soft, red, 356 mm diameter. For cleaning all floors. Suitable for, e.g. D 65.	<input type="checkbox"/>
Pad, medium-hard, green, 356 mm, 5 x	18	6.369-002.0	5 pads, medium-hard, green, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	<input type="checkbox"/>
Pad, hard, black, 356 mm, 5 x	19	6.369-001.0	5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	<input type="checkbox"/>
Pad, medium-soft, red, 280 mm, 5 x	20	6.371-153.0	5 pads, medium-soft, red, 280 mm diameter. For cleaning all floors. Suitable for, e.g. D 55.	<input type="checkbox"/>
Pad, medium-hard, green, 280 mm, 5 x	21	6.371-154.0	5 pads, medium-hard, green, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	<input type="checkbox"/>
Pad, hard, black, 280 mm, 5 x	22	6.371-155.0	5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	<input type="checkbox"/>
Diamond pads				
Diamond pad, coarse, white, 385 mm, 5 x	23	6.371-252.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
Diamond pad, medium, yellow, 385 mm, 5 x	24	6.371-253.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
Diamond pad, fine, green, 385 mm, 5 x	25	6.371-236.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
Diamond pad, coarse, white, 356 mm, 5 x	26	6.371-250.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
Diamond pad, medium, yellow, 356 mm, 5 x	27	6.371-251.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
Diamond pad, fine, green, 356 mm, 5 x	28	6.371-235.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR B 90 R CLASSIC BP PACK

1.161-307.0



	Order no.	Description		
DISC PADS / PAD DRIVE BOARDS				
Diamond pads				
Diamond pad, coarse, white, 280 mm, 5 x	29	6.371-246.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
Diamond pad, medium, yellow, 280 mm, 5 x	30	6.371-247.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad.	<input type="checkbox"/>
Diamond pad, fine, green, 280 mm, 5 x	31	6.371-233.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
Melamine pads				
Melamine pad, 381 mm, 2 x	32	6.371-022.0	Melamine pad set with 381 mm diameter for our BD 80 W scrubber drier and other machines with the D 75 disc brush head. For the effective cleaning of microporous surfaces.	<input type="checkbox"/>
Melamine pad, 356 mm, 2 x	33	6.371-021.0	Melamine pad set with 356 mm diameter for our B 60 W, B 80 W, B 95 RS and B 90 R scrubber driers with the D 65 disc brush head. For the effective cleaning of microporous surfaces.	<input type="checkbox"/>
SUCTION BARS AND SQUEEGEES				
Suction bar, complete				
Squeegee, 1000 mm, V-shaped	34	4.777-080.0	Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resistant polyurethane with a long lifetime.	<input type="checkbox"/>
Squeegee, 900 mm, V-shaped	35	4.777-079.0	900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>
Squeegee, 940 mm, straight	36	4.777-402.0	Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.	<input type="checkbox"/>
Squeegee, 850 mm, straight	37	4.777-401.0	Straight suction bar, with support rollers. Squeegee blades are made from oil-resistant, transparent polyurethane and are easy to replace.	<input type="checkbox"/>
Squeegees for suction bars				
Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1116 mm	38	6.273-024.0	Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane.	<input type="checkbox"/>
Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1010 mm	39	6.273-023.0	Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
Suction lips, oil-resistant, grooved, 960 mm	40	6.273-208.0	Includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	<input type="checkbox"/>
Suction lips, oil-resistant, slotted, 960 mm	41	6.273-205.0	Includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	<input type="checkbox"/>
Suction lips, oil-resistant, closed, 960 mm	42	6.273-291.0	Closed, oil-resistant, for structured floors.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR B 90 R CLASSIC BP PACK

1.161-307.0



	Order no.	Description	
SUCTION BARS AND SQUEEGEES			
Squeegees for suction bars			
Suction lips, Natural rubber, 960 mm	43	6.273-214.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors. <input type="checkbox"/>
Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm	44	6.273-207.0	Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. <input type="checkbox"/>
Suction lips, oil-resistant, slotted, 890 mm	45	6.273-229.0	Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors. <input type="checkbox"/>
Suction lips, oil-resistant, closed, 890 mm	46	6.273-290.0	Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors. <input type="checkbox"/>
Rubber lip set standard, Natural rubber, 890 mm	47	6.273-213.0	Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors. <input type="checkbox"/>
KITS			
Fleet mounting kit			
Add-on kit	48	2.644-391.0	<input type="checkbox"/>
Lighting/RKL mounting kit			
Flashing beacon	49	2.641-718.0	Increases the safety of the working environment. <input type="checkbox"/>
Other attachment kits			
Set deflector roll stack formation SB	50	4.035-619.0	<input type="checkbox"/>
Auto-Fill	51	2.641-748.0	Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow. <input type="checkbox"/>
Suction hose accessories	52	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers). <input type="checkbox"/>
ROLLER BRUSHES FOR BR			
Roller brush red for replacement - R75, medium, red, 700 mm	53	4.035-578.0	<input type="checkbox"/>
Roller brush white - R75, soft, white, 700 mm	54	6.907-729.0	<input type="checkbox"/>
Roller brush orange - R75, high / low, orange, 700 mm	55	6.907-730.0	<input type="checkbox"/>
Roller brush green - R75, hard, green, 700 mm	56	6.907-731.0	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR B 90 R CLASSIC BP PACK

1.161-307.0



	Order no.	Description	
ROLLER BRUSHES FOR BR			
Roller brush black - R75, very hard, black, 700 mm	57 6.907-732.0		<input type="checkbox"/>
Roller brush, soft, white, 638 mm	58 6.906-981.0	Soft, for cleaning sensitive surfaces and for polishing. Fits on R 65.	<input type="checkbox"/>
Roller brush red for replacement BR65, medium, red, 638 mm	59 4.035-187.0		<input type="checkbox"/>
Roller brush, high / low, orange, 638 mm	60 6.906-982.0	Medium hard, for cleaning strong structured floors and deeper joints. Fits R 65.	<input type="checkbox"/>
Roller brush, hard, green, 638 mm	61 6.906-983.0	Roller brush, hard, green. Length: 638 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
Roller brush, very hard, black, 638 mm	62 6.906-984.0	Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65.	<input type="checkbox"/>
Roller brush, soft, white, 532 mm	63 6.906-977.0	Soft, for cleaning sensitive surfaces and for polishing. Fits on R 55.	<input type="checkbox"/>
Roller brush red for replacement BR 55, medium, red, 532 mm	64 4.035-193.0		<input type="checkbox"/>
Roller brush, high / low, orange, 532 mm	65 6.906-978.0	Medium hard, for cleaning strong structured floors and deeper joints. Fits R 55.	<input type="checkbox"/>
Roller brush, hard, green, 532 mm	66 6.906-979.0	Hard, for heavy soillings und for deep cleaning; for unsensitive floors only. Fits R 55.	<input type="checkbox"/>
Roller brush, very hard, black, 532 mm	67 6.906-980.0	Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 55.	<input type="checkbox"/>
DISC BRUSHES FOR BD			
Disc brush, very soft, white, 385 mm	68 4.905-019.0	Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	<input type="checkbox"/>
Disc brush, soft, natural, 385 mm	69 4.905-020.0	Made of natural fibres, for spray cleaning and for polishing. Fits D 75.	<input type="checkbox"/>
Disc brush, medium, red, 385 mm	70 4.905-018.0	Medium, for all floors. Standard with D 75.	<input type="checkbox"/>

Available accessories.

EQUIPMENT FOR B 90 R CLASSIC BP PACK

1.161-307.0



	Order no.	Description	
DISC BRUSHES FOR BD			
Disc brush, hard, black, 385 mm	71	4.905-021.0	Hard, for heavy soiling and for deep cleaning. For unsensitive floors only. Fits D 75. <input type="checkbox"/>
Disc brush, very soft, white, 355 mm	72	4.905-011.0	Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm. <input type="checkbox"/>
Disc brush, soft, natural, 355 mm	73	4.905-012.0	Made of natural fibres, for spray cleaning and for polishing. Fits D 65. <input type="checkbox"/>
Disc brush, medium, red, 355 mm	74	4.905-010.0	Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Standard brush head D 65. <input type="checkbox"/>
Disc brush, hard, black, 355 mm	75	4.905-013.0	Hard, for heavy soiling and for deep cleaning. For unsensitive floors only. Fits D 65. <input type="checkbox"/>
Disc brush, very soft, white, 300 mm	76	4.905-015.0	very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55 <input type="checkbox"/>
Disc brush, soft, natural, 300 mm	77	4.905-016.0	Made of natural fibres, for spray cleaning and for polishing. Fits D 55. <input type="checkbox"/>
Disc brush, medium, red, 300 mm	78	4.905-014.0	Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Standard for brush head D 55. <input type="checkbox"/>
Disc brush, hard, black, 300 mm	79	4.905-017.0	Hard, for heavy soiling and for deep cleaning. For unsensitive floors only. Fits D 55. <input type="checkbox"/>
BRUSH HEADS			
Brush head R75 S	80	2.763-006.0	Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. <input type="checkbox"/>
Brush-head R 65	81	2.763-004.0	Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. <input type="checkbox"/>
Brush-head R 55	82	2.763-002.0	Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. <input type="checkbox"/>
Brush-head D 75	83	2.763-005.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. <input type="checkbox"/>
Brush-head D 65	84	2.763-003.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. <input type="checkbox"/>

Available accessories.

EQUIPMENT FOR B 90 R CLASSIC BP PACK

1.161-307.0



	Order no.	Description		
BRUSH HEADS				
Brush-head D 55	85	2.763-001.0	Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee: Packed separately.	<input type="checkbox"/>
Floor head S 65	86	2.763-030.0	Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	<input type="checkbox"/>
Connection kit S 65	87	4.036-061.0	Kit for connecting the S 65 floor head to the B 90 R.	<input type="checkbox"/>
ROLLER PADS / ROLLER PAD SHAFT				
Roller pad shaft				
Roll pad - R75, 700 mm	88	4.762-627.0		<input type="checkbox"/>
Pad roller shaft, 638 mm	89	4.762-433.0	Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56.	<input type="checkbox"/>
Pad roller shaft, 532 mm	90	4.762-432.0	Roller pad shaft, aluminium For roller pads or microfibre rollers, length 532 mm. Fits brush head R 55.	<input type="checkbox"/>
Roller pads				
Roller pad, medium, red	91	6.369-456.0	Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	<input type="checkbox"/>
Roller pad, hard, green	92	6.369-455.0	Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
Microfibre shaft				
Microfibre roller, 700 mm	93	4.114-007.0	World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75.	<input type="checkbox"/>
Microfibre roller, 638 mm	94	4.114-006.0	World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0. Fits on R 65.	<input type="checkbox"/>
Microfibre roller, 532 mm	95	4.114-005.0	World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-432.0. Fits on R 55.	<input type="checkbox"/>
OTHER ACCESSORIES FOR SCRUBBER DRYERS				
Miscellaneous				
Additional weight kit	96	5.031-498.0	ensures that squeegee glides optimally	<input type="checkbox"/>
Filling hose	97	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	<input type="checkbox"/>
Dirty water tank filter	98	6.414-976.0	Improves airflow even when damp, thanks to modified filter material.	<input type="checkbox"/>

Available accessories.

EQUIPMENT FOR B 90 R CLASSIC BP PACK 1.161-307.0



99



100

		Order no.	Description	
OTHER ACCESSORIES FOR SCRUBBER DRYERS				
RM Dosierstation				
Cleaning agent dosage kit, wall mounted DS 3	99	2.641-811.0	Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	<input type="checkbox"/>
SPRAYERS				
Pump spray bottle 1 l	100	6.394-409.0	1 litre pump spray bottle - including pump and pressure tank - for easy, uniform spraying for cleaning or crystallising.	<input type="checkbox"/>

Available accessories.