KARCHER

NT 27/1

The NT 27/1 is a powerful wet/dry vacuum cleaner for professional users. It is exceptionally compact and comes standard with a number of useful accessories.





Order no.

1.428-509.0


- Plastic container
- Accessory storage and cord hook

| Technical data | | |
|----------------------------|------------|---------------------|
| EAN code | | 4039784724235 |
| Current type | V / Hz | 220 - 240 / 50 - 60 |
| Air flow | I/s | 72 |
| Vacuum | mbar / kPa | 249 / 24.9 |
| Container content | I | 27 |
| Container material | | Plastic |
| Rated input power | W | max. 1380 |
| Standard nominal size | | ID 35 |
| Cable length | m | 7.5 |
| Sound pressure level | dB(A) | 71 |
| Weight without accessories | kg | 7.1 |
| Dimensions (L × W × H) | mm | 420 × 420 × 525 |

| Equipment | | |
|------------------------|------------------|---------------------------|
| Suction hose | m | 2.5 / with bend / Plastic |
| Suction Tube | Piece(s) × mm | 2 × 550 / Steel, chromed |
| Filter bag | Piece(s) | 1 / Paper |
| Wet and dry floor tool | mm | 300 / standard |
| Crevice nozzle | | |
| Cartridge filter | | PES |
| Sturdy bumper | | |
| Safety class | | II |
| Caster with brake | | |
| Included in delivery. | | |

NT 27/1, 1.428-509.0, 2024-05-09

KARCHER





Cartridge filter with float

- Suction power remains at a consistently high
- The float system interrupts the suction flow after reaching the maximum capacity.



Robust metal latches

■ The extremely robust metal latches lock more reliably.



Robust bumper

 A bumper protects the vacuum as well as walls, machines and other items against damage.

KÄRCHER

EQUIPMENT FOR NT 27/1 1.428-509.0





























| | | | | \top | | | | |
|---|------|---------------|--|--------|--|--|--|--|
| | | | | | | | | |
| | | Order no. | Description | | | | | |
| CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M | | | | | | | | |
| Cartridge filter PES | | | | | | | | |
| Cartridge filter packaged PES | 1 | 2.889-219.0 | Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified. | 1 | | | | |
| BENDS | | | | | | | | |
| Plastic bend | | | | | | | | |
| Elbow packaged NW35 1K | 2 | 2.889-199.0 | Plastic elbow, grey, with C-35 clip system. | ı | | | | |
| Elbow complete packaged NW35 2K | 3 | 2.889-168.0 | Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust. | | | | | |
| SUCTION NOZZLES | | | | | | | | |
| All-purpose nozzles (wet/dry) | | | | | | | | |
| Floor tool packaged NT Entry Class NW35 | 4 | 2.899-691.0 | | 1 | | | | |
| Crevice nozzles | | | | | | | | |
| Crevice nozzle wet and dry packaged NW35 | 5 | 2.889-159.0 | Crevice nozzle ID 35, for new Tact range. | | | | | |
| All-purpose brushes | • | | | | | | | |
| All-purpose brush | 6 | 6.900-425.0 | All-purpose brush PPN_Bristle | | | | | |
| Car cleaning nozzles | • | | | | | | | |
| Ergonomic car nozzle, DN 35, 100 mm | 7 | 2.889-356.0 | | | | | | |
| Suction brushes | | | | Т | | | | |
| Suction brush DN35 | 8 | 6.903-862.0 | Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners. | | | | | |
| SUCTION TUBES | | | | | | | | |
| Suction tubes metal | | | | | | | | |
| Set suction tube chromed NW35 550mm | 9 | 2.889-191.0 | Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres. | | | | | |
| Suction tubes stainless steel | | | | | | | | |
| Set suction tube stainless steel NW35 55 | 10 | 2.889-192.0 | Stainless steel suction tube set (2 × 0.55 m) | | | | | |
| Suction tubes plastic | | • | | | | | | |
| Set suction tube DN35 505mm | 11 | 2.889-218.0 | Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres. | | | | | |
| SUCTION HOSES | | | | | | | | |
| Suction hoses with clip system 2.0 (compatible | with | vacuum cleane | rs from model year 2017 on) | | | | | |
| Suction hose | 12 | 2.889-134.0 | 2.5 m suction hose with new bayonet and clip fastener. | | | | | |
| Electrically conductive suction hose | 13 | 2.889-136.0 | Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m. | [| | | | |
| Extension hose packaged NW35 2.5m | 14 | 2.889-145.0 | Extension hose for new clip system ID 35. Length: 2.5 m. | | | | | |
| · | | | | | | | | |

■ Included in delivery.

□ Available accessories.



EQUIPMENT FOR NT 27/1 1.428-509.0











| | | Order no. | Description | | |
|---|-------|-------------|--|--|--|
| FILTER T/ NT | | | | | |
| Coarse filter for wet pickup | | | | | |
| Filter | 15 | 5.731-595.0 | | | |
| Special filter bags, wet filter bags | | <u> </u> | | | |
| Special filter bag, wet filter bag | 16 | 6.904-171.0 | Approved for dust class L, general cleaning, wet and dry, tear-resistant. | | |
| Membrane filter / fabric filter | | <u> </u> | | | |
| Membrane filter, NT 27/1, NT 48/1 | 17 | 6.906-103.0 | Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional. | | |
| CONNECTING SLEEVES | | | | | |
| Connecting sleeve C-DN (clip on taper), EL (ele | troco | nductive) | | | |
| Connection cone NW35 | 18 | 5.407-005.0 | | | |
| OTHER ACCESSORIES FOR T AND NT | | | | | |
| Adapter connection old elektr. leitend | 19 | 5.031-436.0 | | | |

 $[\]blacksquare$ Included in delivery. \qed Available accessories.