KARCHER

NT 22/1 AP BP L

SHELL machine so battery and charger not included: Compact and versatile battery powered wet and dry vacuum cleaner NT 22/1 Ap Bp for demanding wet and dry applications at locations without an external power supply.











Order no.

1.528-130.0

- Dust class L
- Efficient semi-automatic filter cleaning
- Flat pleated filter with filter casing

Technical data		
EAN code		4054278672328
Battery platform		36 V battery platform
Container content	1	22
Container material		Plastic
Sound pressure level	dB(A)	70
Air flow	I/s	57
Vacuum	mbar / kPa	152 / 15.2
Rated input power	W	max. 575
Standard nominal size		ID 35
Number of batteries required	Piece(s)	1
Performance per battery charge	m²	approx. 150 (7.5 Ah)
Performance per battery charge Runtime per battery charge	m² min	approx. 150 (7.5 Ah) max. 31 (7.5 Ah) / max. 24 (6.0 Ah)
		max. 31 (7.5 Ah) / max. 24 (6.0
Runtime per battery charge Battery charging time with fast	min	max. 31 (7.5 Ah) / max. 24 (6.0 Ah)
Runtime per battery charge Battery charging time with fast charger 80%/100%	min min	max. 31 (7.5 Ah) / max. 24 (6.0 Ah) 58 / 81
Runtime per battery charge Battery charging time with fast charger 80%/100% Charging current	min min A	max. 31 (7.5 Ah) / max. 24 (6.0 Ah) 58 / 81
Runtime per battery charge Battery charging time with fast charger 80%/100% Charging current Power supply for battery charger	min min A V / Hz	max. 31 (7.5 Ah) / max. 24 (6.0 Ah) 58 / 81 6 100 - 240 / 50 - 60

Equipment		
Variant		Battery and charger not included
Suction hose	m	1.9 / with bend
Suction Tube	Piece(s) × mm	2 × 505 / Plastic
Filter bag		Fleece
Wet and dry floor tool	mm	300
Crevice nozzle		
Auto shutdown when max. level is reached		-
Flat pleated filter		Paper
Filter cleaning		Semi-automatic filter cleaning Ap
Safety class		III

■ Included in delivery.

KÄRCHER





Powerful 36 V Kärcher Battery Power+ battery with 7.5 Ah capacity

 Ensures a long runtime of 31 minutes at full suction power.



Effective protection cover for the battery bay

■ Protects the battery from dirt and moisture. With viewing window.



Semi-automatic filter cleaning system

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

KARCHER

EQUIPMENT FOR NT 22/1 AP BP L 1.528-130.0





























				_
		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR U	Р ТО П	OUST CLASS M		
Flat pleated filter (paper)		,		4
Flat pleated filter	1	6.904-156.0	Flat pleated filter (dust class M) suitable for all NT 14/1 vacuum cleaners as a standard main filter and for the NT 351 Eco/Professional series.	
Flat pleated filter (PES)				
Flat pleated filter (PES)	2	6.906-123.0	Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Optional main filter for NT 14/1 and NT 351 Eco/Professional.	
Flat-pleated filter packaged neutrally P	3	6.907-649.0		
BENDS				
Plastic bend				
Elbow packaged NW35 1K	4	2.889-199.0	Plastic elbow, grey, with C-35 clip system.	
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NT Entry Class DN35	5	2.899-811.0		
Crevice nozzles		<u> </u>		
Crevice nozzle wet and dry packaged NW35	6	2.889-159.0	Crevice nozzle ID 35, for new Tact range.	
Car cleaning nozzles		<u> </u>		
Ergonomic car nozzle, DN 35, 100 mm	7	2.889-356.0		
Car nozzle, DN 35, 90 mm	8	6.906-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
SUCTION TUBES				
Suction tubes plastic				
Set suction tube DN35 505mm	9	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	
Suction tubes metal		'		
Suction tube chromed NW35 - 505mm	10	6.902-074.0	Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	
BATTERIES				
Accumulator special accessories 36V 5,0	11	2.445-031.0		
Battery Power+ 36/75	12	2.445-043.0	A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	
Battery Power+ 36/60	13	2.042-022.0	Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.	
FILTER BAGS				
Fleece filter bags (3 ply)				
Fleece filter bags, 5 \times , NT 22/1, ProNT 200, ProNT 400	14	6.907-469.0		



EQUIPMENT FOR NT 22/1 AP BP L 1.528-130.0







		Order no.	Description		
SUCTION HOSES					
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)					
Suction hose	15	2.889-134.0	2.5 m suction hose with new bayonet and clip fastener.		
CONNECTING SLEEVES					
Connecting sleeve C-DN (clip on taper), EL (electroconductive)					
Connection cone NW35	16	5.407-005.0			
OTHER ACCESSORIES FOR T AND NT		'			
Adapter old packaged NW35	17	2.889-312.0			

 \blacksquare Included in delivery. \qed Available accessories.