

KM 150/500 R D CLASSIC

KM 150/500 R Classic sit-on vacuum sweeper with pocket filter, large sweeping container, robust steel chassis, easy lever operation, hydraulic rear-wheel drive and Flexible Footprint System.



Order no. 1.186-134.0

- High working and transport speed
- Simple operation via control lever
- Pocket filter with large filter area

Technical data

| | | |
|--|------------------------|--------------------|
| EAN code | | 4054278047874 |
| Drive type | | Diesel |
| Traction drive | | Four-stroke engine |
| Motor manufacturer | | Yanmar |
| Drive- performance | kW | 15.8 |
| Max. area performance | m²/h | 18000 |
| Working width | mm | 1200 |
| Working width with 1 side brush | mm | 1500 |
| Working width with two side brushes | mm | 1800 |
| Waste container | l | 500 |
| Climbing ability | % | 18 |
| Working speed | km/h | 12 |
| Filter areas | m² | 10.5 |
| Weight (with accessories) | kg | 1400 |
| Dimensions (L × W × H) | mm | 2442 × 1570 × 1640 |

Equipment

| | |
|---|---|
| Pocket filter | ■ |
| Filter cleaning manual | ■ |
| Main sweeper roller adjustable | ■ |
| Power steering | ■ |
| Dustpan principle | ■ |
| Forwards traction drive | ■ |
| Backwards traction drive | ■ |
| Suction | ■ |
| Hydr. high dump | ■ |
| Outdoor use | ■ |
| Elapsed time counter | ■ |
| Sweeping function, can be switched off | ■ |
| Wheels, solid rubber | ■ |

■ included in the scope of supply.

Users must receive training on this device.



Hydraulic rear-wheel drive with solid rubber tyres

- Good manoeuvrability and control even in tight spaces.
- Works even on sharp surfaces without causing tyre punctures.



Large-area pocket filter with vibration motor

- Large filter area for dust-free vacuuming.
- Cleaning by means of vibration motor.



Robust steel chassis with multiple corrosion protection

- Can be used under tough working conditions.
- Durable machine and components.

ACCESSORIES FOR KM 150/500 R D CLASSIC

1.186-134.0



| | | Order no. | Description | |
|---|----|-------------|---|-------------------------------------|
| FILTERS | | | | |
| Pocket filter | | | | |
| Pocket filter white | 1 | 6.988-490.0 | Pocket filter for KM 150/500 R D Classic vacuum sweeper with dimensions of 1100 × 500 × 320 mm. Ideal for very fine dusts and large quantities of dirt thanks to 10.5 m ² filter area. | <input checked="" type="checkbox"/> |
| Pocket filter green | 2 | 6.988-704.0 | Developed for use in very dusty settings: Pocket filter, water resistant, large filter area (10.5 m ²) for large areas of fine dusts. Dimensions 1100 × 500 × 320 mm, for KM 150/500 R D Classic. | <input type="checkbox"/> |
| MAIN SWEEPER ROLLER | | | | |
| Standard roller brush | | | | |
| Standard roller brush | 3 | 6.987-085.0 | Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable. | <input checked="" type="checkbox"/> |
| Main sweeper roller, soft | | | | |
| Main sweeper roller, soft | 4 | 6.987-464.0 | Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas. | <input type="checkbox"/> |
| Main sweeper roller, soft/natural | 5 | 6.987-437.0 | Specially designed with natural bristles for sweeping fine dust on smooth floors indoors. | <input type="checkbox"/> |
| Main sweeper roller, hard | | | | |
| Main sweeper roller, hard | 6 | 6.987-436.0 | For removing stubborn dirt outdoors. | <input type="checkbox"/> |
| Main sweeper roller, antistatic | | | | |
| Reversing rolling mill antistatic KM 150 | 7 | 6.986-000.0 | | <input type="checkbox"/> |
| KITS | | | | |
| Fleet mounting kit | | | | |
| Attachment kit Plug-in Connect Module | 8 | 2.644-391.0 | The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system. | <input type="checkbox"/> |
| MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS | | | | |
| Lighting | | | | |
| Spotlight blue | 9 | 2.852-802.0 | Blue spotlight for the KM Industrial vacuum sweeper from Kärcher. The optical route warning device ensures maximum visibility and safety for people and the machine itself. | <input type="checkbox"/> |
| Spotlight blue - ex works | 10 | 2.852-802.7 | | <input type="checkbox"/> |
| Work illumination | 11 | 2.852-082.0 | For increased visibility, e.g. in underground garages or warehouses. | <input type="checkbox"/> |
| Blinker beacon front and rear - ex works | 12 | 2.852-151.7 | For increased work safety on the factory site: road lights consisting of indicators and working lights. | <input type="checkbox"/> |
| Sweeping/Vacuuming | | | | |
| Holder for NT 22/1 Ap Bp vacuum cleaner | 13 | 2.852-884.0 | Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step. | <input type="checkbox"/> |
| Side brush cover | 14 | 2.851-287.0 | Side brush cover reduces dust dispersion. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR KM 150/500 R D CLASSIC

1.186-134.0



| | Order no. | Description | |
|---|----------------|---|--------------------------|
| MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS | | | |
| Other mounting kits | | | |
| Ram protection | 15 2.852-621.0 | | <input type="checkbox"/> |
| Add-on kit wet sweep | 16 2.852-821.0 | | <input type="checkbox"/> |
| Side brushes, left | | | |
| Second side brush left | 17 2.851-274.0 | Side brush, complete, including standard side brush for increasing area performance. | <input type="checkbox"/> |
| CABS AND PROTECTIVE ROOFS | | | |
| Protective roof | | | |
| Protective roof | 18 2.852-688.0 | | <input type="checkbox"/> |
| Protective cabin without glazing | 19 2.852-794.0 | Robust steel construction. Complies with IEC 60335-2-72. | <input type="checkbox"/> |
| Driver's protective cabin | | | |
| Comfort cabin with all-around glazing | 20 2.852-797.0 | The robust steel construction reliably protects the driver. Glazing on all sides, with a folding rear window and side window on the left. | <input type="checkbox"/> |
| Protective cabin with windscreen and wiper | 21 2.852-795.0 | The roof with the windscreen and windscreen wiper protects the driver from falling objects. | <input type="checkbox"/> |
| TYRES, PUNCTURE-PROOF | | | |
| Front/rear tyre solid rubber non-chalking | 22 6.435-176.0 | Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.