

T 15/1

We are updating our existing, commercial range of dry vacuum cleaners with the T 15/1 dry vacuum cleaner and once again occupying this important market segment with a superb top-class model.



Order no.

1.355-200.0

- 15-l container, ergonomic design, quiet, convenient foot switch
- 15-m long plug-in Gleitflex power cable, integrated cable and accessory storage
- Floor nozzle 280 mm, telescopic suction tube, crevice nozzle, upholstery nozzle, suction brush

Technical data

| | | |
|----------------------------|------------|-----------------|
| EAN code | | 4039784723436 |
| Voltage | V | 220 - 240 |
| Frequency | Hz | 50 - 60 |
| Vacuum | mbar / kPa | 220 / 22 |
| Air flow | l/s | 43 |
| Nominal power | W | 700 |
| Container capacity | l | 15 |
| Standard nominal width | | ID 35 |
| Cable length | m | 15 |
| Sound pressure level | dB(A) | 60 |
| Colour | | anthracite |
| Weight without accessories | kg | 7.1 |
| Weight incl. packaging | kg | 11.4 |
| Dimensions (L × W × H) | mm | 434 × 316 × 400 |

Equipment

| | | |
|-----------------------------------|----------|------------------------------------|
| Container material | | Plastic |
| Integrated power cable organiser | | ■ |
| Cable hook | | ■ |
| Pluggable power cable | | Flexible |
| Integrated accessory storage | | ■ |
| Suction hose length | m | 2 |
| Bend | | Antistatic with air-flow regulator |
| Telescopic suction tube | mm | 615 - 1007 |
| Telescopic suction tube, material | | Steel, chrome-plated |
| Switchable floor nozzle | | ■ |
| Upholstery nozzle | | ■ |
| Crevice nozzle | | ■ |
| Suction brush | | ■ |
| Quantity of filter bags | Piece(s) | 1 |
| Filter bag material | | Fleece |
| Motor protection filters | | ■ |
| Permanent filter basket | | Fleece |

■ Included in the scope of supply.



Flexible cable

- Particularly flexible, sturdy, long-lasting Glideflex power cable.
- It can be wound around the top of the machine or stored on the cable hook.



Integrated accessory storage

- The full integration of the accessories on the rear enables the user to quickly access them in any cleaning situation.



Operation using foot switch

- No tedious bending down during everyday work.

ACCESSORIES FOR T 15/1

1.355-200.0



| | | Order no. | Description | |
|--|----|-------------|---|---|
| FILTER T/ NT | | | | |
| Main filter baskets | | | | |
| Permanent main filter basket, T 12/1, T 15/1, T 17/1 | 1 | 4.731-011.0 | Plastic frames with reinforced fleece material, washably to 40°C. | ■ |
| Exhaust air filter | | | | |
| Motor protection filter, 1 Piece(s), T 9/1 Bp, T 7, T 8, T 10, T 11, T 12, T 15 | 2 | 6.414-022.0 | Motor protection filter, removable fleece, which can be replaced when heavily soiled. | ■ |
| Motor protection filter, 3 Piece(s), BV 5/1, T 7, T 8, T 9, T 10, T 11, T 12, T 15 | 3 | 2.889-119.0 | | □ |
| Standard exhaust air filter, 3 Piece(s), BV 5/1, BV 5/1 Bp, T 12, T 15, T 17 | 4 | 6.414-802.0 | Standard exhaust filter and diffusor for reducing filtered air. Made of foam. | □ |
| HEPA Filter | | | | |
| HEPA 13 filter, packaged | 5 | 6.414-080.0 | HEPA 13 filter with 99.95% separation degree certified according to test standard DIN EN 1822:2019. For increasing the filter capacity and improving the blower air. | □ |
| Fabric filter bag | | | | |
| Fabric filter bag for dry vacuum cleaners | 6 | 6.904-316.0 | The fabric filter bag for Kärcher dry vacuum cleaners is made of cotton and can be washed at up to 40 °C. | □ |
| BENDS | | | | |
| Bend, plastic | | | | |
| Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end | 7 | 2.889-148.0 | Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. | ■ |
| SUCTION NOZZLES | | | | |
| Floor nozzles | | | | |
| Switchable floor nozzle, DN 35, width 280 mm, basalt grey, with parking hook, suitable for textile and hard surfaces | 8 | 2.889-129.0 | For cleaning textile and hard surfaces: basalt grey plastic switchable floor nozzle with width of 280 mm and nominal size of DN 35. Features a practical parking hook. | ■ |
| Parquet nozzle, DN 35, width 360 mm, with parking hook, suitable for parquet floors and hard surfaces | 9 | 2.889-196.0 | Gentle cleaning of parquet floors, delicate wooden floors and other hard surfaces: plastic parquet nozzle with width of 360 mm and nominal size of DN 35. Includes practical parking hook. | □ |
| Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces | 10 | 2.889-197.0 | Plastic parquet nozzle with width of 300 mm width and nominal size of DN 35 for gentle cleaning of parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook. | □ |
| Floor nozzle, DN 35, width 290 mm, with parking hook, suitable for textile and hard surfaces | 11 | 2.889-360.0 | High-quality plastic floor nozzle in nominal size of DN 35 for cleaning textile and hard floors. With a practical parking hook. Width: 290 mm. | □ |
| Crevice nozzles | | | | |
| Crevice nozzle, DN 35, plastic, length 210 mm | 12 | 2.889-130.0 | With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm. | ■ |
| Upholstery nozzles | | | | |
| Upholstery nozzle, DN 35 | 13 | 6.905-998.3 | Practical plastic upholstery nozzle in DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds. | ■ |
| Suction brushes | | | | |
| Suction brush | 14 | 6.900-697.0 | Oval and rotatable suction brush (DN 35) with flexible plastic bristles for deep cleaning. | ■ |

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR T 15/1


1.355-200.0



| | Order no. | Description | | |
|---|-----------|-------------|---|-------------------------------------|
| SUCTION NOZZLES | | | | |
| Electric brushes | | | | |
| ESB 28 electric suction brush | 15 | 2.641-815.0 | Electrical suction brush with suction hose, cable and telescopic suction tube. For considerably better dirt pick-up from textile floor coverings. Also for resilient and hard surfaces. For T 201 and T 12/1. | <input type="checkbox"/> |
| Turbo nozzles | | | | |
| Turbo floor nozzle with parking hook, DN 35/32, 270 mm wide | 16 | 2.860-277.0 | Plastic turbo floor nozzle in nominal size of DN 35/32 for cleaning textile and hard floors. With a practical parking hook and DN 35/32 reduction bushing, 270 mm wide. | <input type="checkbox"/> |
| Turbo upholstery nozzle | 17 | 2.860-113.0 | Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve. | <input type="checkbox"/> |
| SUCTION TUBES | | | | |
| Suction tubes, metal | | | | |
| Telescopic suction tube, DN 35, 615 - 1007 mm long, chrome-plated steel, suitable for: BV 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 12/1, T 15/1, NT 30/1, Nt 40/1, NT 50/1NT 65/2 | 18 | 2.862-008.0 | Practical telescopic suction tube made of chrome-plated steel for Kärcher dry vacuum cleaners, nominal width DN 35 and 615-1007 mm long. | <input checked="" type="checkbox"/> |
| SUCTION HOSES | | | | |
| Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on) | | | | |
| Suction hose, T, DN 35, length 2 m, Clip 2.0, click fastener | 19 | 2.889-161.0 | The suction hose in nominal width DN 35 and with 2 m length is suitable for use with dry vacuum cleaners from Kärcher. | <input checked="" type="checkbox"/> |
| Extension hose, T and NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter | 20 | 2.889-343.0 | The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. | <input type="checkbox"/> |
| Hose connection | | | | |
| Adapter, ID 32/35, with internal thread | 21 | 6.902-077.0 | Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35. | <input type="checkbox"/> |
| NOZZLE KITS | | | | |
| Nozzle kit: crevice nozzle, upholstery nozzle, suction brush, ID 35 | 22 | 2.860-116.0 | Nozzle kit consisting of a crevice nozzle, upholstery nozzle and suction brush. The nozzle kit is suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35. | <input type="checkbox"/> |
| OTHER ACCESSORIES NT | | | | |
| Adapter clip new on clip old DN 35 | 23 | 2.889-312.0 | Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35. | <input type="checkbox"/> |
| FURTHER ACCESSORIES DRY VACUUM CLEANERS | | | | |
| Repair set Kaercher NW35 | 24 | 2.639-329.0 | Repair kit for dry vacuum cleaner accessories in DN 35. The kit includes a threaded and clamping ring, a connecting adapter, as well as a seal. | <input type="checkbox"/> |
| Surface nozzle DN 35 for hard surfaces and carpeted areas | 25 | 2.889-361.0 | Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm. | <input type="checkbox"/> |
| FILTER BAGS | | | | |
| Fleece filter bags | | | | |
| Fleece filter bags, 10 Piece(s), T 15/1, T 17/1 | 26 | 6.907-017.0 | Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack. | <input type="checkbox"/> |
| Paper filter bags | | | | |
| Paper filter bags, 200 Piece(s), T 15/1, T 17/1 | 27 | 6.907-016.0 | Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 200-pack. | <input type="checkbox"/> |
| Paper filter bags, 10 Piece(s), T 15/1, T 17/1 | 28 | 6.907-019.0 | Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR T 15/1 1.355-200.0



| | | Order no. | Description | |
|---|----|-------------|--|--------------------------|
| CONNECTING SLEEVES | | | | |
| Expansion pieces (tube -> nozzle) | | | | |
| Adapter | 29 | 6.902-083.0 | From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners. | <input type="checkbox"/> |
| Reducing sleeves | | | | |
| Reducer from ID 35 to ID 32 | 30 | 6.902-072.0 | Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners. | <input type="checkbox"/> |
| Reduction/expansion adapter kit | | | | |
| Set of reducers / adapter sleeves | 31 | 2.860-117.0 | DN 40/35, DN 35/32 (tube -> nozzle), plastic. | <input type="checkbox"/> |

■ Included in the scope of supply. Available accessories.