

IVC 60/30 AP

The compact IVC 60/30 Ap industrial vacuum is ideal for manufacturing areas and production machinery. Its side channel blower is wear-resistant, making the vacuum ideal for continuous use.



Made in Germany



Order no. 1.576-107.0

- Anti-static equipment
- Manual filter cleaning
- Integrated cyclone for pre-separation system

Technical data

EAN code		4039784539310
Supply voltage	Ph / V / Hz	3 / 400 / 50
Air flow	l/s / m³/h	68 / 244.8
Vacuum	mbar / kPa	286 / 28.6
Container content	l	60
Container material		Stainless steel
Rated input power	kW	3
Vacuuming type		Electric
Connection nominal diameter		ID 70
Accessory nominal diameter		ID 70 / ID 50 / ID 40
Sound pressure level	dB(A)	77
Main filter dust class		M
Filter area for main filter	m²	1.9
Weight without accessories	kg	88
Dimensions (L × W × H)	mm	970 × 690 × 1240

Users must receive training on this device.

Equipment

Main filter	Flat pleated filter
Accessories included in the scope of delivery	no
Container emptying	Set-down trolley
<ul style="list-style-type: none"> ▪ Included in the scope of supply. 	



Wear-resistant side channel blower

- A side channel blower delivers high suction power with a very long lifetime of at least 20,000 hours. These machines are therefore ideal for multiple shift operation.



Manual IVC filter cleaning (Ap)

- Effortless operation by means of an ergonomically placed lever if required.
- Extends the life of the filter and thus reduces the maintenance effort.



Equipped with compact flat pleated filter

- Clear compact design of the filter.
- Suitable for picking up free-flowing, dry dusts up to dust class M.




ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



		Order no.	Description	
ACCESSORY SETS				
Accessory kit for solids/dust				
Oven cleaning accessory kit Expert DN 50	1	9.989-938.0	Accessory kit for oven cleaning: ME hose 3 m (9.989-979.0), handle (9.989-899.0), suction tube (9.989-929.0), floor nozzle (9.989-935.0), reducer (9.989-712.0), adapter (9.993-011.0).	<input type="checkbox"/>
Oven cleaning accessory kit Expert DN 40	2	9.989-939.0	Accessory kit for oven cleaning: ME hose 3 m (9.989-976.0), handle (9.989-898.0), suction tube (9.989-928.0), floor nozzle (9.989-934.0), reducer (9.989-713.0), adapter (9.993-012.0).	<input type="checkbox"/>
Food accessory kit Expert DN 40	3	9.989-940.0	Food accessory kit DN 40: PU hose 3 m (9.989-970.0), handle (9.989-898.0), standard nozzle (9.989-838.0), brush (9.989-879.0), reducer (9.989-713.0), adapter (9.993-012.0).	<input type="checkbox"/>
Food accessory kit Expert DN 50	4	9.989-941.0	Food accessory kit: PU hose 3 m (9.989-973.0), handle (9.989-899.0), standard nozzle (9.989-844.0), brush (9.989-880.0), reducer (9.989-712.0), adapter (9.993-011.0).	<input type="checkbox"/>
Accessory kit for overhead cleaning Expert DN 40	5	9.989-942.0	Accessory kit DN 40 for overhead cleaning: suction tubes (9.989-920.0/9.993-008.0), handles (9.989-916.0/9.989-918.0), standard nozzle (9.989-838.0), brush (9.989-879.0), adapter (9.993-012.0).	<input type="checkbox"/>
Accessory kit for overhead cleaning Expert DN 50	6	9.989-943.0	Accessory kit DN 50 for overhead cleaning: suction tubes (9.989-921.0/9.993-009.0), handles (9.989-917.0/9.989-919.0), standard nozzle (9.989-844.0), brush (9.989-880.0), adapter (9.993-011.0).	<input type="checkbox"/>
Advanced dry floor cleaning set DN50	7	9.990-894.0	Advanced dry floor cleaning set: EVA hose (9.990-924.0), handle (9.990-930.0), 2 × suction tube (9.990-934.0), floor nozzle (9.990-936.0), standard nozzle (9.980-761.0).	<input type="checkbox"/>
NOZZLES				
Standard nozzles				
Standard nozzle silicone FDA blue DN-F40	8	9.989-835.0		<input type="checkbox"/>
Standard nozzle silicone FDA green DN-F40	9	9.989-836.0		<input type="checkbox"/>
Standard nozzle silicone FDA red DN-F40	10	9.989-837.0		<input type="checkbox"/>
Standard nozzle silicone FDA transparent DN-F40	11	9.989-838.0		<input type="checkbox"/>
Standard nozzle silicone FDA white DN-F40	12	9.989-839.0		<input type="checkbox"/>
Standard nozzle silicone FDA yellow DN-F40	13	9.989-840.0		<input type="checkbox"/>
Standard nozzle silicone FDA blue DN-F50	14	9.989-841.0		<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.




ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
NOZZLES			
Standard nozzles			
Standard nozzle silicone FDA green DN-F50	15 9.989-842.0		<input type="checkbox"/>
Standard nozzle silicone FDA red DN-F50	16 9.989-843.0		<input type="checkbox"/>
Standard nozzle silicone FDA transparent DN-F50	17 9.989-844.0		<input type="checkbox"/>
Standard nozzle silicone FDA white DN-F50	18 9.989-845.0		<input type="checkbox"/>
Standard nozzle silicone FDA yellow DN-F50	19 9.989-846.0		<input type="checkbox"/>
Standard PVC nozzle DN40	20 9.989-674.0	Electroconductive standard PVC nozzle. DN 40.	<input type="checkbox"/>
Standard PVC nozzle DN50	21 9.989-673.0	Electroconductive standard PVC nozzle. DN 50.	<input type="checkbox"/>
Standard nozzle silicone DN40	22 9.988-401.0	Stretchy standard nozzle made from silicone, inner cone DN 40.	<input type="checkbox"/>
Standard nozzle silicone DN50	23 9.988-402.0		<input type="checkbox"/>
Standard nozzle cuttable rubber DN40	24 9.989-677.0	Standard nozzle, electroconductive, made from cuttable rubber. DN 40.	<input type="checkbox"/>
Standard nozzle cuttable rubber DN50	25 9.989-675.0	Standard nozzle, electroconductive, made from cuttable rubber. DN 50.	<input type="checkbox"/>
Standard aluminium nozzle DN40	26 9.980-748.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 40.	<input type="checkbox"/>
Standard aluminium nozzle DN50	27 9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	<input type="checkbox"/>
Flexible standard nozzles			
Standard nozzle flexible PVC DN40	28 9.981-420.0	Electroconductive, flexible round nozzle made from galvanised steel, with rubber mouthpiece DN 30.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
NOZZLES			
Flexible standard nozzles			
Standard nozzle flexible PVC DN50	29 9.981-421.0	Electroconductive, flexible round nozzle made from galvanised steel, DN 50, with rubber mouthpiece DN 30.	<input type="checkbox"/>
Standard nozzle, flexible, angled 90° PP DN40	30 9.981-429.0	Flexible, electroconductive angled nozzle, DN 40, length: 800 mm.	<input type="checkbox"/>
Standard nozzle, flexible, angled 90° PP DN50	31 9.981-430.0	Flexible, electroconductive angled nozzle, DN 50, length: 800 mm.	<input type="checkbox"/>
Floor nozzles			
Floor nozzle stainless steel AISI 304 DN-F40 blue	32 9.989-861.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 blue	33 9.989-862.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 green	34 9.989-863.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 green	35 9.989-864.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 red	36 9.989-865.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 red	37 9.989-866.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 transparent	38 9.989-867.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 transparent	39 9.989-868.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 white	40 9.989-869.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 white	41 9.989-870.0		<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 yellow	42 9.989-871.0		<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



42-43



44-45



46-47



48-49



50



51



52



53-54







55-56

	Order no.	Description	
NOZZLES			
Floor nozzles			
Floor nozzle stainless steel AISI 316L DN-F50 yellow	43	9.989-872.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40	44	9.989-914.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50	45	9.989-915.0	<input type="checkbox"/>
Floor nozzle stainless steel 400 mm DN-F40	46	9.989-934.0	<input type="checkbox"/>
Floor nozzle stainless steel 400 mm DN-F50	47	9.989-935.0	<input type="checkbox"/>
Floor nozzle aluminium 400 mm DN-F40	48	9.989-936.0	<input type="checkbox"/>
Floor nozzle aluminium 400 mm DN-F50	49	9.989-937.0	<input type="checkbox"/>
Aluminium floor nozzle 370 mm DN40	50	9.989-683.0	Floor nozzle, 370 mm, made from aluminium. DN 40. <input type="checkbox"/>
Aluminium floor nozzle, el, 370 mm, DN40	51	9.989-682.0	Floor nozzle, 370 mm, made from aluminium. Electroconductive. DN 40. <input type="checkbox"/>
Aluminium floor nozzle 200 mm DN50	52	9.981-426.0	Floor nozzle, DN 50, with 200 mm suction width. <input type="checkbox"/>
Aluminium floor nozzle 370 mm DN50	53	9.989-664.0	Floor nozzle. 370 mm, made from aluminium. Electroconductive. DN 50. <input type="checkbox"/>
Aluminium floor nozzle, el, 370 mm, DN50	54	9.987-612.0	Electroconductive multi-purpose floor nozzle. 370 mm wide, DN 50. <input type="checkbox"/>
Aluminium floor nozzle 500 mm DN50	55	9.989-684.0	Floor nozzle, 500 mm, made from aluminium. Electroconductive. DN 50. <input type="checkbox"/>
Aluminium floor nozzle, el, 500 mm, DN50	56	9.981-925.0	Floor nozzle with 500 mm suction width and hinge. DN 50, electroconductive. <input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



		Order no.	Description	
NOZZLES				
Floor nozzles				
Stainless steel floor nozzle el 370 mm DN40	57	9.989-558.0	Multi-purpose floor nozzle (370 mm), electroconductive, DN 40.	<input type="checkbox"/>
Stainless steel floor nozzle el 370 mm DN50	58	9.988-115.0	Floor nozzle (370 mm) made from stainless steel, electroconductive, DN 50.	<input type="checkbox"/>
Floor nozzle rubber strip oil-resistant. 220 mm	59	9.981-923.0	Squeegee with plastic strip for floor nozzle, 220 mm wide.	<input type="checkbox"/>
Floor nozzle rubber strip 370 mm	60	9.981-914.0	Squeegee with profiled strip for floor nozzle, 370 mm wide.	<input type="checkbox"/>
Floor nozzle rubber strip 500 mm	61	9.981-915.0	Oil-resistant squeegee with profiled strip for floor nozzle, 500 mm wide.	<input type="checkbox"/>
Floor nozzle brush strip el. 370 mm	62	9.984-939.0	Electroconductive squeegee for floor nozzle, 370 mm wide.	<input type="checkbox"/>
Floor nozzle brush strip 500 mm	63	9.980-764.0	Brush strip set for floor nozzle 500 mm, with profiled strip.	<input type="checkbox"/>
Crevice nozzles				
Crevice nozzle PP 15 mm × 145 mm DN50	64	9.988-117.0	Electroconductive, flat multi-purpose crevice nozzle made from plastic, DN 52.	<input type="checkbox"/>
Crevice nozzle PU 22 mm × 175 mm DN50	65	9.981-482.0	Crevice nozzle made from PU, DN 50.	<input type="checkbox"/>
Crevice nozzle 18 mm × 120 mm DN50	66	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width.	<input type="checkbox"/>
Crevice nozzle 25 mm × 120 mm DN50	67	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width.	<input type="checkbox"/>
Flexible crevice nozzles				
Crevice nozzle flexible silicone FDA DN-F50 transparent	68	9.989-847.0		<input type="checkbox"/>
Crevice nozzle flexible silicone FDA DN-F40 transparent	69	9.989-848.0		<input type="checkbox"/>
Flexible crevice nozzle silicone 65 mm DN50	70	9.988-403.0	Flexible crevice nozzle made from silicone, DN 50.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



		Order no.	Description	
NOZZLES				
Flexible crevice nozzles				
Flexible crevice nozzle 11 mm × 58 mm DN40	71	9.989-681.0	Electroconductive and flexible crevice nozzle, 11 × 58 mm.	<input type="checkbox"/>
Flexible crevice nozzle 20 mm × 45 mm DN40	72	9.981-423.0	Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 40.	<input type="checkbox"/>
Flexible crevice nozzle 12 mm × 45 mm DN50	73	9.981-424.0	Flexible, electroconductive galvanised crevice nozzle, DN 50, with 13 mm slot width.	<input type="checkbox"/>
Flexible crevice nozzle 20 mm × 45 mm DN50	74	9.981-425.0	Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 50.	<input type="checkbox"/>
Surface nozzles				
Silicone surface nozzle FDA blue DN-F40	75	9.989-849.0		<input type="checkbox"/>
Silicone surface nozzle FDA blue DN-F50	76	9.989-850.0		<input type="checkbox"/>
Silicone surface nozzle FDA green DN-F40	77	9.989-851.0		<input type="checkbox"/>
Silicone surface nozzle FDA green DN-F50	78	9.989-852.0		<input type="checkbox"/>
Silicone surface nozzle FDA red DN-F40	79	9.989-853.0		<input type="checkbox"/>
Silicone surface nozzle FDA red DN-F50	80	9.989-854.0		<input type="checkbox"/>
Silicone surface nozzle FDA transparent DN-F40	81	9.989-855.0		<input type="checkbox"/>
Silicone surface nozzle FDA transparent DN-F50	82	9.989-856.0		<input type="checkbox"/>
Silicone surface nozzle FDA white DN-F40	83	9.989-857.0		<input type="checkbox"/>
Silicone surface nozzle FDA white DN-F50	84	9.989-858.0		<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



85-86



87-88



89-90



91



92



93



94



95



96



97



98-99

	Order no.	Description	
NOZZLES			
Surface nozzles			
Silicone surface nozzle FDA yellow DN-F40	85 9.989-859.0		<input type="checkbox"/>
Silicone surface nozzle FDA yellow DN-F50	86 9.989-860.0		<input type="checkbox"/>
Silicone surface nozzle 120 mm DN40	87 9.988-118.0	Electroconductive rubber nozzle, angled, DN 40, suitable for use with foods.	<input type="checkbox"/>
Silicone surface nozzle 120 mm DN50	88 9.988-119.0	Electroconductive rubber nozzle, angled, DN 50, suitable for use with foods.	<input type="checkbox"/>
Aluminium surface nozzle, 150 mm, DN 40	89 9.989-666.0	Surface nozzle, 150 mm, made from aluminium. DN 40.	<input type="checkbox"/>
Aluminium surface nozzle 150 mm DN50	90 9.989-665.0	Surface nozzle, 150 mm, made from aluminium. DN 50.	<input type="checkbox"/>
Liquid nozzles			
Liquid nozzle 900 mm DN50	91 9.981-427.0	Bypass nozzle, DN 50, overall length: 1000 mm.	<input type="checkbox"/>
Borehole nozzles			
Blind hole nozzle DN40	92 9.989-671.0	90° curved blind hole nozzle with 60 mm diameter.	<input type="checkbox"/>
Blind hose nozzle angled 60° DN40	93 9.989-669.0	90° curved blind hole nozzle with 48 mm diameter. DN 40.	<input type="checkbox"/>
Blind hose nozzle angled 90° DN40	94 9.989-667.0	90° curved blind hole nozzle with 60 mm diameter. DN 40.	<input type="checkbox"/>
Blind hose nozzle angled 90° 200 mm extension DN40	95 9.989-670.0	90° curved blind hole nozzle with 48 mm diameter. DN 40.	<input type="checkbox"/>
BRUSHES			
Standard brushes			
Standard brush 40 mm DN40	96 9.981-431.0	Flat brush nozzle DN 40.	<input type="checkbox"/>
Standard brush 40 mm DN50	97 9.981-432.0	Flat brush nozzle DN 50.	<input type="checkbox"/>
End brushes			
Brush FDA blue ø 75 mm DN-F40	98 9.989-873.0		<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



98-99



100-101



102-103



104-105



106-107



108-109



110



111-112

	Order no.	Description		
BRUSHES				
End brushes				
Brush FDA blue ø 75 mm DN-F50	99	9.989-874.0	<input type="checkbox"/>	
Brush FDA green ø 75 mm DN-F40	100	9.989-875.0	<input type="checkbox"/>	
Brush FDA green ø 75 mm DN-F50	101	9.989-876.0	<input type="checkbox"/>	
Brush FDA red ø 75 mm DN-F40	102	9.989-877.0	<input type="checkbox"/>	
Brush FDA red ø 75 mm DN-F50	103	9.989-878.0	<input type="checkbox"/>	
Brush FDA white ø 75 mm DN-F40	104	9.989-879.0	<input type="checkbox"/>	
Brush FDA white ø 75 mm DN-F50	105	9.989-880.0	<input type="checkbox"/>	
Brush FDA yellow ø 75 mm DN-F40	106	9.989-881.0	<input type="checkbox"/>	
Brush FDA yellow ø 75 mm DN-F50	107	9.989-882.0	<input type="checkbox"/>	
End brush Ø 82 mm DN40	108	9.989-609.0	Electroconductive end brush with 82 mm diameter. DN 40.	<input type="checkbox"/>
End brush Ø 82 mm DN50	109	9.989-608.0	Electroconductive end brush with 82 mm diameter. DN 50.	<input type="checkbox"/>
Surface brushes				
Surface brush PP 24 mm DN40	110	9.989-610.0	Electroconductive surface brush. DN 40.	<input type="checkbox"/>
Surface brush 300 mm DN40	111	9.981-911.0	Vacuum brush, 300 mm, with 45° connection, with star screw, horsehair bristles.	<input type="checkbox"/>
Surface brush 300 mm DN50	112	9.981-912.0		<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
BRUSHES			
Cylinder brushes			
Cylinder brush ø 100 mm DN-F40	113	9.989-922.0	<input type="checkbox"/>
Cylinder brush ø 200 mm DN-F40	114	9.989-923.0	<input type="checkbox"/>
Cylinder brush ø 100 mm DN-F50	115	9.989-925.0	<input type="checkbox"/>
Cylinder brush ø 200 mm DN-F50	116	9.989-926.0	<input type="checkbox"/>
HOSES			
ME-Schläuche			
Hose ME DN40 3 m	117	9.989-976.0	<input type="checkbox"/>
Hose ME DN40 5 m	118	9.989-977.0	<input type="checkbox"/>
Hose without connection ME DN40 15 m	119	9.989-978.0	<input type="checkbox"/>
Hose ME DN50 3 m	120	9.989-979.0	<input type="checkbox"/>
Hose ME DN50 5 m	121	9.989-980.0	<input type="checkbox"/>
PVC			
Hose PVC DN40 1 m	122	9.989-626.0	Electroconductive PVC hose, DN 40. Temperature-resistant up to 85 °C. Length: 1 m. <input type="checkbox"/>
Hose PVC DN40 3 m	123	9.989-962.0	<input type="checkbox"/>
Hose PVC DN40 5 m	124	9.989-963.0	<input type="checkbox"/>
Hose PVC DN50 3 m	125	9.989-964.0	<input type="checkbox"/>
Hose PVC DN50 5 m	126	9.989-965.0	<input type="checkbox"/>

Available accessories.


ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
HOSES			
PVC			
Hose PVC DN40 3 m	127	9.989-647.0	PVC hose, DN 40. Temperature-resistant up to 85 °C and electrically conductive. Length: 3 m. <input type="checkbox"/>
Hose PVC DN40 5 m	128	9.989-614.0	Electroconductive PVC hose, DN 40. Temperature-resistant up to 85 °C. Length: 5 m. <input type="checkbox"/>
PVC hose DN40 15 m without connectors	129	9.989-633.0	PVC hose without tap adapter, DN 40. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m. <input type="checkbox"/>
Hose PVC DN50 3 m	130	9.989-615.0	Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 3 m. <input type="checkbox"/>
Hose PVC DN50 5 m	131	9.989-616.0	Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 5 m. <input type="checkbox"/>
PVC hose DN50 15 m without connectors	132	9.989-634.0	PVC hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m. <input type="checkbox"/>
Hose PVC DN70 3 m	133	9.989-635.0	Electroconductive PVC hose, DN 70. Temperature-resistant up to 85 °C. Length: 3 m. <input type="checkbox"/>
Hose PVC DN70 5 m	134	9.989-643.0	PVC hose, DN 70. Temperature-resistant up to 85 °C and electroconductive. Length: 5 m. <input type="checkbox"/>
PVC hose DN70 15 m without connectors	135	9.989-636.0	PVC hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m. <input type="checkbox"/>
EVA hoses			
Hose EVA DN40 3 m	136	9.989-982.0	<input type="checkbox"/>
Hose EVA DN40 5 m	137	9.989-983.0	<input type="checkbox"/>
Hose EVA DN50 3 m	138	9.989-984.0	<input type="checkbox"/>
Hose EVA DN50 5 m	139	9.989-985.0	<input type="checkbox"/>
Hose EVA NW40 3 m	140	9.988-088.0	Electroconductive hose with NW 40. Suitable for temperatures up to 65°C. Length: 3 m. <input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



		Order no.	Description	
HOSES				
EVA hoses				
Hose EVA NW40 5 m	141	9.988-089.0	Five-metre-long, electroconductive hose with NW 40. Suitable for temperatures up to 65°C. Length: 5 m.	<input type="checkbox"/>
EVA hose DN40 15 m without connectors	142	9.989-630.0	EVA hose without tap adapter, DN 40. Electroconductive and temperature-resistant up to 65 °C. Length: 15 m.	<input type="checkbox"/>
Hose EVA NW50 3 m	143	9.988-090.0	Electroconductive hose with NW50. Suitable for temperatures up to 65°C. Length: 3 m.	<input type="checkbox"/>
Hose EVA NW50 5 m	144	9.988-091.0		<input type="checkbox"/>
EVA hose DN50 15 m without connectors	145	9.989-631.0	EVA hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 65 °C. Length: 15 m.	<input type="checkbox"/>
Hose EVA DN70 3 m	146	9.989-613.0	Electroconductive EVA hose, DN 70. Temperature-resistant up to 65 °C. Length: 3 m.	<input type="checkbox"/>
Hose EVA DN70 5 m	147	9.989-624.0	Electroconductive EVA hose, DN 70. Temperature-resistant up to 65 °C. Length: 5 m.	<input type="checkbox"/>
EVA hose DN70 15 m without connectors	148	9.989-632.0	EVA hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 65 °C. Length: 15 m.	<input type="checkbox"/>
Hose installation sets				
Hose installation kit DN40	149	9.989-627.0	Multipiece hose connection set, DN 40.	<input type="checkbox"/>
Hose installation kit DN50	150	9.989-628.0	Multipiece hose connection kit, DN 50.	<input type="checkbox"/>
Hose installation kit DN70	151	9.989-629.0	Multipiece hose connection kit, DN 70.	<input type="checkbox"/>
Hose connection kit, stainless steel AISI 304 DN40	152	9.989-986.0	Hose connection kit in nominal width DN 40, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic).	<input type="checkbox"/>
Hose connection kit, stainless steel AISI 304 DN50	153	9.989-987.0	Hose connection kit in nominal width DN 50, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic).	<input type="checkbox"/>
PU hoses				
Hose PU DN40 3 m	154	9.989-966.0		<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
HOSES			
PU hoses			
Hose PU DN40 5 m	155	9.989-967.0	<input type="checkbox"/>
Hose PU DN50 3 m	156	9.989-968.0	<input type="checkbox"/>
Hose PU DN50 5 m	157	9.989-969.0	<input type="checkbox"/>
Hose PU FDA DN40 3 m	158	9.989-970.0	<input type="checkbox"/>
Hose PU FDA DN40 5 m	159	9.989-971.0	<input type="checkbox"/>
Hose PU FDA DN40 15 m	160	9.989-972.0	<input type="checkbox"/>
Hose PU FDA DN50 3 m	161	9.989-973.0	<input type="checkbox"/>
Hose PU FDA DN50 5 m	162	9.989-974.0	<input type="checkbox"/>
Hose PU FDA DN50 15 m	163	9.989-975.0	<input type="checkbox"/>
Hose PU DN40 3 m	164	9.989-617.0	<input type="checkbox"/>
Hose PU DN40 5 m	165	9.989-618.0	<input type="checkbox"/>
PU hose DN40 15 m without connectors	166	9.989-637.0	<input type="checkbox"/>
Hose PU DN50 3 m	167	9.989-619.0	<input type="checkbox"/>
Hose PU DN50 5 m	168	9.989-620.0	<input type="checkbox"/>
		Oil-resistant, electroconductive PU hose, DN 40. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 3 m.	
		Oil-resistant, electroconductive PU hose, DN 40. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 5 m.	
		PU hose without tap adapter, DN 40. Electroconductive and temperature-resistant up to 80 °C. Length: 15 m.	
		Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 3 m.	
		Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 5 m.	

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
HOSES			
PU hoses			
PU hose DN50 15 m without connectors	169	9.989-638.0 PU hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 80 °C. Length: 15 m.	<input type="checkbox"/>
Hose PU DN70 3 m	170	9.989-644.0 Oil-resistant, electroconductive PU hose, DN 70. Temperature-resistant up to 80 °C, suitable for abrasive suction media. Length: 3 m.	<input type="checkbox"/>
Hose PU DN70 5 m	171	9.989-645.0 Oil-resistant, electroconductive PU hose, DN 70. Temperature-resistant up to 80 °C, suitable for abrasive suction media. Length: 5 m.	<input type="checkbox"/>
PU hose DN70 15 m without connectors	172	9.989-639.0 PU hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m.	<input type="checkbox"/>
ME-PU-hoses			
Hose without connection ME DN50 15 m	173	9.989-981.0	<input type="checkbox"/>
Hose ME-PU DN40 3 m	174	9.989-621.0 Electroconductive, oil-resistant ME-PU hose, DN 40. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 3 m.	<input type="checkbox"/>
ME-PU hose, DN 40, 5 m	175	9.989-622.0 Electroconductive, oil-resistant ME-PU hose, DN 40. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 5 m.	<input type="checkbox"/>
ME-PU hose DN40 15 m without connectors	176	9.989-640.0 Electroconductive, oil-resistant ME-PU hose without tap adapter, DN 40. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 15 m.	<input type="checkbox"/>
Hose ME-PU DN50 3 m	177	9.989-623.0 Electroconductive, oil-resistant ME-PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 3 m.	<input type="checkbox"/>
Hose ME-PU DN50 5 m	178	9.989-625.0 Electroconductive, oil-resistant ME-PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 5 m.	<input type="checkbox"/>
ME-PU hose DN50 15 m without connectors	179	9.989-641.0 Electroconductive, oil-resistant ME-PU hose without tap adapter, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 15 m.	<input type="checkbox"/>
Hose ME-PU DN70 3 m	180	9.989-646.0 Oil-resistant, electroconductive ME-PU hose, DN 70. Temperature-resistant up to 110 °C, suitable for abrasive suction media. Length: 3 m.	<input type="checkbox"/>
Hose ME-PU DN70 5 m	181	9.989-648.0 Oil-resistant, electroconductive ME-PU hose, DN 70. Temperature-resistant up to 110 °C, suitable for abrasive suction media. Length: 5 m.	<input type="checkbox"/>
ME-PU hose DN70 15 m without connectors	182	9.989-642.0 Electroconductive, oil-resistant ME-PU hose without tap adapter, DN 70. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 15 m.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



183-184



185-186



187-188



189-190



191-192



193



194







195-196

	Order no.	Description	
HANDLES			
Elbow aluminium 45° DN40	183 9.989-544.0	45° curved handle made from aluminium, DN 40.	<input type="checkbox"/>
Elbow aluminium 45° DN50	184 9.989-547.0	Handle with 45° bend. Made from aluminium, DN 50.	<input type="checkbox"/>
Handle stainless steel AISI 304 DN40	185 9.989-896.0		<input type="checkbox"/>
Handle stainless steel AISI 304 DN50	186 9.989-897.0		<input type="checkbox"/>
Handle straight stainless steel AISI 304 DN40	187 9.989-898.0		<input type="checkbox"/>
Handle straight stainless steel AISI 304 DN50	188 9.989-899.0		<input type="checkbox"/>
Handle carbon 45° DN-F40	189 9.989-916.0		<input type="checkbox"/>
Handle carbon 45° DN-F50	190 9.989-917.0		<input type="checkbox"/>
Handle carbon 110° DN-F40	191 9.989-918.0		<input type="checkbox"/>
Handle carbon 110° DN-F50	192 9.989-919.0		<input type="checkbox"/>
Handle DN 40	193 9.977-679.0	45° curved and electroconductive handle made from stainless steel. Inner cone DN 40.	<input type="checkbox"/>
Handle DN50, curved	194 9.977-678.0	Electroconductive and 45° curved handle made from stainless steel. Inner cone DN 50.	<input type="checkbox"/>
Stainless steel handle NW40	195 9.989-036.0	Curved and electroconductive handle made from stainless steel. Angle 45°, inner cone NW 40.	<input type="checkbox"/>
Stainless steel handle NW50	196 9.988-111.0	Curved and electroconductive handle made from stainless steel. Angle 45°, inner cone NW 50.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
SUCTION TUBES			
Carbon suction tube 1500 mm DN40	197 9.989-552.0	Very light carbon extension tube, electroconductive, DN 40. Length: 1500 mm.	<input type="checkbox"/>
Carbon suction tube 1500 mm DN50	198 9.989-553.0	Electroconductive, very light carbon extension tube. Inner cone DN 50, 1500 mm long.	<input type="checkbox"/>
Suction tube stainless steel AISI 304 DN40	199 9.989-912.0		<input type="checkbox"/>
Suction tube stainless steel AISI 304 DN50	200 9.989-913.0		<input type="checkbox"/>
Suction tube carbon 1500 mm DN-F40 conical	201 9.989-920.0		<input type="checkbox"/>
Suction tube carbon 1500 mm DN-F50 conical	202 9.989-921.0		<input type="checkbox"/>
Suction tube aluminium high temperature 1000 mm DN-F40	203 9.989-928.0		<input type="checkbox"/>
Suction tube aluminium high temperature 1000 mm DN-F50	204 9.989-929.0		<input type="checkbox"/>
Suction tube aluminium high temperature 2000 mm DN-F40	205 9.989-930.0		<input type="checkbox"/>
Suction tube aluminium high temperature 2000 mm DN-F50	206 9.989-931.0		<input type="checkbox"/>
Suction tube aluminium high temperature 3000 mm DN-F40	207 9.989-932.0		<input type="checkbox"/>
Suction tube aluminium high temperature 3000 mm DN-F50	208 9.989-933.0		<input type="checkbox"/>
Suction tube 850 mm DN 40	209 9.977-525.0	Steel extension tube, electroconductive, DN 40. Length: 850 mm.	<input type="checkbox"/>
Suction tube 850 mm DN 50	210 9.977-531.0	850 mm long extension tube made from steel. Electroconductive and with inner cone DN 50.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
SUCTION TUBES			
Aluminium suction tube 1500 mm NW40	211 9.989-038.0	Aluminium extension tube, electroconductive, NW 40. Length: 1500 mm.	<input type="checkbox"/>
Aluminium suction tube 1500 mm NW50	212 9.989-035.0	Electrically conductive suction tube (1500 mm) made of aluminium with 50 mm diameter.	<input type="checkbox"/>
Stainless steel suction tube 850 mm NW40	213 9.989-039.0	Stainless steel extension tube, electroconductive, NW 40. Length: 850 mm.	<input type="checkbox"/>
Stainless steel suction tube 850 mm NW50	214 9.988-114.0	Electroconductive extension tube made from stainless steel. Inner cone NW 50.	<input type="checkbox"/>
OTHER ACCESSORIES			
Universal accessories holder	215 9.989-789.0	Universal accessories holder for simple storage of suction tubes directly on industrial vacuums from the IVC, IVM and IVS product lines from Kärcher.	<input type="checkbox"/>
ADAPTERS / REDUCERS / DISTRIBUTORS			
Accessories adapter			
Adapter DN70 auf Bajonett 2.0 elektr. leitend	216 9.990-874.0		<input type="checkbox"/>
Adapter accessories DN 50 to DN 51	217 9.989-603.0	Steel adapter for connection of DN 50 to DN 51. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN 51 to DN 50	218 9.989-601.0	Steel adapter for connection of DN 51 to DN 50. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN50 to DN61	219 9.989-602.0	Steel adapter for connection of DN 50 to DN 61. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN 61 to DN 50	220 9.989-604.0	Steel adapter for connection of DN 61 to DN 50. Electroconductive.	<input type="checkbox"/>
Reducers/expanders			
Reducer in AISI 304 stainless steel DN50 to DN40	221 9.989-893.0		<input type="checkbox"/>
Reduction DN70 to DN50	222 9.977-772.0		<input type="checkbox"/>
Reduction DN70 to DN40	223 9.989-690.0	Electroconductive steel reducer for reduction from DN 70 to DN 40.	<input type="checkbox"/>
Reduction DN50 to DN40	224 9.981-231.0	Reducer from DN 50 to DN 40. Material: Steel. Electroconductive.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



	Order no.	Description	
ADAPTERS / REDUCERS / DISTRIBUTORS			
Reducers/expanders			
Stainless steel reducer DN 70 to DN 50	225	9.989-712.0	<input type="checkbox"/>
Stainless steel reducer DN 70 to DN 40	226	9.989-713.0	<input type="checkbox"/>
Expander			
Expansion DN50 to DN70	227	9.981-921.0	Reducer from external cone DN 50 to internal cone DN 70. Material: Steel. Electroconductive. <input type="checkbox"/>
Distributor			
AISI 304 stainless steel manifold DN70 to DN50	228	9.989-894.0	<input type="checkbox"/>
AISI 304 stainless steel manifold DN70 to DN40	229	9.989-895.0	<input type="checkbox"/>
Y-piece fitting DN70 to DN50	230	9.989-611.0	Electroconductive steel fitting, DN 70/DN 50 / DN 50. <input type="checkbox"/>
PRE-SEPARATORS			
Pre-separator			
Pre-separator Tc Op liquids 125 l DN70	231	9.989-686.0	125 litre pre-separator, DN 70. <input type="checkbox"/>

Available accessories.