



K 3.450

High-performance pressure washer with long-lasting induction motor for regular tasks tackling moderate to heavy dirt. The compact design provides high mobility.





K 3.450

Technical data

Order no.		1.601-756.0
EAN code		4054278001449
Pressure	bar / MPa	20-120 / 2-12
Flow rate	l/h	380
Connection load	kW	1.6
Weight without accessories	kg	12.2
Dimensions (L x W x H)	mm	313 x 321 x 855
Current type	V / Hz	230 / 50


Equipment

Vario Power Jet		■
Dirt blaster		■
High-pressure hose	m	6
Detergent application via		Tank
Integrated water filter		■
A3/4" garden hose connector adapter		■

■ Included in the scope of supply.

K 3.450

1.601-756.0



		Order no.					Price	Description	
Spray lances									
VP 145, Vario Power Jet for K 3-K 4	1	2.643-235.0						Vario-Power spray lance: spray lance with infinitely variable pressure control from low-pressure detergent jet to high-pressure jet.	■
DB 145, Dirt Blaster for K 2-K 4	2	2.643-244.0						Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.	■
Splash guard	3	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	4	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	□
1-step lance extension	5	2.643-240.0						Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
3-step lance extension	6	2.639-722.0						3-stage lance extension set with four aluminium lances for difficult to reach areas. Variable extension to 90 cm, 1.30 m and 1.70 m.	□
Splash guard	7	2.640-916.0						Splash guard for dirt blasterProtects against splash back when cleaning corners and edges. Fits all Kärcher dirt blasters (except 4.763-184).	□
Surface cleaners									
Replacement nozzles accessories for T 350	8	2.643-335.0						The high-quality replacement nozzles guarantee easy replacement of nozzles and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer unit classes K 2 to K 7.	□
Replacement nozzle for T-Racer	9	2.640-727.0						High-quality, grey replacement nozzles for easy replacement of T-Racer nozzles. Suitable for replacing nozzles for the K2-K5 device classes.	□
T-Racer T 250 Surface Cleaner	10	2.642-194.0						T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.	□
PS 40 power scrubber surface cleaner	11	2.643-245.0						PS 40 power scrubber with three integrated high-pressure nozzles. Powerful cleaning action removes stubborn dirt from surfaces quickly and easily. Ideal for stairs and edges.	□
Replacement nozzles accessories	12	2.643-338.0						High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	□
Brushes									
WB 120 rotating wash brush	13	2.644-060.0						Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	□
WB 120 rotating wash brush Car & Bike	14	2.644-129.0						Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	□
WB 60 soft surface wash brush	15	2.643-233.0						Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	□
Wheel washing brush	16	2.643-234.0						Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	□

■ Included in the scope of supply. □ Available accessories.

K 3.450 1.601-756.0



		Order no.						Price	Description		
Soft universal brush	17	2.640-589.0							Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.		<input type="checkbox"/>
Soft surface brush	18	2.640-590.0							Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.		<input type="checkbox"/>
Rotary wash brush with joint	19	2.640-907.0							Rotating washing brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.		<input type="checkbox"/>
WB 100 rotating wash brush	20	2.643-236.0							Rotating wash brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.		<input type="checkbox"/>
Soft Wash Brush WB 50	21	2.643-246.0							Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.		<input type="checkbox"/>
Trigger guns											
G 160 Q, Quick Connect Trigger Gun	22	2.642-172.0							The premium trigger gun fitted with Quick Connect and soft grip inserts guarantees a high level of comfort for cleaning.		<input type="checkbox"/>
High-Pressure replacement hose kit system from 1992											
HK 12 high-pressure hose kit	23	2.643-909.0							Upgrade set with 12 m high-pressure hose, high-pressure gun and Quick Connect adaptor for the K 2 to K 7 ranges. Suitable for all Kärcher pressure washers manufactured between 1992 and 2017 without a hose reel.		<input type="checkbox"/>
HK 7.5 high-pressure hose kit	24	2.643-910.0							Upgrade set with 7.5 m high-pressure hose, high-pressure gun and Quick Connect adapter piece for classes K 2-K 7. For all Kärcher pressure washers without a hose reel manufactured between 1992 and 2017.		<input type="checkbox"/>
HK 4 high-pressure hose kit	25	2.643-912.0							Upgrade set 4 metres - suitable for all Kärcher K 2 high-pressure cleaners manufactured since 1992 (except hose reel machines). Including high-pressure gun and Quick Connect adapter.		<input type="checkbox"/>
HK 7.5, High-Pressure Hose Kit	26	2.641-828.0							Accessory set for retrofitting the practical Quick Connect system. For all Kärcher Consumer pressure washers manufactured since 1992. Not suitable for hose reel machines.		<input type="checkbox"/>
HK 12, High-Pressure Hose Kit	27	2.642-953.0							Accessory kit for retrofitting the Quick Connect system. For all Consumer high-pressure cleaners manufactured since 1992.		<input type="checkbox"/>
High-pressure extension hose: System up to 2007 and for devices without Quick Connect system											
XH 10 extension hose	28	2.644-019.0							High-pressure extension hose for greater flexibility. For devices in the K 2 to K 7 ranges with a screw connection (without Quick Connect). High-quality 10 m long hose. With hose kink protection and brass coupling for a long service life. Connects device and highpressure hose.		<input type="checkbox"/>
XH 10, Extension Hose	29	6.389-092.0							High-pressure extension hose for greater flexibility, 10 m robust DN 8 quality hose. Textile braiding reinforced, non-kinking hose with brass connector for durability.		<input type="checkbox"/>
XH 10 R, extension hose rubber	30	6.390-096.0							High-pressure rubber hose extension for greater flexibility. 10 m high-quality steel-braided rubber hose for excellent durability. Temperature: up to 80 °C. Pressure: up to 160 bar.		<input type="checkbox"/>
XH 10 extension hose (before 2010)	31	6.390-961.0							High-pressure extension hose for greater flexibility. For devices in the K 2 to K 7 ranges with screw connection (without Quick Connect). 10 m robust DN 8 quality hose. Reinforced with textile braiding, with hose kink protection and brass coupling for a long service life. Connects the device and high-pressure hose.		<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 3.450

1.601-756.0



		Order no.					Price	Description	
High-pressure extension hose: System for devices with Quick Connect system									
XH 10 QR extension hose Quick Connect rubber	32	2.641-708.0						High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	<input type="checkbox"/>
Pipe cleaning									
PC 15 pipe cleaning kit	33	2.637-767.0						Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	34	2.637-729.0						Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
Miscellaneous									
Sand and wet-blasting kit	35	2.638-792.0						Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	36	2.640-733.0						Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	37	4.730-059.0						Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
O-ring set	38	2.640-729.0						Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>
Organiser	39	2.641-630.0						Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 3.450 1.601-756.0



		Order no.					Price	Description	
Hose storage and hose trolley									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0						Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	<input type="checkbox"/>
Hoses									
Hose set for pressure washers	4	2.645-156.0						Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0						The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" - 20m	8	2.645-318.0							<input type="checkbox"/>
Hose Performance Plus 3/4" - 25m	9	2.645-322.0							<input type="checkbox"/>
Performance Premium hose, 1/2" - 20 m	10	2.645-324.0							<input type="checkbox"/>
Hose connection systems									
Universal hose coupling Plus	11	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	13	2.645-192.0						Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	<input type="checkbox"/>
Universal Hose Connector	14	2.645-191.0						Universal hose connector in ergonomic design for comfortable handling.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.