

BR 30/4 C EP

The BR 30/4 C scrubber drier is light and compact – weighing only 11.5 kg, this highly innovative and powerful vacuum is ideal for cleaning hard surfaces from 20 to 200 m² as the perfect alternative to manual cleaning. Floors are immediately dry and non-slip after cleaning. Ideal for cleaning of smaller shops, restaurants, petrol stations, supermarkets, sanitary areas, hotels and snack areas or as a supplement to an existing scrubber drier.





Order no.

1.783-220.0

- Suction can be switched off
- Cleans forwards and backwards

Technical data		
EAN code		4039784717862
Drive type		Mains operation
Traction drive		Advance by brush rotation
Working width of brushes	mm	300
Working width, vacuuming	mm	300
Tank of fresh/dirty water	1	4 / 4
Theoretical area performance	m²/h	200
Practical area performance	m²/h	130
Brush rotational speed	rpm	1450
Brush contact pressure	g/cm²	100
Water consumption	l/min	0.3
Sound pressure level	dB(A)	max. 72
Supply voltage	V / Hz	220 - 240 / 50 - 60
Rated input power	W	820
Colour		anthracite
Dimensions (L × W × H)	mm	507 × 343 × 1145

Equipment		
Roller brush	Piece(s)	1
2-tank system		
Mains operation		
Transport wheels		
2 squeegees, straight	Piece(s)	1
Included in the scope of supply.		

KARCHER





High-speed roller brush

- For ten times higher contact pressure than manual cleaning.
- The roller brush also cleans textured surfaces and crevices.
- The roller provides automatic forward motion so that the machine does not have to be pushed.



Dries immediately

- The soft suction lips vacuum up moisture from the floor, leaving it dry – whether going forwards or backwards.
- \blacksquare The floor can be walked on again immediately.
- For intensive cleaning, the suction can also be switched off via the foot pedal.

Suction can be switched off

- Suction can be switched off via the foot pedal
- Cleaning fleet can be applied and then suctioned for deeper cleaning.

KARCHER

ACCESSORIES FOR BR 30/4 C EP 1.783-220.0

























		0	Bookston		
DOLLED DRUGUES	Order no.		Description		
ROLLER BRUSHES			la companya da	Ч	
Roller brush, medium, red, 300 mm	1				
Roller brush, soft, White, 300 mm	2	4.762-452.0	White roller brush for cleaning sensitive floor coverings.		
Roller brush, high / low, orange, 300 mm	3	4.762-484.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.		
Roller brush, soft, blue, 300 mm	4	4.762-499.0	For carpet cleaning.		
SQUEEGEES AND SQUEEGEE BLADES					
Squeegees					
Squeegee, standard, 300 mm, straight	5	4.777-008.0	Straight squeegee suitable for use on all common floors. 300 mm wide.		
Squeegee, 300 mm, straight	6	4.777-324.0	Straight squeegee, oil-resistant, 300 mm. For cleaning, kitchens, workshops, restaurants, petrol filling stations, etc.		
ROLLER PADS / ROLLER PAD SHAFTS		'		T	
Microfibre shaft					
Microfibre roller, 300 mm	7	4.762-453.0	Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.		
OTHER ACCESSORIES SCRUBBER DRIERS	,				
Miscellaneous					
Filling hose	8	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for a standard taps.	III	
Extension cable	9	6.647-022.0	Extension cable, 20 m, $3x1.5$ mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.		
Carpet kit				П	
Carpet cleaning attachment kit	10	2.783-005.0	For intensive carpet cleaning. 2 suction lips for carpets + 1 blue roller brush + 1 RM 764 + 0.5 RM 769.		
Dosing aids	<u> </u>	<u> </u>			
DS 3 Cleaning Agent Dosing Station	11	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DI EN 1717).	N	
SPRAY UNITS					
Pump spray bottle	12	6.394-409.0	1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleanir or crystallising.	ng	

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.