



WPC 120 UF

WPC 120 UF water filtration unit with 4-stage ultra filtration system. Reliably removes particles, bacteria, viruses and other contaminants. Ideal for unknown tap water conditions.



Order no. 1.024-754.0

Technical data		
EAN code		4054278926025
Water inlet pressure	bar	1 - 4
Water supply		3/8"
Filter capacity	l	2500
Max. inlet temperature	°C	5 - 38
Flow	l/h	120
Colour		White
Weight without accessories	kg	5.7
Weight incl. packaging	kg	8
Dimensions (L × W × H)	mm	377 × 168 × 421

Equipment		
Pre-pure		■
Hy-Protect ultra filter		■
Post-protect		■
■ Included in the scope of supply.		



High level of protection against contaminated drinking water

- 3 powerful filters for extra protection in unknown water conditions.
- Removes particles, bacteria, viruses, chlorine, heavy metals, drug residues.
- Improves the taste of the drinking water.



Easy installation and maintenance

- Quick filter changes thanks to bayonet locks and magnetic fastenings of the hood.
- Simple to connect to the water line. Adapter and tap included.



High capacity

- Low servicing costs thanks to infrequent filter changes due to 2,500-l capacity.

ACCESSORIES FOR WPC 120 UF
1.024-754.0



		Order no.	Description	
WATER FILTER SYSTEM				
Pre-Pure filter	1	2.644-302.0	The Pre-Pure filter forms the first and second filter stage of the four-stage filter concept of our Kärcher WPC 120 UF water filter system.	■
Hy-Protect filter	2	2.644-303.0	The Hy-Protect ultrafilter is the third filter stage of the four-stage filter concept of our Kärcher WPC 120 UF water filter system.	■
Post-Protect filter	3	2.644-304.0	The Post-Protect filter is the fourth filter stage of the four-stage filter concept of our WPC 120 UF water filter system and ensures a pleasant taste.	■

■ Included in the scope of supply. □ Available accessories. ○ Detergents.