

## AF 20

Fast air purification in rooms of 20 m<sup>2</sup> <sup>1)</sup> to 40 m<sup>2</sup>: the compact AF 20 air purifier with HEPA filtration and activated carbon reliably removes pathogens, fine dust, allergens and odours.



### Order no.

1.024-820.0

- Ideally suited for rooms of 20 to 40 m<sup>2</sup>, max. air flow rate 220 m<sup>3</sup>/h
- Laser sensors, automatic mode, display, HEPA and activated carbon filtration


### Technical data

EAN code		4054278899947
Number of current phases	Ph	1
Voltage	V	100 - 240
Frequency	Hz	50 - 60
Connected load	W	24
Suitable room size	m <sup>2</sup>	up to 40
Air flow rate	m <sup>3</sup> /h	up to 220
Filter efficiency according to particle size		0.3 µm >= 99.95 %
Power settings		3
Colour		White
Weight without accessories	kg	3
Weight incl. packaging	kg	4
Dimensions (L × W × H)	mm	220 × 220 × 346

### Equipment

Dual filter system
Filter change indicator
Air quality display
Operation of the device with touch function
Automatic mode
Night mode
Locking function
Timer program

<sup>1)</sup> Recommended room size based on a ceiling height of 3 m and air exchange three times an hour for operation at the highest power level.



## High Protect 13 Filter

- HEPA filter for the removal of pathogens and aerosols.
- For bonding odours and chemical vapours.



## Dual air inlet system

- Thanks to the air intake on both sides, a high air flow rate is guaranteed.



## Display

- Indication of the air quality in  $\mu\text{g}/\text{m}^3$  as well as the filter and device status.

## ACCESSORIES FOR AF 20 1.024-820.0



		Order no.	Description	
<b>AIR TREATMENT</b>				
Filter set AF 20	1	2.863-056.0	Strong performance, huge efficiency: The replacement filter kit for the AF 20 air purifier comprises H13 filter material and has an antibacterial-coated active carbon element.	■

■ Included in the scope of supply.