

## NT 30/1 TACT L

Rugged, durable components and strong suction power: the NT 30/1 Tact wet and dry vacuum cleaner with innovative Tact filter cleaning system and 30-litre container, bumper and metal castors.



### Order no.

1.148-201.0

- PES flat pleated filter
- Metal castors
- Antistatic preparation

### Technical data

EAN code		4039784973299
Power supply	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container capacity	l	30
Container material		Plastic
Rated input power	W	max. 1380
Standard nominal width		ID 35
Cable length	m	7.5
Sound pressure level	dB(A)	69
Colour		anthracite
Weight without accessories	kg	13.5
Weight incl. packaging	kg	17.9
Dimensions (L × W × H)	mm	560 × 370 × 580

### Equipment

Suction hose length	m	2.5
Bend		Plastic
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	550
Suction tubes material		Stainless steel
Quantity of filter bags	Piece(s)	1
Filter bag material		Fleece
Wet/dry floor nozzle width	mm	360
Crevice nozzle		■
Automatic cut-out features at max. filling quality		■
Antistatic preparation		■
Flat pleated filter		PES with PTFE coating
Filter cleaning		Tact automatic filter cleaning system
Sturdy bumper		■
Protection class		II
Stop swivel castor		■

■ included in the scope of supply.



## Rugged container with bumpers and metal castors.

- Sturdy metal castors guarantee good manoeuvrability and unrestricted mobility on construction sites
- The rugged container protects the machine from bumps and knocks.



## Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- The power cable is always stored safely for transport.



## Removable filter casing

- With the detachable filter casing, removal and replacement of the filter is dust-free.
- It is impossible to insert the flat pleated filter incorrectly.

## ACCESSORIES FOR NT 30/1 TACT L 1.148-201.0



		Order no.	Description	
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Flat pleated filter, PTFE</b>				
Wet & Dry flat pleated filter, PES fibre material with PTFE coating, blue label	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
Ultimate flat pleated filter	2	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
<b>Flat pleated filter, paper</b>				
Dry flat pleated filter	3	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
<b>BENDS</b>				
<b>Bend, plastic</b>				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	5	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>Floor nozzles</b>				
Wet/dry floor nozzle, Adv, DN 35, width 360 mm	7	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	■
Wet/dry floor nozzle, DN 35, width 300 mm	8	2.889-173.0	Plastic floor nozzle in nominal size DN 35 for wet and dry vacuuming of fine dust, coarse dirt or liquids. Features brush strips and squeegees. Width: 300 mm.	□
Switchable floor nozzle, DN 35, 270 mm wide, suitable for textile and hard surfaces	9	6.906-511.0	Plastic switchable floor nozzle in nominal size DN 35 and with a width of 270 mm. For cleaning textile and hard surfaces.	□
Wet/dry floor nozzle, DN 35, width 300 mm	10	6.906-512.0	Plastic floor nozzle with rollers, width of 300 mm and nominal size of DN 35. Includes brush strips and squeegees. For removing fine dust, coarse dirt or liquids.	□
Wet/dry floor nozzle, aluminium, DN 35, width 370 mm	11	6.906-384.0	For wet and dry vacuum cleaners from Kärcher: aluminium floor nozzle (DN 35) with a width of 370 mm, including brush strips and squeegees that are easy to change.	□
Wet/dry floor nozzle, Adv, DN 35, width 400 mm	12	2.889-118.0	Plastic Adv floor nozzle with width of 400 mm and nominal size of DN 35 for wet and dry vacuum cleaning. Includes brush strips and squeegees that are easy to change.	□
<b>Crevice nozzles</b>				
Crevice nozzle, DN 35, plastic, 225 mm	13	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>All-purpose brushes</b>				
All-purpose brush	14	6.900-425.0	All-purpose brush PPN_Bristle	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 30/1 TACT L 1.148-201.0



		Order no.	Description	
<b>SUCTION NOZZLES</b>				
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, ID 35, 100 mm	15	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	<input type="checkbox"/>
Car nozzle, ID 35, 90 mm	16	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	<input type="checkbox"/>
<b>Rubber suction tools, nose 45°</b>				
Rubber suction tool, nose 45°	17	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Suction brushes</b>				
Suction brush	18	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	<input type="checkbox"/>
<b>SUCTION TUBES</b>				
<b>Suction tubes, stainless steel</b>				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	19	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
<b>Suction tubes, metal</b>				
Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2	20	2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	<input type="checkbox"/>
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	21	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	22	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	23	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	24	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	25	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	26	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	27	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	28	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>

■ Included in the scope of supply.    ☐ Available accessories.

## ACCESSORIES FOR NT 30/1 TACT L 1.148-201.0



		Order no.	Description	
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose, NT, DN 40, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	29	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	30	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Repair kit for suction hoses DN 35, Clip 2.0	31	2.889-149.0	Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Extension hose, T and NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter	32	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
<b>FILTER BAGS</b>				
<b>Fleece filter bags</b>				
Fleece filter bags, 5 Piece(s), NT 30/1	33	2.889-154.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	<input type="checkbox"/>
<b>FILTER T/ NT</b>				
<b>Flat pleated filter HEPA, dust class H</b>				
Safety/HEPA flat pleated filter	34	6.907-671.0	Safety/HEPA flat pleated filter made from PES/PTFE fibre material with a red label. Certified for dust class H. For vacuuming hazardous dusts, coarse dirt and liquids.	<input type="checkbox"/>
HEPA-13 (H13) flat pleated filter made from glass fibre	35	6.904-242.0	HEPA-13 (H13) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	<input type="checkbox"/>
<b>Coarse dirt filter for wet vacuuming</b>				
Coarse dirt filter for wet and dry vacuum cleaners	36	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher.	<input type="checkbox"/>
<b>Plastic sacks for dust-free disposal</b>				
Plastic bag for dust-free disposal, 10 Piece(s), NT 30/1, NT 40/1, NT 50/1	37	2.889-158.0	PE plastic sack for dust-free disposal.	<input type="checkbox"/>
<b>Fabric filter</b>				
Wood cartridge filter, NT 30/1, NT 40/1, NT 50/1	38	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	<input type="checkbox"/>
Membrane filter, NT 30/1, NT 40/1, NT 50/1	39	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Connection adapter C ID (clip to cone)</b>				
Adapter clip DN 35 on cone DN 35	40	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
<b>Connection adapter for power tools, clip connection</b>				
Tool adapter for power tools, DN 35, clip 2.0	41	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.	<input type="checkbox"/>
<b>TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS</b>				
Universal trade and industrial set, DN 35	42	2.637-595.0	Accessory kit for wet and dry vacuum cleaners from Kärcher. Perfect for trade and industry.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 30/1 TACT L

### 1.148-201.0



		Order no.	Description	
<b>TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS</b>				
Car cleaning accessory kit	43	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	<input type="checkbox"/>
<b>OTHER ACCESSORIES NT</b>				
Drilling dust nozzle	44	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Cyclone preseparator CS 40 Me	45	2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>
Adapter clip new on clip old DN 35	46	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>
Adapter for NT hoses with bayonet connection 1.0	47	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

☐ Available accessories.