



## NT 25/1 Ap

The new 25/1 Ap is a mobile, professional Wet/Dry Vacuum cleaner, that represents the entrance into our new Ap class.

### 1 ApClean (semi-automatic filter cleaning)

- The semi-automatic filter cleaning feature keeps the filter clean for maximum suction power.

### 3 Practical cable storage compartment

- Hooks for safe and secure cable storage.

### 2 Mobility and power

- Professional mobility guaranteed.
- The NT 25/1 combines compact design and performance for professional use.

### 4 No more tripping up when you're in a hurry!

- Practical Cable hook for easy transport.



## NT 25/1 Ap

- Semi-automatic filter cleaning
- Accessory/suction hose storage
- Integrated cable hook

### Technical data

Order no.		1.184-503.0
EAN code		4039784718289
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	25
Container material		Plastic
Rated input power	W	1380
Standard nominal width		DN 35
Cable length	m	7.5
Sound pressure level	dB(A)	70
Number of motors		1
Weight	kg	11
Dimensions (L × W × H)	mm	510 × 370 × 480


### Equipment

Suction hose	m	2.5 / with bend
Suction tube	piece(s) × m	2 × 0.5 / Metal
Filter bag	piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	300
Crevice nozzle	■	
Automatic cut-out features at max. filling quality	■	
Eco filter system	■	
Flat pleated filter		Paper
Filter cleaning		ApClean (semi-automatic filter cleaning)
Protection class		II

■ Included in the scope of supply.

# NT 25/1 AP

## 1.184-503.0

**KÄRCHER**


		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Flat pleated filter, paper</b>									
Dry flat pleated filter	1	6.904-367.0	1 piece(s)					Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	■
<b>Bend, plastic</b>									
Plastic bend	2	5.031-718.0	1 piece(s)	35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
Bend, plastic, electrically conductive	3	5.031-939.0	1 piece(s)	35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 piece(s)	40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
Plastic bend	5	5.031-904.0	1 piece(s)	40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
<b>Crevice nozzles</b>									
Crevice nozzle	6	6.900-385.0	1 piece(s)	35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
	7	6.900-922.0	1 piece(s)	35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
	8	6.903-033.0	1 piece(s)	40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□
	9	6.905-817.0	1 piece(s)	40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
	10	6.906-240.0	1 piece(s)	35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□
<b>Suction tubes, metal</b>									
Suction tube	11	6.900-514.0	1 piece(s)	35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■
	12	6.900-275.0	1 piece(s)	40	0.55 m			The suction tube (NW 40, 1 x 0.55 m) made from chrome-plated metal with twin motor. Optional for commercial single motor NT vacuum cleaner with suction hose NW 40.	□
<b>Floor nozzles</b>									
Wet and dry floor nozzle	13	6.903-284.0							■
	14	6.906-512.0	1 piece(s)	35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	□
Multi-purpose nozzle, wet/dry	15	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
	16	6.906-383.0	1 piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
	17	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□

■ Included in the scope of supply. □ Available accessories.

# NT 25/1 AP 1.184-503.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
DN 40 wet/dry floor nozzle	18	6.907-408.0	1 piece(s)	40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	<input type="checkbox"/>
<b>Nozzle kits</b>									
Nozzle kit	19	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	<input type="checkbox"/>
<b>Flat pleated filter HEPA, dust class H</b>									
HEPA flat pleated filter	20	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	<input type="checkbox"/>
<b>Flat pleated filter, PES</b>									
Flat pleated filter, PES	21	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	<input type="checkbox"/>
<b>Coarse dirt filter for wet vacuuming</b>									
Coarse dirt filter	22	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	<input type="checkbox"/>
<b>Wet filter bag</b>									
Wet filter bag	23	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
<b>Paper filter bags</b>									
Paper filter bags	24	6.904-259.0	5 piece(s)					5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	<input type="checkbox"/>
<b>Plastic sacks for dust-free disposal</b>									
Plastic sacks for dust-free disposal	25	6.596-886.0	10 piece(s)					PE plastic sack.	<input type="checkbox"/>
<b>Fabric filter</b>									
Membrane filter	26	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	<input type="checkbox"/>
<b>Fleece filter bags</b>									
Fleece filter bags	27	6.907-478.0	5 piece(s)					Fleece filter bag, tear-resistant, dust class M.	<input type="checkbox"/>
Adv fleece filter bags	28	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	<input type="checkbox"/>
<b>Bends, stainless steel</b>									
Bend, stainless steel, ID 35	29	6.903-141.0	1 piece(s)	35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel, ID 40	30	6.902-079.0	1 piece(s)	40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
<b>Bends, metal</b>									
Bend, metal	31	6.900-519.0	1 piece(s)	35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	<input type="checkbox"/>
	32	6.900-276.0	1 piece(s)	40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	<input type="checkbox"/>
<b>Rubber suction tools, nose 45°</b>									
Rubber suction tool, nose 45°	33	6.902-104.0	1 piece(s)	35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	34	6.902-105.0	1 piece(s)	40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# NT 25/1 AP 1.184-503.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Combi-nozzles, dry</b>									
Combi-nozzle, dry	35	6.906-511.0	1 piece(s)	35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
<b>Pipe dusting nozzles</b>									
Pipe brush 35/100	36	6.903-035.0	1 piece(s)	35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
Pipe brush 35/200	37	6.903-036.0	1 piece(s)	35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
<b>Suction brushes</b>									
Suction brush	38	6.903-862.0	1 piece(s)	35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Turbo nozzles</b>									
Turbo upholstery nozzle	39	2.860-113.0	1 piece(s)	32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Turbo floor nozzle	40	2.860-114.0	1 piece(s)	32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
<b>Suction tubes, stainless steel</b>									
Suction tube	41	6.902-081.0	1 piece(s)	40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	42	6.906-531.0	1 piece(s)	40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Suction tubes, plastic</b>									
Suction tube	43	6.900-384.0	1 piece(s)	35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
<b>Flat pleated filter, PTFE</b>									
Ultimate flat pleated filter	44	6.907-455.0	1 piece(s)					Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	<input type="checkbox"/>
<b>Car cleaning nozzles</b>									
Car nozzle	45	6.906-108.0	1 piece(s)	35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Other</b>									
Drilling dust nozzle	46	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
CS 40 Me	47	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# NT 25/1 AP

## 1.184-503.0

**KÄRCHER**


		Order no.	Anzahl	Nennweite	Länge	Price	Description	
<b>Complete suction hoses (clip system)</b>								
Suction hose	1	4.440-626.0	1 piece(s)	35	2.5 m		With bend, C ID 35.	■
Suction hose, electrically conductive	2	4.440-653.0	1 piece(s)	35	2.5 m		With bend, electrically conductive, C ID 35.	□
<b>Repair kits</b>								
Repair kit, C 35	3	2.639-682.0	1 piece(s)	35			Suction hose repair kit (clip system).	□
<b>Suction hoses (clip system)</b>								
Suction hose	4	6.906-241.0	1 piece(s)	35	4 m		With bayonet and clip connection.	□
	5	6.906-275.0	1 piece(s)	35	2.5 m		With bayonet and clip connection, electrically conductive, C-35.	□
	6	6.906-500.0	1 piece(s)	35	4 m		With bayonet and clip connection, C-35.	□
	7	6.906-321.0	1 piece(s)	40	4 m		With bayonet and clip connection, C 40.	□
	8	6.906-714.0	1 piece(s)	40	4 m		With bayonet and clip connection, oil-resistant, C-45.	□
	9	6.906-546.0	1 piece(s)	40	4 m		With bayonet and clip connection, electrically conductive, C 40.	□
	10	6.906-877.0	1 piece(s)	40	10 m		With bayonet and clip connection, electrically conductive, C-40.	□
Suction hose (clip system), C 35, 10 m	11	6.906-242.0	1 piece(s)	35	10 m		With bayonet and clip connection.	□
<b>Suction hoses complete</b>								
Suction hose, complete	12	4.440-461.0	1 piece(s)	27	7 m		Plastic, with connection bushing for power tools.	□
<b>Connecting sleeves</b>								
Adapter, ID 32/35, with internal thread	13	6.902-077.0	1 piece(s)	32			For connecting two suction hoses (not ESB 28 and 34).	□
Connecting adapter, ID 40, with internal thread	14	6.900-286.0	1 piece(s)	40			For connecting two suction hoses, threaded at both ends.	□
Connecting sleeve, ID 61, with female thread	15	6.902-078.0	1 piece(s)	61				□
<b>Extension hoses (clip system)</b>								
Extension hose	16	6.906-237.0	1 piece(s)	32	2.5 m		For all C-32 and C-35 hoses.	□

■ Included in the scope of supply. □ Available accessories.

# NT 25/1 AP 1.184-503.0

**KÄRCHER**




		Order no.	Anzahl	Nennweite		Price	Description	
<b>Connection adapter for power tools, clip-on, electrically conductive</b>								
Connection adapter for power tools, C 35, electrically conductive	1	5.453-042.0	1 piece(s)	35			Plastic, adjustable from ID 26-36 (Te / Eco M / H), electrically conductive.	■
	2	5.453-048.0	1 piece(s)	35			Inside Ø 25.4 mm, outside Ø 34.6 mm / 38 mm, electrically conductive.	□
Connection Adaptor for power tools, C 35, electrically conductive	3	5.453-049.0	1 piece(s)	35			Inside Ø 28.6 mm, outside Ø 37.3 mm / 38.8 mm, electrically conductive. Only wet and dry suction adapter.	□
Connection adapter for power tools, C 35, electrically conductive	4	5.453-050.0	1 piece(s)	35			Inside Ø 27 mm, outside Ø 36.5 mm / 38.8 mm, electrically conductive.	□
Connection Adaptor for power tools, C 35, electrically conductive	5	5.453-051.0	1 piece(s)	35			Inside Ø 32 mm, outside Ø 39 mm, electrically conductive.	□
	6	5.453-052.0	1 piece(s)	35			Inside Ø 28 mm, outside Ø 34 mm / 38.8 mm, electrically conductive.	□
<b>Y-adapter kit</b>								
Y-adapter kit	7	2.637-217.0	1 piece(s)	35			Distributor, plastic.	□
<b>Connection adapter C ID (clip to cone), electrically conductive</b>								
Connection adapter C DN 35	8	5.407-112.0	1 piece(s)	35			C 35 hose connection for ID 35 accessories, electrically conductive.	□
Connection adapter C DN 40	9	5.407-109.0	1 piece(s)	40			C 40 hose connection for ID 35 accessories, electrically conductive.	□
	10	5.407-111.0	1 piece(s)	40			C 40 hose connection for ID 40 accessories, electrically conductive.	□
<b>Adapter for electric power tools, screwable</b>								
Adapter for electric power tools, screwable, ID 35	11	5.453-016.0	1 piece(s)	35			Plastic, adjustable from ID 26-36.	□
	12	5.453-026.0	1 piece(s)	35			Inside Ø 28.6 mm, outside Ø 37.3 mm / 38.8 mm.	□
	13	6.902-059.0	1 piece(s)	35			Inside Ø 32 mm, outside Ø 39 mm.	□
	14	6.902-095.0	1 piece(s)	35			Inside Ø 28 mm, outside Ø 34 / 38.8 mm, electrically conductive.	□
<b>Expansion pieces (tube -&gt; nozzle)</b>								
Adapter ID 35 - 40 (tube -> nozzle)	15	6.902-084.0	1 piece(s)	35			From ID 35 to ID 40, plastic.	□
<b>Reducing sleeves</b>								
Reducer	16	5.407-108.0	1 piece(s)	40			From C 40 hose with outer thread 35 for connection bushing, screwable, ID 35.	□
<b>Reducers (tube -&gt; nozzle)</b>								
Reducer	17	6.902-017.0	1 piece(s)	40			From ID 40 to ID 35, plastic.	□
Reducer from ID 35 to ID 32	18	6.902-072.0	1 piece(s)	35			From ID 35 to ID 32, metal.	□
<b>Reduction/expansion adapter kit</b>								
Set of reducers / adapter sleeves	19	2.860-117.0	1 piece(s)				ID 40/35, ID 35/32 (tube -> nozzle), plastic.	□

■ Included in the scope of supply. □ Available accessories.

# NT 25/1 AP 1.184-503.0

**KÄRCHER**



		Order no.	ID					Price	Description	
<b>Target-group-specific accessory kits for vacuum cleaners</b>										
Universal trade and industrial set	1	2.637-595.0	DN 35						Universal kit for industrial and commercial use.	<input type="checkbox"/>
Heating boiler cleaning kit	2	2.638-852.0	DN 35						Heating boiler cleaning kit.	<input type="checkbox"/>
Construction kit	3	2.637-352.0	DN 40						Construction kit.	<input type="checkbox"/>
Professional cleaning kit	4	2.637-353.0	DN 40						Professional cleaning kit.	<input type="checkbox"/>
Horse kit, electrically conductive	5	2.637-248.0	DN 40						Horse kit, electrically conductive.	<input type="checkbox"/>
Wet and dry vacuuming kit, ID 40, electrically conductive	6	2.638-147.0	DN 40						Wet and dry vacuuming kit, electrically conductive.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 25/1 AP  
1.184-503.0



		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm <sup>2</sup> . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in the scope of supply.    ☐ Available accessories.