KM 130/300 R BP

Low-noise, battery powered industrial sweeper with three-wheel rear steering. For difficult jobs in the building material and metal-working industries, foundries and other dirt-intensive sectors.









Order no.

1.186-122.0

- High working and transport speed
- Simple and toolless brush roller replacement
- Traction drive and sweeping system fully hydraulic

Technical data		
EAN code		4039784521162
Drive type		Electric
Traction drive		DC motor
Drive - Power	V / kW	36 / 5
Max. area performance	m²/h	9100
Working width	mm	1000
Working width with 1 side brush	mm	1300
Working width with 2 side brushes	mm	1550
Battery runtime	h	max. 2
Waste container	I	300
Climbing ability	%	12
Working speed	km/h	7
Filter area	m²	5.5
Weight (with accessories)	kg	840
Weight, ready for operation	kg	1300
Weight incl. packaging	kg	840
Dimensions (L × W × H)	mm	2150 × 1330 × 1430

This machine	requires	instruction
--------------	----------	-------------

Equipment	
Manual filter cleaning	
Adjustable main sweeper roller	
Power steering	
Dustpan principle	
Traction drive, forwards	
Traction drive, reverse	
Hydr. high dump	
Outdoor use	
Indoor use	
Battery indicator	
Elapsed time counter	
Sweeping function, can be switched off	•
Wheels, pneumatic	•
Side brush, automatically swings out	•
Sturdy bumper	•
Included in the scope of supply.	

Included in the scope of suppl



Dual scraper

- Highly effective filter cleaning.
- Can be operated at the push of a button.



Flat pleated filter

- Convenient handling and good accessibility.
- Made of washable polyester.
- Long lifetime.



EASY Operation operating concept

- Very easy operation.
- Short teach-in times.
- Reliable protection against erroneous operation.

ACCESSORIES FOR KM 130/300 R BP 1.186-122.0



















				_
		Order no.	Description	
MAIN SWEEPER ROLLER				
Main sweeper roller, soft				
Main sweeper roller, soft	1	6.987-460.0	Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	•
Main sweeper roller, soft/natural	2	6.987-440.0	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	
Standard roller brush		<u> </u>		
Standard roller brush	3	6.987-438.0	Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	
Main sweeper roller, hard				
Main sweeper roller, hard	4	6.987-439.0	For removing stubborn dirt outdoors.	
FILTERS	<u> </u>	'		
Flat pleated filter				
Flat pleated filter green	5	6.988-158.0	Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning.	
Flat pleated filter white	6	6.987-519.0	Plastic filter for standard applications.	
SIDE BRUSHES				
Standard side brushes				
Side brush, standard	7	6.987-083.0	Water-resistant universal bristles, durable, suitable for all surfaces.	
Side brush, hard				
Side brush, hard	8	6.905-773.0	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	
Side brush, steel bristles	9	6.905-619.0	For stripping, removing moss, abrasive, for outdoor use only	
Side brush, soft				
Side brush, soft	10	6.905-620.0	Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	
KITS	<u> </u>	'		
Fleet mounting kit				
Attachment kit Plug-in Connect Module	11	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment managemen system.	nt
TRACTION BATTERIES AND CHARGERS				
Accessories for batteries				
Box with wall holder	12	2.641-243.0	Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	
MOUNTING KITS FOR SWEEPERS AND VACU	UM SWEE	PERS		
Lighting		1		
Spotlight blue	13	2.852-802.0	Blue spotlight for the KM Industrial vacuum sweeper from Kärcher. The optical route warning device ensures maximum visibility and safety for people and the machine itself.	
Spotlight blue - ex works	14	2.852-802.7	device ensures maximum visibility and safety for people and the machine itself.	

ACCESSORIES FOR KM 130/300 R BP

1.186-122.0























		Order no.	Description	_
MOUNTING KITS FOR SWEEPERS AND VACUUM	SWE	EPERS		
Lighting	1	l ·	lander was a summary of the second second	4
Work illumination	15	2.851-279.0	Working lights for additional illumination of large areas such as underground car parks or warehouses.	
Sweeping/Vacuuming				L,
Holder for NT 22/1 Ap Bp vacuum cleaner	16	2.852-814.0	Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	
Side brush cover	17	2.851-286.0	Side brush cover reduces dust dispersion.	
Side brushes, left				İ
Second side brush left	18	2.851-273.0	Complete, including standard side brushes for increased area coverage.	
Other mounting kits				Ī
Ram protection	19	2.852-620.0		
Comfort seat	20	6.373-014.0	For increased driving comfort.	1
Add-on kit stainless steel container - ex works	21	6.961-926.7	Stainless steel waste container for waste and areas of application with increased risk of corrosion.	Ī
TRACTION BATTERIES				ľ
Battery	22	6.654-282.0	With central filling system. Up to 2.5 hours runtime without charging.	٦
CHARGERS				ď
Charger	23	6.654-283.0	For charging battery 6.654-282.0.	٦
TYRES, PUNCTURE-PROOF		<u> </u>		ľ
Tyres set solid rubber non-chalking	24	4.515-328.0	Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	
CABS AND PROTECTIVE ROOFS				ď
Protective roof				Ī
Protective roof	25	2.852-595.0		
Driver's protective cabin				Ī
Weather protection cabin - ex works	26	2.851-271.7	Robust tubular steel frame, windscreen with windscreen wiper and plastic cover on the side and at the rear – for protection against wind and weather.	
Protective cabin with windscreen and wiper - ex works	27	2.851-269.7	The roof with windscreen and windscreen wiper protects the driver from falling objects.	
Protective cabin without glazing - ex works	28	2.851-267.7	The protective roof complies with VDE standard IEC 60335-2-72.	-

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.