




KM 170/600 R D

Diesel-powered, fully hydraulic industrial sweeper with four-wheel rear steering. For tackling tough jobs in the building material or metal-working industries, foundries and other dirt-intensive sectors.



1 Effective filter for a long service life

- Flat pleated filter with 10 m² filter area.
- Effective filter cleaning with dual scraper.



2 Robust construction

- Solid steel frame.
- Hard-wearing industrial motors with water cooling.



3 Outstanding user-friendliness

- EASY Operation operating concept.
- Easy cab access.



4 Extensive range of accessories and attachment kits

- Easily adapts to individual cleaning requirements.
- Impressive equipment (e.g. comfort cab, air-conditioner, heating).



KM 170/600 R D

- Powerful industrial engine
- High working and transport speed
- Non-stop use

Technical data

Order no.		1.186-127.0
EAN code		4039784521933
Drive type		Diesel
Traction drive		Four-stroke engine
Motor manufacturer		Yanmar
Drive- performance	kW	35
Max. area performance	m²/h	23520
Working width	mm	1350
Working width with 1 side brush	mm	1680
Working width with two side brushes	mm	2000
Waste container	l	600
Climbing ability	%	18
Working speed	km/h	14
Filter areas	m²	10
Weight	kg	1530
Dimensions (L × W × H)	mm	2742 × 1904 × 2213

Equipment


Filter cleaning manual	■	Wheels, pneumatic	■
Main sweeper roller adjustable	■	Side brush, automatically swings out	■
Power steering	■		
Suction volume regulation	■		
Dustpan principle	■		
Forwards traction drive	■		
Backwards traction drive	■		
Suction	■		
Hydr. high dump	■		
Outdoor use	■		
Sweeping function, can be switched off	■		

■ Included in the scope of supply.

KM 170/600 R D

1.186-127.0

KÄRCHER



		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
Flat pleated filter								
Flat pleated filter, green	1	6.988-160.0					Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning.	■
Flat pleated filter, white	2	6.987-691.0					Plastic filter for standard applications.	□
Standard roller brush								
Standard roller brush	3	6.987-441.0		1344 mm	400 mm		Water-resistant universal bristles, durable, suitable for all surfaces.	■
Main sweeper roller, soft								
Main sweeper roller, soft	4	6.987-469.0		1344 mm	400 mm		Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	□
Main sweeper roller, soft/natural	5	6.987-443.0		1344 mm	400 mm		Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	□
Main sweeper roller, hard								
Main sweeper roller, hard	6	6.987-442.0		1344 mm	400 mm		For the removal of stubborn dirt outdoors.	□

■ Included in the scope of supply. □ Available accessories.

KM 170/600 R D

1.186-127.0



		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
Standard side brushes								
Side brush, standard	1	6.987-467.0			650 mm		Water-resistant universal bristles, durable, suitable for all surfaces.	■
Side brush, soft								
Side brush, soft	2	6.987-465.0			650 mm		Sweeps fine dust on all surfaces, for indoors and outdoors.	□
	3	6.987-466.0			650 mm		Sweeps fine dust on all surfaces, water-resistant, for indoor and outdoor use.	□
Side brush, hard								
Side brush, hard	4	6.987-468.0			650 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive.	□

■ Included in the scope of supply. □ Available accessories.

KM 170/600 R D

1.186-127.0

KÄRCHER


		Order no.	Installation ex works				Price	Description	
Lighting									
StVZO lighting	1	2.851-280.7	2.851-280.7					Attachment kit consisting of flashing beacon, light, indicator, horn, brake light and hazard light, certified and approved according to the German Road Traffic Licensing Ordinance.	<input type="checkbox"/>
TÜV approved	2	2.851-285.7	2.851-285.7					Assessment for approval for use on public roads in Germany.	<input type="checkbox"/>
Working lights	3	2.851-279.0	2.851-279.7					Working lights for additional illumination of large areas such as underground car parks or warehouses.	<input type="checkbox"/>
Driver's protective cabin									
Comfort cabin with heating and air conditioning	4	2.851-674.7	2.851-674.7					The robust steel construction reliably protects the driver. Fully glazed with hinged rear window and left side window.	<input type="checkbox"/>
Comfort cabin with heating	5	2.851-265.7	2.851-265.7						<input type="checkbox"/>
Comfort cabin	6	2.851-264.7	2.851-264.7						<input type="checkbox"/>
Protective cabin with windscreen and windscreen wiper	7	2.851-270.7	2.851-270.7					The roof with windscreen and windscreen wiper protects the driver from falling objects.	<input type="checkbox"/>
Protective cabin	8	2.851-268.7	2.851-268.7					The protective roof complies with VDE standard IEC 60335-2-72.	<input type="checkbox"/>
Sweeping/Vacuuuming									
Add-on kit vacuum cleaner KM 150-170 R	9	2.852-884.0	2.852-884.7					Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	<input type="checkbox"/>
Third side brush	10	2.851-277.7	2.851-277.7					For variable sweeping width - ideal for sweeping on different levels or around obstacles.	<input type="checkbox"/>
Side brush cover	11	2.851-287.0	2.851-287.7					Side brush cover reduces dust dispersion.	<input type="checkbox"/>
Add-on kit covering cap side broom KM 15	12	2.851-287.7	2.851-287.7						<input type="checkbox"/>
Other mounting kits									
Comfort seat	13	6.373-014.0						For increased driving comfort.	<input type="checkbox"/>
Add-on kit ram protection KM 150/500 R	14	2.852-621.0							<input type="checkbox"/>
Stainless steel waste container	15	6.961-928.7	6.961-928.7					Stainless steel waste container for waste and areas of application with increased risk of corrosion.	<input type="checkbox"/>
Protective roof									
Protection shield sweeper 150 - 170 R	16	2.852-688.0	2.852-688.7						<input type="checkbox"/>
Side brushes, left									
Add-on kit second side broom left	17	2.851-275.0	2.851-275.7					Complete, including standard side brushes for excellent cleaning results.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

KM 170/600 R D
1.186-127.0



		Order no.	Installation ex works				Price	Description	
Tyres, puncture-proof									
Puncture-proof tyres (additional charge), full rubber	1	4.515-331.7	4.515-331.7					Puncture-proof and recommended for sweeping metal shavings, glass shards, etc.	<input type="checkbox"/>
Puncture-proof tyres (set), full rubber	2	4.515-331.0	4.515-331.7						<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

KM 170/600 R D **1.186-127.0**



		Order no.	Installation ex works				Price	Description	
Water spraying system									
Water spraying system for side brushes	1	2.851-284.0	2.851-284.7					Spraying system for binding dust. Consisting of a 65 litre stainless steel water tank and spray water nozzles on the side brushes.	<input type="checkbox"/>

■ Included in the scope of supply.
 ☐ Available accessories.