

## B 150 R BP PACK 170AH AGM+D90

The B 150 R Bp ride-on scrubber dryer with a 90 cm-wide disc brush head, die-cast aluminium squeegee, robust impact protection, 170 Ah battery and 150 l tanks.



Made in Germany



Order no. 1.246-024.0

- Compact and agile
- EASY Operation selector switch

Technical data		
EAN code		4054278727783
Drive type		Battery
Working width, brushes	mm	900
Working width, vacuuming	mm	1180
Fresh/dirty water tank	l	150 / 150
Theoretical area performance	m²/h	5400
Practical area performance	m²/h	3800
Battery type		Maintenance-free
Battery	V / Ah	36 / 170
Battery runtime	h	max. 3.5
Battery charging time	h	approx. 8
Power supply for battery charger	V / Hz	220 – 240 / 50 – 60
Climbing ability	%	10
Brush speed	rpm	180
Brush contact pressure	kg	94
Water consumption	l/min	max. 7
Sound pressure level	dB(A)	67
Rated input power	W	up to 2400
Permissible total weight	kg	957
Dimensions (L × W × H)	mm	1700 × 1070 × 1420

This machine requires instruction.

Equipment		
Disc brush	Piece(s)	2
Auto Fill		■
Powerful traction drive		■
Built-in charger		■
Battery and charger included		■
Automatic water stop		■
Squeegee, curved		■
standard daytime driving light		■
Type of suction lips		Linatex®
Robust front bumper		■
Kärcher colour and operating concept		■
Kärcher Intelligent Key System (KIK) with over 30 user languages and individual user rights		■
Home Base fastening possibilities for mop or similar		■
electrical and mechanical float switch		■
Easy Operation selector switch		■

■ Included in the scope of supply.



## Robust squeegee made from die-cast aluminium

- With tear-resistant, long-lasting Linatex® suction lips for excellent vacuuming results.
- Fast and simple replacement of the suction lips.
- Swerves upon wall contact, thus avoiding damage.

## Brush head with disc engineering

- Disc brushes and pad drive boards are easy to change.
- Disc brushes available in different levels of hardness: soft, medium and hard.
- Disc cleaning models, especially for use on smooth surfaces.

## Innovative KIK system

- Greater protection from incorrect operation.
- Lower service costs.
- Optimum matching to the individual cleaning tasks without overwhelming the user.

## ACCESSORIES FOR B 150 R BP PACK 170AH AGM+D90

### 1.246-024.0



		Order no.	Description	
<b>SQUEEGEES AND SQUEEGEE BLADES</b>				
<b>Squeegees</b>				
Squeegee, 1180 mm, parabolic	1	4.778-009.0	Parabolic, robust squeegee made from aluminium with 1180 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips.	■
<b>Squeegee blades</b>				
Squeegee blades, Linatex®, 1300 mm	2	4.039-362.0	Tear-resistant suction lip made from Linatex® with special inlet openings for optimal suction results at crevices and joints. Suitable for parabolic squeegee with 1180 mm suction width.	■
Squeegee blades, oil-resistant, slotted, 1300 mm	3	4.039-363.0	Low-wear, oil-resistant suction lip made from polyurethane. Triple-coated material for high flexibility and optimal peel properties. For parabolic squeegee with 1180 mm suction width.	□
<b>OTHER ACCESSORIES SCRUBBER DRIERS</b>				
<b>Miscellaneous</b>				
Cover dirty water tank complete	4	4.035-512.0	Completely without tools - the exchangeable dirty water tank lid for the machines of the B 150 and B 200 series without tank rinsing system.	■
KIK key, yellow	5	5.035-344.0	User key for using the appliance	■
KIK key, grey	6	5.035-348.0	Supervisor key for using the appliance	■
Cover tank rinsing system complete	7	4.035-513.0	For machines in the B 150 & B 200 range with tank cleaning system: tool-free exchangeable dirty water tank cover with integrated spray nozzles.	□
Impact protection attachment kit D 90 S	8	2.643-371.0	Protects the brush head against knocks.	□
KIK key, white	9	4.035-076.0	User key for using the appliance programmable	□
KIK key set, yellow	10	4.035-408.0	Key for operators. Cannot be adjusted.	□
KIK key set, white	11	4.035-064.0	5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	□
<b>Home Base accessories</b>				
Home Base adapter	12	5.035-488.0	Fastener for various hooks and clips on the machine.	□
Home Base Mop Holder Kit	13	4.035-514.0	Holder fits on machine for convenient mop storage.	□
Universal hook kit	14	4.070-075.0	Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR B 150 R BP PACK 170AH AGM+D90

### 1.246-024.0



		Order no.	Description	
<b>OTHER ACCESSORIES SCRUBBER DRIERS</b>				
<b>Home Base accessories</b>				
Double hook	15	6.980-077.0	Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Holder handhold grey	16	6.980-078.0	Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Bottle holder	17	6.980-080.0	Suitable for transporting spray bottles – only in conjunction with Home Base adapter 5.035-488.0.	<input type="checkbox"/>
Home Base Box Kit	18	4.035-406.0	The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	<input type="checkbox"/>
Manual rinsing system	19	4.035-515.0	Allows the tank to be rinsed using the on-board fresh water. Includes hose, spray nozzle and hose hanger.	<input type="checkbox"/>
<b>Wheels / tyres</b>				
Supergrip front wheels	20	6.435-810.0	The combination of the special tyre compound and the V-profile of these oil-resistant front wheel bands increases traction and ensures very good adhesion properties on slippery floors.	<input type="checkbox"/>
<b>Dosing aids</b>				
DS 3 Cleaning Agent Dosing Station	21	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	<input type="checkbox"/>
<b>BRUSH HEADS</b>				
Brush head D90 S	22	2.763-008.0	Brush head with 2 disc brushes, brush quick changeover system, 90 cm working width and height adjustable side guards.	<input checked="" type="checkbox"/>
<b>DISC BRUSHES</b>				
Disc brush, very soft, White, 450 mm	23	4.905-005.0	White, soft disc brush for the gentle cleaning of sensitive floor coverings.	<input type="checkbox"/>
Disc brush, soft, natural, 450 mm	24	4.905-004.0	Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	<input type="checkbox"/>
Disc brush, hard, black, 450 mm	25	4.905-006.0	Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
<b>WIPING FLAPS</b>				
Modification kit, squeegee blades for brush head	26	2.763-031.0	Floating squeegee blades adapt to the surface. Fits D 90, D 75 and D 65.	<input type="checkbox"/>
<b>DISC PADS / PAD DRIVE BOARDS</b>				
<b>Microfibre pad</b>				
Microfibre pad, White, 457 mm, 5 Piece(s)	27	6.369-960.0	Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	<input type="checkbox"/>
<b>Pads</b>				
Pad, medium-soft, red, 457 mm, 5 Piece(s)	28	6.369-024.0	Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR B 150 R BP PACK 170AH AGM+D90

1.246-024.0



		Order no.	Description	
<b>DISC PADS / PAD DRIVE BOARDS</b>				
<b>Pads</b>				
Pad, medium-hard, green, 457 mm, 5 Piece(s)	29	6.369-023.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
Pad, hard, black, 457 mm, 5 Piece(s)	30	6.369-022.0	Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
<b>Pad drive boards</b>				
Pad drive board STRONG, 445 mm	31	4.762-594.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 90. 2 pc. required.	<input type="checkbox"/>
Pad drive board, 445 mm	32	4.762-493.0	Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.	<input type="checkbox"/>
<b>Diamond pad</b>				
Diamond pad, coarse, White, 457 mm, 5 Piece(s)	33	6.371-258.0	White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
Diamond pad, medium, Yellow, 457 mm, 5 Piece(s)	34	6.371-259.0	Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>
Diamond pad, fine, green, 457 mm, 5 Piece(s)	35	6.371-239.0	Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>
<b>Melamine pads</b>				
Melamine pad, Grey/white, 457 mm, 2 Piece(s)	36	6.371-024.0	White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other hard floor coverings. Can also be used for removing grey haze.	<input type="checkbox"/>
<b>KITS</b>				
<b>Side broom / side scrub deck mounting kit</b>				
Side scrubbing deck	37	2.644-088.0	For wet cleaning close to the edge on the right side: side scrubbing deck with lifting arm. Extends the working width by 20 cm.	<input type="checkbox"/>
<b>Fleet mounting kit</b>				
Attachment kit Plug-in Connect Module	38	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	<input type="checkbox"/>
<b>Lighting / revolving signal light mounting kit</b>				
Working light (manufactured from 8/2018 onwards)	39	2.034-001.0	Working light for improving safety when working. With front and side lighting on the brush head.	<input type="checkbox"/>
Revolving signal light	40	4.035-516.0	Increases safety at work.	<input type="checkbox"/>
<b>Other attachment kits</b>				
Stacked bumper roller squeegee attachment kit	41	2.644-225.0	Additional non-marking bumper rollers for attaching to the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	<input type="checkbox"/>
Protective roof	42	2.644-089.0	The protective roof with a height of 2.06 m complies with VDE standard IEC 60335-2-72.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.

## ACCESSORIES FOR B 150 R BP PACK 170AH AGM+D90

### 1.246-024.0



		Order no.	Description	
KITS				
Other attachment kits				
Suction hose accessories	43	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Auto-Fill	44	4.035-345.0	Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>
Spray extraction mounting kit				
Spray suction attachment kit	45	2.642-058.0	Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>
TRACTION BATTERIES AND CHARGERS				
Accessories for batteries				
Box with wall holder	46	2.641-243.0	Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	<input type="checkbox"/>
Box	47	2.641-244.0		<input type="checkbox"/>
SPRAY EXTRACTION MACHINES				
Other				
Cleaning agent container, complete	48	4.070-006.0	Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	<input type="checkbox"/>
SPRAY UNITS				
Pump spray bottle	49	6.394-409.0	1-litre pump spray bottle - including pump and pressure tank - easy, uniform spraying for cleaning or crystallising.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.