

K 4 PREMIUM POWER CONTROL HOME

K 4 Premium Power Control pressure washer with G 160 Q Power Control spray gun and hose reel. Can be supported by the application consultant in the Home & Garden app. Incl. Home Kit.



Order no.

1.324-133.0

- Power Control spray gun with pressure level display
- Maximum stability thanks to low centre of gravity, hose guide and larger base
- Highly efficient water-cooled motor

λ	Technical data		
	EAN code		4054278786070
	Supply voltage	V / Hz	230 / 50
	Pressure	bar / MPa	20 - max. 130 / 2 - max. 13
	Flow rate	l/h	max. 420
	Area performance	m²/h	30
	Inlet temperature	°C	max. 40
	Connected load	kW	1.8
	Power cable	m	5
	Colour		Yellow
	Weight without accessories	kg	12
	Weight incl. packaging	kg	18
	Dimensions (L × W × H)	mm	414 × 306 × 588

Equipment		
Home Kit		T 5 surface cleaner, stone and façade cleaner, 3in1, 1 l
High-pressure gun		G 160 Q Power Control
Vario Power Jet		
Dirt Blaster		
High-pressure hose	m	8
Device-side Quick Connect		
Detergent application via		Plug 'n' Clean system
Telescopic handle		
Water-cooled motor		
Integrated water filter		
Adapter for A3/4" garden hose connector		
Included in the scope of supply		







Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive Kärcher knowledge for the perfect cleaning results.
- Convenient comprehensive service all info on the device, its application and our Service portal.



Power Control trigger gun with Quick Connect and spray lances

- The optimal setting for every surface. Three pressure settings and one detergent setting.
- Full control the manual display shows the settings that have been set.
- Quick Connect for easily connecting high-pressure hose and accessories.



Hose reel for comfortable handling

- The high-pressure hose is optimally protected and stored without taking up much space.
- Convenient working hose always within reach due to easy rolling in and out.
- Low centre for a safe position even on angled surfaces.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0

	2	3	4	5	6	7
8	3		11	12	13	14

		Order no.	Description	
SURFACE CLEANERS				
T 5 T-Racer surface cleaner	1	2.644-084.0	Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	
T 7 Plus T-Racer surface cleaner	2	2.644-074.0	Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas.	
PS 30 power scrubber surface cleaner	3	2.644-123.0	The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	
PS 30 Plus power scrubber surface cleaner	4	2.644-212.0	The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	
SPRAY LANCES				
VP 145 vario power jet for K 4-K 5	5	2.642-725.0	Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	
DB 145 dirt blaster for K 4-K 5	6	2.642-728.0	Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	
Telescopic spray lance	7	2.642-347.0	Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	
TLA 4 telescopic spray lance	8	2.644-190.0	Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	
Façade & glass cleaning kit	9	2.644-249.0	Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	
Splash guard	10	2.642-706.0	Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	11	2.638-817.0	Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	
1-step lance extension	12	2.643-240.0	Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	
eco!Booster 130	13	2.645-387.0	Ideal for delicate surfaces - the eco!Booster delivers a 50% higher cleaning performance than the Kårcher standard flat jet, saving water, energy and time.	
VP 180 S vario power jet short 360° for K 2-K 7	14	2.643-254.0	VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	2

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0

15	16	17	18	19	20	21
22	23	24	25	26	27-28	

		Order no.	Description	
TRIGGER GUNS				
G 160 Q gun	15	2.644-327.0	High-pressure guns for Kärcher Power Control and Full Control pressure washers in classes K 4 to K 5. Shows the different pressure stages and detergent mode on the display.	
G 145 Q gun	16	2.643-634.0	High-pressure gun with LED display for the display of different pressure stages and the cleaning agent mode. With Quick Connect. For Kärcher Power Control and Full Control pressure washers in classes K 4 to K 5.	
BRUSHES				
WB 7 Plus 3-in-1 wash brush	17	2.644-374.0	Particularly versatile thanks to its clever combination: The WB 7 Plus 3-in-1 wash brush combines a foam jet, high-pressure flat spray nozzle and a soft brush in a single product.	
WB 150 power brush	18	2.643-237.0	WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	
WB 120 rotating wash brush	19	2.644-060.0	Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	
WB 130 rotating wash brush	20	2.644-286.0	Always in motion: The rotating wash brush with interchangeable attachment cleans smooth surfaces such as paint, glass or plastic. Quick attachment changes thanks to the integrated release lever.	
Rotating wash brush	21	2.644-061.0	Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	
	22	2.644-288.0	Effective cleaning of smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	
WB 120 rotating wash brush car & bike	23	2.644-129.0	Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	
WB 130 rotating wash brush car & bike	24	2.644-287.0	Gentle cleaning of cars and motorbikes: The rotating wash brush with innovative removable microfibre Car & Bike attachment. Machine washable at 60 °C.	
WB 60 soft surface wash brush	25	2.643-233.0	Soft surface brush for cleaning larger surfaces such as cars, caravans, boats, photovoltaic systems, conservatories and shutters. Good area performance thanks to a working width of 248 mm.	
Wheel washing brush	26	2.643-234.0	Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	
Wash brush	27	6.903-276.0	Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	
	28	2.642-783.0	Universal brush with ergonomic handle and soft bristles for thorough and gentle cleaning of all surfaces.	

Included in the scope of supply. \Box Available accessories.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0

29	30	31	32	33	34	35
36	37	38	39	40	41	42

		Order no.	Description	
PIPE CLEANING				
PC 7.5	29	2.644-491.0	Pipe cleaning kit with 7.5 m hose for cleaning pipes, drains and downpipes and for removing blockages. With practical changing system and two nozzles included.	
PC 15	30	2.644-492.0	Pipe cleaning kit with 15 m hose for cleaning pipes, drains and downpipes and for removing blockages. With practical changing system and two nozzles included.	
PC 20 roof gutter and pipe cleaning kit	31	2.642-240.0	The gutter and pipe cleaning kit works all by itself – with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
PC 15 pipe cleaning kit	32	2.637-767.0	Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	33	2.637-729.0	Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
FOAM JET				
FJ 6 foam jet	34	2.643-147.0	FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 3 foam jet	35	2.643-150.0	FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles	
	36	2.645-383.0	etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	37	2.643-143.0	Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	38	2.643-144.0	Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
MISCELLANEOUS				
SH 5 suction hose	39	2.643-100.0	Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	
SH 3 suction hose	40	2.643-101.0	3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	
Sand and wet-blasting kit	41	2.638-792.0	Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	
Vario joint	42	2.640-733.0	Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0

	4	•	$ \begin{array}{c} \hline \hline \hline \hline \hline $	
		Ourden and		
MISCELLANEOUS		Order no.	Description	
Water filter	43	4.730-059.0	Water filter protects pressure washer pumps against dirt particles from dirty water.	
	44	2.642-794.0	Water filter to protect the high-pressure pump against dirt particles from contaminated water.	
Anti-twist adapter	45	2.644-257.0	The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free	
		2.044 237.0	working. For all high-pressure hoses with a Quick Connect adapter on the gun.	
O-ring set	46	2.640-729.0	Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	
HIGH-PRESSURE HOSES				
High-pressure replacement hose: system starti	ng 20	09 with Quick	Connect system	
H 10 Q High-Pressure Hose with Quick Connect and for hose reel devices	47	2.643-633.0	Replacement hose with Quick Connect adapters for quick attachment. For all Kärcher devices in classes K 4-K 7 with hose reel (from 2009 year of manufacture or later). The high-pressure hose is 10 metres long and suitable for temperatures up to 60°C and a pressure up to 180 bar.	
High-pressure extension hose: System for devi	ces w	ith Quick Conn	ect system	
XH 10 Q extension hose Quick Connect	48	2.641-710.0	High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	
XH 6 Q extension hose Quick Connect	49	2.641-709.0	High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	
HOSE STORAGE AND HOSE TROLLEY				
HT 2	50	2.645-361.0	The mobile and stable hose trolley impresses with its extra wide base for maximum stability. A compact model with a height-adjustable handle for small gardens.	
HT 2.20 Set	51	2.645-362.0	The compact and mobile hose trolley with an extra wide base for maximum stability, 20 m Kärcher hose, watering accessories and nozzle, as well as a height-adjustable handle.	
HT 3	52	2.645-363.0	Mobile and stable: The hose trolley for medium-sized gardens scores points with its extra-wide base for maximum stability and its height-adjustable handle. Includes nozzle holder.	
HT 3.20 Set	53	2.645-364.0	The hose trolley with nozzle holder impresses with its extra wide base for maximum stability, height-adjustable handle, 20 m garden hose and watering accessories.	
HT 4	54	2.645-365.0	Everything under control: the hose trolley scores points with its robust hose reel, extra-wide base for maximum stability, precise hose guide and height-adjustable handle.	
HT 4.20 Set	55	2.645-366.0	The mobile hose trolley set impresses with its extra wide base, precise hose guide and height-adjustable handle and is ready for immediate use, including a 20 m hose and accessories.	
HT 5 M	56	2.645-367.0	The mobile and stable hose trolley impresses with a robust metal hose reel, extra-wide base, precise hose guide and height-adjustable handle.	

■ Included in the scope of supply. □ Available accessories. O Detergents.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0

59

69



64-65



66-68







70-73, 86, 88, 90







		Order no.	Description	
HOSE STORAGE AND HOSE TROLLEY				
HT 5.20 M Set	57	2.645-368.0	The hose trolley scores points with its robust metal reel, wide base for high stability and 20 m hose and is ready for immediate use with the enclosed watering accessories.	5
HT 6 M	58	2.645-369.0	The mobile and stable hose trolley scores points with a robust metal hose reel and an extra-wide base, as well as precise hose guides and a height-adjustable handle.	
HR 2.10 Set	59	2.645-370.0	Complete set for convenient watering and space-saving hose storage. Ready for immediate use with a 10 m Kärcher garden hose, connectors, tap adapter and nozzle.	
HR 3	60	2.645-371.0	One hose reel – two functions: the HR 3 is used both for storing the hose on the wall and for mobile use in the garden. This is what flexible watering looks like.	e 🗆
HR 3.20 Set	61	2.645-372.0	One hose reel – two functions: the HR 3.20 set with 20 m hose and accessories is used both for storing the hose on the wall and for mobile use in the garden.	
HR 4	62	2.645-373.0	For hose storage on the wall and as a mobile hose reel: the HR 4 offers both options and can be easily removed from the wall for flexible watering.	
HR 4.30 Set	63	2.645-374.0	For hose storage on the wall and as a mobile hose reel: the HR 4.30 set with a 30 m hose, accessories and nozzle holder offers both options for flexible watering.	
HBX 4.15 Automatic	64	2.645-377.0	Always ready for use: hose box for convenient and flexible watering. With a 15 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty.	
HBX 4.20 Automatic	65	2.645-378.0	Always ready for use: hose box for convenient and flexible watering. With a 20 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty.	
HBX 5.25 Automatic	66	2.645-379.0	No more bending down, cranking or getting your hands dirty: the hose box guarantees convenient and flexible watering. With a 25 m hose and automatic hose retraction.	
HBX 5.30 Automatic	67	2.645-380.0	The hose box for convenient, flexible and effortless watering. With a 30 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty.	
HBX 5.35 Automatic	68	2.645-381.0	Always ready for use: hose box for convenient and flexible watering. With a 35 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty.	
HBX 2.10 Compact	69	2.645-388.0	Compact hose box for balconies, roof terraces, small gardens and camping holidays. Fast, convenient unwinding and winding. Ideal for space-saving storage in apartments.	
HOSES				
PrimoFlex® hose 1/2" - 30 m	70	2.645-248.0	Ultra-durable and kink-resistant PrimoFlex [®] quality garden hose (1/2"). 30 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	

□ Available accessories. O Detergents.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0











		1		
		Order no.	Description	
HOSES				
PrimoFlex [®] hose 1/2" - 15 m	71	2.645-296.0	The PrimoFlex* (1/2") flexible garden hose is 15 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to human health. Bursting pressure: 22 bar.	ח ו
PrimoFlex® 1/2" - 25 m	72	2.645-297.0	The PrimoFlex [®] (1/2") flexible garden hose is 25 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to human health. Bursting pressure: 24 bar.	ם ו
PrimoFlex® hose 5/8" - 15 m	73	2.645-298.0	15 m long, temperature-resistant and contains no substances that are harmful to human health: The flexible PrimoFlex* garden hose (5/8") with pressure-resistant reinforcement mesh and a bursting pressure of 22 bar.	; 🗆
Hose Performance Plus 1/2" -20m	74	2.645-318.0	Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	
Hose Performance Plus 1/2" -50m	75	2.645-319.0	Flexible, ultra-robust and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 50-metre long Performance Plus 1/2" garden hose for constant water flow.	
Hose Performance Plus 5/8" -25m	76	2.645-320.0	Quality garden hose from Kärcher: the new 25-metre long Performance Plus 5/8" garden hose. Flexible and extremely resistant to kinks – for constant water flow. Bursting pressure 40 bar.	
Hose Performance Plus 5/8" -50m	77	2.645-321.0	The 50-metre long Performance Plus 5/8" garden hose, made from ultra-robust multi-layered woven material. Flexible and extremely resistant to kinks for constant water flow.	
Hose Performance Plus 3/4" -25m	78	2.645-322.0	Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks – for constant water flow.	
Hose Performance Plus 3/4" -50m	79	2.645-323.0	Ultra-robust, extremely resistant to kinks and free from potentially harmful substances: the 50-metre long Performance Plus 3/4" garden hose. Made from high-quality multi-layered woven material – for constant water flow.	
Performance Premium hose, 1/2" -20 m	80	2.645-324.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	
Hose Performance Premium 1/2"-50m	81	2.645-325.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 50 m. With Kärcher Premium anti-torsion technology.	
Hose Performance Premium 5/8"-25m	82	2.645-326.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 25 m. With Kärcher Premium anti-torsion technology.	
Hose Performance Premium 5/8" -50m	83	2.645-327.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 50 m. With Kärcher Premium anti-torsion technology.	
Hose set for pressure washers	84	2.645-156.0	Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex [®] hose ($3/4^{\circ}$), G $3/4$ tag adaptor, 1 × universal hose connector and universal connector with Aqua Stop.	2 🗆

□ Available accessories. O Detergents.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0

















98-99

Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Primo Flex* hose 5/8" - 25 m 88 2.645-140.0 PrimoFlex* quality garden hose (5/8"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. PrimoFlex* hose 5/8" - 50 m 89 2.645-141.0 PrimoFlex* quality garden hose (5/8"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. PrimoFlex* hose 3/4" - 25 m 90 2.645-142.0 PrimoFlex* quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. PrimoFlex* hose 3/4" - 25 m 90 2.645-142.0 PrimoFlex* quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. PrimoFlex* hose 3/4" - 50 m 91 2.645-143.0 PrimoFlex* quality garden hose (3/4"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. PrimoFlex* hose 3/4" - 50 m 91 2.645-143.0 PrimoFlex* quality garden hose (3/4"). 50 m long. With p					
Water supply hose set 85 2.645-258.0 Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (%), hose connector with and without Aqua Stop, and universal connection for non-threaded taps. ImperimoFlex* hose 1/2" - 20 m 86 2.645-138.0 The PrimoFlex* (%)?) (Heise) legarden hose (50 m long, temperature-resistant, comes with Bursting pressure: 24 bar. ImperimoFlex* (%)?) ImperimoFlex* (%)?) ImperimoFlex* (%)?) ImperimoFlex* (%)?) ImperimoFlex* (%)?) ImperimoFlex* (%) Imperimer ImperimoFlex* (%)			Order no.	Description	
PrimoFlex* hose connector with and without Aqua Stop, and universal connection for non-threaded taps. PrimoFlex* PrimoFlex* hose 1/2" - 20 m 86 2.645-1380. The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant comes with pressure-resistant fromforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistant end hose (1/2). 50 m long. With pressure-resistant temperature resistant end hose (1/2). 50 m long. With pressure-resistant temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. <t< td=""><td>HOSES</td><td></td><td></td><td></td><td></td></t<>	HOSES				
Image: Constraint of the interformement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar. PrimoFlex* PrimoFlex* hose 1/2" - 50 m 87 2.645-130.0 PrimoFlex* quality garden hose (1/2"). 50 m long. With pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. PrimoFlex* hose 3/4" - 25 m 90 2.645-142.0 PrimoFlex* quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High t	Water supply hose set	85	2.645-258.0		
Image: state from 0 substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: state from 0 to +40 °C. Primo Flex* hose 5/8" - 25 m 88 2.645-1400. PrimoFlex* quality garden hose (5/8"). 25 m long. With pressure: resistant woven reinforcement contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: state from 0 to +40 °C. PrimoFlex* hose 5/8" - 50 m 89 2.645-1410. PrimoFlex* quality garden hose (5/8"). 50 m long. With pressure: resistant woven reinforcement contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: state from 0 to +40 °C. PrimoFlex* hose 3/4" - 25 m 90 2.645-142. PrimoFlex* quality garden hose (3/4"). 25 m long. With pressure: resistant woven reinforcement contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: state from 0 to +40 °C. PrimoFlex* hose 3/4" - 50 m 91 2.645-143.0 Viniversal hose (3/4"). 50 m long. With pressure: resistant woven reinforcement contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: state from 0 to +40 °C. PrimoFlex* quality garden hose (3/4"). 50 m long. With pressure-resistant woven reinforcement contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: state from 0 to +40 °C.	PrimoFlex [®] hose 1/2" - 20 m	86	2.645-138.0	pressure-resistant reinforcement technology and contains no substances that are harmful to health	
Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 440 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 440 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 440 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 440 °C. PrimoFlex* hose 3/4* - 25 m 90 2.645-142.0 PrimoFlex* quality garden hose (3/47). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 440 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 440 °C. PrimoFlex* hose 3/4* - 50 m 91 2.645-143.0 PrimoFlex* quality garden hose (3/47). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 440 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to 440 °C. Hose coupling Plus 92 2.645-143.0 PrimoFlex* quality garden hose (3/47). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40	PrimoFlex [®] hose 1/2" - 50 m	87	2.645-139.0	Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature	
Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. HOSE CONNECTION SYSTEMS Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. HOSE CONNECTION SYSTEMS Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	Primo Flex* hose 5/8" - 25 m	88	2.645-140.0	Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature	
Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.PrimoFlex* hose 3/4" - 50 m912.645-143.0PrimoFlex* quality garden hose (3/4"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.□HOSE CONNECTION SYSTEMSUniversal hose coupling Plus922.645-193.0Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.□Universal hose coupling Plus with Aqua Stop922.645-194.0Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.□Universal cleaner RM 626946.295-753.0Powerful universal cleaner for use with Kärcher pressure washers. With new active dirt remover which effortlessly removes oil, grease and stubborn mineral-bearing dirt with just cold water. For use all around the house and garden and on vehicles.○VEHICLE MAINTENANCECar shampoo 3-in-1 RM 610 + Interior cleaner976.296-169.0RM 610 Car Shampoo for a sparkling finish thanks to its gentle cleaning and quick drying properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner.○	PrimoFlex® hose 5/8" - 50 m	89	2.645-141.0	Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature	
Image: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.HOSE CONNECTION SYSTEMSImage: Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.Universal hose coupling Plus922.645-193.0Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.Image: Compatible with all click systems.Image: Compatible with all click systems.Universal hose coupling Plus with Aqua Stop932.645-194.0Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.Image: Compatible with all click systems.Universal cleaner RM 626946.295-754.0Powerful universal cleaner for use with Kärcher pressure washers. With new active dirt remover which effortlessly removes oil, grease and stubborn mineral-bearing dirt with just cold water. For use all around the house and garden and on vehicles.0VEHICLE MAINTENANCEVehicle Fortlessing finish thanks to its gentle cleaning and quick drying properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner.0	PrimoFlex* hose 3/4" - 25 m	90	2.645-142.0	Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature	
Universal hose coupling Plus922.645-193.0Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.1Universal hose coupling Plus with Aqua Stop932.645-194.0Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.1UNIVERSAL CLEANERS946.295-753.0Powerful universal cleaner for use with Kårcher pressure washers. With new active dirt remover which effortlessly removes oil, grease and stubborn mineral-bearing dirt with just cold water. For use all around the house and garden and on vehicles.0VEHICLE MAINTENANCE976.295-755.0RM 610 Car Shampoo for a sparkling finish thanks to its gentle cleaning and quick drying properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner.0	PrimoFlex [®] hose 3/4" - 50 m	91	2.645-143.0	Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature	
Image: Constraint of the system of the sys	HOSE CONNECTION SYSTEMS				
Image: state s	Universal hose coupling Plus	92	2.645-193.0		
Universal cleaner RM 626 94 6.295-753.0 Powerful universal cleaner for use with Kårcher pressure washers. With new active dirt remover which effortlessly removes oil, grease and stubborn mineral-bearing dirt with just cold water. For use all around the house and garden and on vehicles. 0 96 6.295-755.0 which effortlessly removes oil, grease and stubborn mineral-bearing dirt with just cold water. For use all around the house and garden and on vehicles. 0 VEHICLE MAINTENANCE Car shampoo 3-in-1 RM 610 + Interior cleaner 97 6.296-169.0 RM 610 Car Shampoo for a sparkling finish thanks to its gentle cleaning and quick drying properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner. 0	Universal hose coupling Plus with Aqua Stop	93	2.645-194.0		
95 6.295-754.0 which effortlessly removes oil, grease and stubborn mineral-bearing dirt with just cold water. For use all around the house and garden and on vehicles. 0 96 6.295-755.0 0 VEHICLE MAINTENANCE Car shampoo 3-in-1 RM 610 + Interior cleaner 97 6.296-169.0 RM 610 Car Shampoo for a sparkling finish thanks to its gentle cleaning and quick drying properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner. 0	UNIVERSAL CLEANERS				
95 6.295-754.0 use all around the house and garden and on vehicles. 0 96 6.295-755.0 0 VEHICLE MAINTENANCE Car shampoo 3-in-1 RM 610 + Interior cleaner 97 6.296-169.0 RM 610 Car Shampoo for a sparkling finish thanks to its gentle cleaning and quick drying properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner. 0	Universal cleaner RM 626	94	6.295-753.0		0
96 6.295-755.0 O VEHICLE MAINTENANCE Car shampoo 3-in-1 RM 610 + Interior cleaner §7 6.296-169.0 RM 610 Car Shampoo for a sparkling finish thanks to its gentle cleaning and quick drying properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner. O		95	6.295-754.0		0
Car shampoo 3-in-1 RM 610 + Interior cleaner 97 6.296-169.0 RM 610 Car Shampoo for a sparkling finish thanks to its gentle cleaning and quick drying 0 properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner.		96	6.295-755.0		0
RM 651 properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner.	VEHICLE MAINTENANCE				
Insect Remover RM 618 98 6.295-761.0 Gently removes insects from paint surfaces, radiator grilles, external mirrors, panels and plastic.		97	6.296-169.0		0
	Insect Remover RM 618	98	6.295-761.0	Gently removes insects from paint surfaces, radiator grilles, external mirrors, panels and plastic.	0

□ Available accessories. O Detergents.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0

98-99	100	101	102	103	104	105
106	107	108	109	110	NAMAGE NAME	112, 114-115

		Order no.	Description	
		order no.		-
Insect remover RM 618	99	6.295-888.0	Gently removes insects from paint surfaces, radiator grilles, external mirrors, panels and plastic.	
Car glass cleaner RM 650	100	6.296-105.0	Streak- and glare-free cleaning of car windows and mirrors. Reliably removes insects, fingerprints and dirt from the street. With antistatic effect for low resoiling.	(
Interior cleaner RM 651	101	6.296-106.0	For refreshingly clean interiors without odours: From the cockpit to the rubber seal, from the display through to the upholstery and artificial leather. With antistatic effect and effective odour neutralisation.	C
Cockpit care matt finish RM 652	care matt finish RM 652 102 6.296-107.0 Deep-cleaning care and protection for all plastics and rubber surfaces. Leaves silk-matt surf that look as good as new, are pleasant to touch and are water- and dirt-repellent.		Deep-cleaning care and protection for all plastics and rubber surfaces. Leaves silk-matt surfaces that look as good as new, are pleasant to touch and are water- and dirt-repellent.	C
Polish & wax RM 660 103 6.296-108.0 Intensive cleaning and washing- and weather-resistant preservation in a si and streaks are removed, and the original colour brilliance is restored.		Intensive cleaning and washing- and weather-resistant preservation in a single step. Fine scratches and streaks are removed, and the original colour brilliance is restored.	C	
Rim cleaner premium RM 667			With maximum cleaning power and quick-action formula. Helps remove all kinds of dirt picked up by all common rim types while on the road. The intelligent colour change indicates how the cleaning agent is taking effect over time.	C
Winter screen wash concentrate -60°C RM 670	105	6.296-109.0	Cleaning and frost-protection agent for window- and headlight-cleaning systems. Prevents the windscreen from freezing and guarantees a streak- and glare-free view.	C
Summer screen wash 1:100 concentrate RM 672	106	6.296-110.0	Highly effective cleaning concentrate for a streak- and glare-free view in summer. Effectively removes insect residues and bird droppings. Yield: 250 ml provides 25 l cleaning agent.	C
Car shampoo 3-in-1 RM 610	107	6.295-750.0	Powerful car shampoo with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a quick-drying and ultra-shine formula. For outstanding cleaning efficiency, care and protection in one step. To gently clean all vehicle types.	C
Ultra foam cleaner RM 615	108	6.295-743.0	ith extra foam booster for an even deeper clean. Thanks to the new active dirt remover, it O ifortlessly and quickly removes even oil and greasy dirt, as well as typical vehicle dirt and road O rt. Phosphate-free and gentle on materials. O	
Bike cleaner RM 44 G 109 6.295-763.0 To manually clean motorbikes. Gently and effectively removes typical dirt such wear, insects, mud and oil. A dream to use thanks to the sticky gel formula.		To manually clean motorbikes. Gently and effectively removes typical dirt such as brake dust, tyre wear, insects, mud and oil. A dream to use thanks to the sticky gel formula.	C	
ALL AROUND THE HOUSE				
Glas Finisher EN				
Glass finisher 3-in-1 RM 627		6.295-474.0	Saves time and effort: the 3-in-1 glass finisher ensures lasting cleanliness without spots or streaks and is particularly suitable for large, hard-to-reach windows (such as winter gardens and glass facades). With protective formula to keep surfaces cleaner for longer. Not effective on coated glass surfaces.	
Stone cleaning & care				
Outdoor surface protector RM 542	111	6.295-594.0	4.0 The highly effective outdoor surface protector maintains surfaces in outside areas, refreshes th colour, protects against environmental influences and impresses with its high area performance	
Stone and Façade Cleaner 3-in-1 RM 611	112	6.295-765.0	5.0 Powerful Stone and Paving Cleaner with unique 3-in-1 formula for outstanding cleaning performance. With active dirt remover, protection formula against resoiling, and wind and weather protection. For outstanding cleaning efficiency, care and protection in one step. Can be used on stone terraces, walls and façades all around the house and garden.	

□ Available accessories. O Detergents.

ACCESSORIES FOR K 4 PREMIUM POWER CONTROL HOME 1.324-133.0

Ū

116











		Order no.	Description	
ALL AROUND THE HOUSE				
Stone cleaning & care				
Stone and paving cleaner 3-in-1 RM 611	113			0
	114	6.295-767.0	performance. With active dirt remover, protection formula against resoiling, and wind and v protection. For outstanding cleaning efficiency, care and protection in one step. Can be used	
Stone and cladding cleaner 3-in-1 RM 611	115	6.295-885.0	stone terraces, walls and façades all around the house and garden.	0
RM 611	116	6.296-227.0		0
Wood cleaning & care				
Wood cleaner 3-in-1 RM 612	117		Powerful wood cleaner with unique 3-in-1 formula which offers exceptional cleaning performance	0
	118	6.295-882.0	thanks to the active dirt remover, as well as a UV protection formula and intensive care. For outstanding cleaning efficiency, care and protection in one step. Can be used on all treated an	
	119	6.295-883.0	untreated wooden outdoor surfaces.	0
Plastic cleaning & care				
Plastic cleaner 3-in-1 RM 613	120	6.295-758.0	Powerful plastic cleaner with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a colour and material protection formula. For outstanding cleaning efficiency, care and protection in one step. Can be used on garden furniture, PVC window frames and other plastic surfaces.	2 0

O Detergents.