

T 12/1 ECO!EFFICIENCY

Energy-efficient, quiet, manoeuvrable, tilt-proof, easy to service and with a high level of user comfort, our dry vacuum cleaner T 12/1 ecolefficiency impresses in daily use.







Order no.

1.355-135.0

- Reduced power consumption
- Pluggable power cable
- Very quiet

Technical data

EAN code		4039784831629
Power supply	V / Hz	220 - 240 / 50 - 60
Vacuum	mbar / kPa	185 / 18.5
Air flow	l/s	46
Nominal power	W	500
Container capacity	1	12
Container material		Plastic
Standard nominal width		ID 35
Cable length	m	12
Sound pressure level	dB(A)	60
Colour		anthracite
Weight without accessories	kg	6.4
Weight incl. packaging	kg	8.5
Dimensions (L × W × H)	mm	410 × 315 × 340

Equipment		
Container material		Plastic
Integrated power cable organiser		•
Cable hook		
Pluggable power cable		Standard
Suction hose length	m	2
Bend		Antistatic with air-flow regulator
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	505
Suction tubes material		Steel, chrome-plated
Switchable floor nozzle		
Quantity of filter bags	Piece(s)	1
Filter bag material		Fleece
Motor protection filters		
Permanent filter basket		Fleece
Included in the scope of supply		

Included in the scope of supply.







Saving energy has never been so much fun!

- Low power consumption (500 W).
- Up to 40% energy saving with simultaneously high cleaning performance.



Low noise

- Suitable for use in noise-sensitive areas thanks to low operating noise.
- Night-time cleaning applications are also possible without any problems.



Maintenance-friendly

- Simple, quick replacement of power cable, even without any prior knowledge.
- Reduces time requirement and service costs.

KARCHER

ACCESSORIES FOR T 12/1 ECO!EFFICIENCY 1.355-135.0

	2	3			4	5	6	7
8	9	1	0		11		13	14
			Order no.	Desc	cription			
FILTER T/ NT Main filter baskets								

FILTER T/ NT Main filter baskets Main filter baskets Permanent main filter basket, T 12/1, T 15/1, T 17/1 I 4.731-0110 Plastic frames with reinforced fleece material, washably to 40°C. T 17/1 Motor protection filter, T 19k-edb, 19/1 B0, T 7, T 8, T 10, T 11, T 12, T 15 2 6.414-0220 Motor protection filter, F Preceib, BV 9/1 B0, T 7, T 8, T 10, T 11, T 12, T 15 2 6.414-0320 Motor protection filter, F Preceib, BV 9/1 B0, T 7, T 8, T 10, T 12, T 15 3 6.414-0320 HEPA Filter HEPA 13 filter, packaged 4 6.414-0800 HEPA 13 filter with 99.95% separation degree certified according to test standard DIN EN 122 22019. For increasing the filter capacity and improving the blower air. Image: Comparison of the Compari			Order no.	Description	
Permanent main filter basket, T 12/1, T 15/L 1 4.73:011 Plastic frames with reinforced fiece material, wishably to 40°C. Image: Comparison of Compari	FILTER T/ NT				
T171 Image: Constraint of the set of the s	Main filter baskets				
Motor protection filter, 1 Piece(s), T 9/1 Bp, T 2 6.414 022.0 Motor protection filter, removable fleece, which can be replaced when heavily solied. Image: Content of Conten		1	4.731-011.0	Plastic frames with reinforced fleece material, washably to 40°C.	
7. T. 8. T. 10. T. 10. T. 11. T. 12. T. 15 Image: Control of Con	Exhaust air filter				
7. T. 9. T. 10. T. 12. T. 15 Image: Control of the	Motor protection filter, 1 Piece(s), T 9/1 Bp, T 7, T 8, T 10, T 11, T 12, T 15	2	6.414-022.0	Motor protection filter, removable fleece, which can be replaced when heavily soiled.	
HEPA 13 filter, packaged 4 6.414-080.0 HEPA 13 filter with 99.95% separation degree certified according to test standard DIN EN 182.22019. For increasing the filter capacity and improving the blower air. Image: Content of the capacity and improving the blower air. Fabric filter bag 5 6.904-316.0 The fabric filter bag for Kårcher dry vacuum cleaners is made of cotton and can be washed at up to a tor. Image: Content of the capacity and improving the blower air. EBND EBND EBND at hose end, cone at accessory end Content of the capacity and improving the blower air. Image: Content of the capacity and improving the blower air. SUCTION NOZZLES Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end accessory end Image: Content of the capacity and image for the capacity and image for the capacity and image for nozzle with width of 295 mm and accessory end accessory end Image: Content of the capacity and image for nozzle with width of 295 mm and nominal size of DN 35. Includes practical parking hook, suitable for nozyle with width of 295 mm and nominal size of DN 35. Includes practical parking hook, suitable for parquet floors and parking hook, suitable for parquet floors and parking hook, suitable for parquet floors and park in with width of 300 mm width and nominal size of DN 35. Includes practical parking hook, suitable for parquet floors and park in hook suitable for parquet floors and park in hook. Image: Content of the capacity and in the capacity and park in hook acces for		3	6.414-611.0		
Image: Constraint of the state of the s	HEPA Filter				
Fabric filter bag 5 6 904-316.0 The fabric filter bag for Kärcher dry vacuum cleaners is made of cotton and can be washed at up to a 'C'. BENDS Bend, plastic Bend, plastic Bend with air-flow regulator, T, DN 35, plastic, a 'G'. 2 889-148.0 Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Constraint of the accessory end. Image: Constra	HEPA 13 filter, packaged	4	6.414-080.0		
BENDS 40 °C A0 °C BENDS Bend, plastic Bend, plastic <t< td=""><td>Fabric filter bag</td><td></td><td></td><td></td><td></td></t<>	Fabric filter bag				
Bend, plastic Bend, with air-flow regulator. T. DN 35, plastic, antistatic, cirg 2.0 at hose end, cone at accessory end Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end Image: Connection at the accessory end SUCTION NOZZLES Floor nozzle, DN 35, width 295 mm, with parking hook, suitable for textile and hard surfaces: plastic switchable floor nozzle with width of 295 mm and nominal size of DN 35. Includes practical parking hook. Parquet nozzle, DN 35, width 360 mm, with parking hook, suitable for parquet floors and hard surfaces: plastic parquet floors and hard surfaces: plastic parking hook. Centle cleaning of parquet floors, delicate wooden floors and other hard surfaces: plastic parking hook. Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and plant surfaces Plastic parquet nozzle with width of 300 mm width of 300 mm width and nominal size of DN 35 for cleaning textile and hard surfaces. Includes practical parking hook. Parquet nozzle, DN 35, width 290 mm, with parking hook, suitable for parquet floors and plant surfaces. Plastic parquet nozzle with width of 300 mm width and nominal size of DN 35 for cleaning textile and hard surfaces. Parquet nozzle, DN 35, width 290 mm, with parking hook, suitable for textile and hard surfaces. Plastic parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook. Parquet nozzle, DN 35, width 290 mm, with parking hook, suitable for textile and hard surfaces. Plastic	Fabric filter bag	5	6.904-316.0		
Bend with air-flow regulator, T, DN 35, plastic, antistatic, eigo 2.0 a hose end, cone at accessory end. Image: Constraint of the constraint of th	BENDS				
antistatic, clip 2.0 at hose end, cone at accessory end Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Image: Equipped with a clip 2.0 cone tend and a cone con	Bend, plastic				
Floor nozzles Switchable floor nozzle, DN 35, width 295 mm, with parking hook, suitable for textile and hard surfaces 7 2.889-179.0 Gentle cleaning of textile and hard surfaces: plastic switchable floor nozzle with width of 295 mm and nominal size of DN 35. Includes practical parking hook. Parquet nozzle, DN 35, width 360 mm, with parking hook, suitable for parquet floors and hard surfaces Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces Parquet nozzle, DN 35, width 200 mm, with parking hook, suitable for parquet floors and hard surfaces Parquet nozzle, DN 35, width 290 mm, with parking hook, suitable for parquet floors and hard surfaces Parquet nozzle, DN 35, width 290 mm, with parking hook, suitable for textile and hard Parquet nozzle, DN 35, plastic, length 210 mm Parquet nozzle, DN 35, plastic, length 210 mm Parquet nozzle, DN 35, plastic, length 210 mm Parsuet nozzle,	antistatic, clip 2.0 at hose end, cone at	6	2.889-148.0		
Switchable floor nozzle, DN 35, width 295 mm, with parking hook, suitable for textile and hard surfaces 7 2.889-179.0 Gentle cleaning of textile and hard surfaces: plastic switchable floor nozzle with width of 295 mm and nominal size of DN 35. Includes practical parking hook. Image: Comparison of the cleaning of parquet floors, delicate wooden floors and other hard surfaces: plastic parquet, plastic parquet floors and hard surfaces Image: Comparison of the cleaning of parquet floors, delicate wooden floors and other hard surfaces: plastic parquet, plastic parquet floors, and parking hook, suitable for parquet floors and of parquet nozzle with width of 300 mm width and nominal size of DN 35. Includes practical parking hook. Image: Comparison of textile and hard surfaces Image: Compare: Comparison of textile and hard surfaces<	SUCTION NOZZLES				
mm, with parking hook, suitable for textile and hard surfaces and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. and nominal size of DN 35. Includes practical parking hook. <td>Floor nozzles</td> <td></td> <td></td> <td></td> <td></td>	Floor nozzles				
parking hook, suitable for parquet floors and hard surfacesnozzle with width of 360 mm and nominal size of DN 35. Includes practical parking hook.Image: Constraint of the second sec	mm, with parking hook, suitable for textile and		2.889-179.0		
parking hook, suitable for parquet floors and hard surfacesof parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook.Floor nozzle, DN 35, width 290 mm, with parking hook, suitable for textile and hard102.889-360.0High-quality plastic floor nozzle in nominal size of DN 35 for cleaning textile and hard floors. With a practical parking hook. Width: 290 mm.10Crevice nozzles112.889-130.0With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and throughly. Length: 210 mm.1Upholstery nozzles126.905-998.0Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.1Suction brushes132.889-221.0Suction brush DN 35 with horsehair natural bristles.1Turbo nozzles132.889-221.0Suction brush DN 35 with horsehair natural bristles.1	parking hook, suitable for parquet floors and	8	2.889-196.0		
parking hook, suitable for textile and hard surfacesImage: Substrain a practical parking hook. Width: 290 mm.Crevice nozzlesCrevice nozzle, DN 35, plastic, length 210 mm112.889-130.0With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.Image: Substrain a subst	parking hook, suitable for parquet floors and	9	2.889-197.0		
Crevice nozzle, DN 35, plastic, length 210 mm 11 2.889-130.0 With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm. IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	parking hook, suitable for textile and hard	10	2.889-360.0		
Image: Constraint of the state of the st	Crevice nozzles				
Upholstery nozzle DN 35 12 6.905-998.0 Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of the temperature such as sofas, armchairs, upholstered chairs and beds. Suction brushes 13 2.889-221.0 Suction brush DN 35 with horsehair natural bristles. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Turbo nozzles Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds. Image: Comparison of temperature such as sofas, armchairs, upholstered chairs and beds.	Crevice nozzle, DN 35, plastic, length 210 mm	11	2.889-130.0		
Image: Substrain of the state of the sta	Upholstery nozzles				
Suction brush DN 35 13 2.889-221.0 Suction brush DN 35 with horsehair natural bristles.	Upholstery nozzle DN 35	12	6.905-998.0		
Turbo nozzles	Suction brushes				
	Suction brush DN 35	13	2.889-221.0	Suction brush DN 35 with horsehair natural bristles.	
Turbo upholstery nozzle 14 2.860-113.0 Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	Turbo nozzles		•		-
	Turbo upholstery nozzle	14	2.860-113.0	Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.

KARCHER

ACCESSORIES FOR T 12/1 ECO!EFFICIENCY 1.355-135.0

15 16 22 23-2	24	11	0	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\end{array}) \left(\begin{array}{c} \end{array}\\ \left(\end{array}) \left(\begin{array}{c} \end{array}\\ \left(\end{array}) \left(\begin{array}{c} \end{array}\\ \left(\end{array}) \left(\end{array}) \left(\begin{array}{c} \end{array}\\ \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\begin{array}{c} \end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\begin{array}{c} \end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left$	
SUCTION NOZZLES			Order no.	Description	_
Turbo nozzles					
Turbo floor nozzle, DN 35 and	32, 270 mm	15	2.860-114.0	Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	
wide SUCTION TUBES					
Suction tubes, metal					
Suction tube, DN 35, 505 mm l chrome-plated steel, suitable fr T 12/1, NT 22/1, NT 30/1, NT 4 NT 65/2	or: T 7/1, T 10/1	16	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.	
SUCTION HOSES					
Suction hoses with clip system	2.0 (compatible wi	ith y	vacuum cleane		
Suction hose, T, DN 35, length click fastener	2 m, Clip 2.0,	17	2.889-161.0	The suction hose in nominal width DN 35 and with 2 m length is suitable for use with dry vacuum cleaners from Kärcher.	
Extension hose, T and NT, DN 3 electrically conductive, clip 2.0 adapter		18	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	
NOZZLE KITS					
Nozzle kit:crevice nozzle, upho suction brush, ID 35	olstery nozzle, 2	19	2.860-116.0	Nozzle kit consisting of a crevice nozzle, upholstery nozzle and suction brush. The nozzle kit is suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35.	
OTHER ACCESSORIES NT					
Adapter clip new on clip old DI	N 35 2	20	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	
FURTHER ACCESSORIES DRY V	ACUUM CLEANERS				
Repair set Kaercher NW35	2	21	2.639-329.0	Repair kit for dry vacuum cleaner accessories in DN 35. The kit includes a threaded and clamping ring, a connecting adapter, as well as a seal.	
Surface nozzle DN 35 for hard carpeted areas	surfaces and	22	2.889-361.0	Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.	
FILTER BAGS					
Fleece filter bags					
Fleece filter bags, 10 Piece(s), Vac 2, Trek Vac 3	T 10, T 12, Trek	23	6.904-315.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.	
Fleece filter bags, 200 Piece(s) Trek Vac 2, Trek Vac 3	, T 10, T 12,	24	6.904-321.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 200-pack.	
Paper filter bags					
Paper filter bags, 10 Piece(s), T	12/1	25	6.904-312.0	Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.	
Paper filter bags, 200 Piece(s),	T 12/1	26	6.904-318.0	Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents:	
CONNECTING SLEEVES				200-pack.	
Expansion pieces (tube -> nozz	zle)				
Adapter		27	6.902-083.0	From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	
Reducing sleeves					
Reducer from ID 35 to ID 32	2	28	6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	

Included in the scope of supply. \Box Available accessories.