## KARCHER

## **T 15/1 ADV HEPA**

The T 15/1 Adv HEPA focuses on hygiene, is sustainable and ultra-quiet, and offers an effective HEPA 14 filter and a wide range of accessories in addition to high suction power.







Order no.

1.355-307.0

- Particularly resource-friendly: made from 45% recycled material
- Ultra-efficient HEPA 14 filter
- With full range of accessories

Technical data		
EAN code		4066529118318
Supply voltage	V / Hz	220 - 240 / 50 - 60
Vacuum	mbar / kPa	185 / 18
Air flow	I/s	40
Rated performance	W	585
Container content	1	15
Container material		Plastic with recycled material
Cable length	m	12
Sound pressure level	dB(A)	52
Weight without accessories	kg	6.4
Weight incl. packaging	kg	10
Dimensions (L × W × H)	mm	440 × 250 × 410

Equipment		
Container material		Plastic with recycled material
Smart cable retraction system		•
Pluggable power cable		Standard
Folding ergonomic carrying handle		
Integrated accessory storage		
Suction hose length	m	2
Bend		Antistatic, with air-flow regulator
Telescopic suction tube	mm	615 - 1007
Telescopic suction tube, material		aluminium
Switchable floor nozzle		•
Parquet nozzle		•
Upholstery nozzle		•
Crevice nozzle		•
Filter bag	Piece(s)	1 / Fleece
Motor protection filters		
HEPA-filter Type		HEPA 14 filter
Permanent filter basket		Fleece

Included in the scope of supply.

#### KARCHER






### Sustainable and robust: 45% recycled content

- Production: reduced use of raw materials and energy.
- $\blacksquare$  Use of recycled materials lowers  $\text{CO}_2$  emissions.



#### Ultra-efficient HEPA 14 filter

- For the highest safety standards at hygiene-sensitive sites.
- High filtration and separation degree: 99.995%.



## Ultra-quiet: virtually silent operation at just 52 dB(A)

- Perfect for daytime cleaning.
- Reduced noise pollution even at night.
- Reduces risks such as stress or hearing damage.

# T 15/1 Adv HEPA, 1.355-307.0, 2025-02-21

#### KARCHER

# ACCESSORIES FOR T 15/1 ADV HEPA 1.355-307.0



























And 13/1 Bip   a sparation degree of 99.995% and is certified according to test standard DNEN 1822/2019.  Motor protection filters, 3 Piece(s), T 10/1 Bip, 1 30/1, 1 15/1 Bip, T 10/1, T				
Filter Nation (1987)  Main filter baskets  Permanent main filter basket (1,10/1, T 15/1, T 16/1, T 16/				
Main filter baskets Permanent main filter basket, T 10/1, T 15/1, 1 2,889-903. Robust and durable: permanent main filter basket made of non-woven material. The sustainable filter hasket can be easily hand-washed at 30 °C and reused. Contents: 1 piece.  ##################################			Order no.	Description
Remained main filter basket, T 10/1, T 15/1, B T0/1 8p, T 15/1 Bp T10/1 8p, T 10/1, T 15/1, T 10/1 Bp T10/1 8p, T 10/1, T 15/1, T 10/1 Bp T10/1 8p, T 10/1, T 15/1 Tp T10/1 8p, T 10/1, T 15/1 Tp T10/1 8p, T 10/1, T 15/1 Tp T15/1 8p, T 10/1, T 15/1 Tp T15/	<u> </u>			
Filter basket can be easily hand-washed at 30 °C and reused. Contents: 1 piece.  HEPA-114 filter for T 10/L T 15/L, T 10/1 Bp		1	I	
HERPA-14 filter for T 10/1, T 15/1, T 10/1 Bp and T 15/1 Bb  2 2.889-424.0 Increases the filter capacity and improves the blower air. The highly effective HERPA 14 filter offers a separation degree of 99.995% and is certified according to test standard DN EN 1822/2019.  Exhaust air filter  Motor protection filters, 3 Pieces), T 10/1 Bp. 15/18 Bp. 170/1, T 15/1  Exhaust air filter  Motor protection filters, 3 Pieces), T 10/1 Bp. 15/18 Bp. 170/1, T 15/1  Exhaust air filter  Motor protection filters, 3 Pieces), T 10/1 Bp. 15/18 Bp. 170/1, T 15/1  Exhaust air filter  Motor protection filters, 3 Pieces), T 10/1 Bp. 15/18 Bp. 170/1, T 15/1  Exhaust air filter  Motor protection filters, 3 Pieces), T 10/1 Bp. 15/18 Bp. 170/1, T 15/1  Exhaust air filter  Motor protection filters, 3 Pieces), T 10/1 Bp. 15/18 Bp. 170/1, T 15/1  Exhaust air filter  Motor protection filters, 3 Pieces), T 10/1 Bp. 18/18 Bp.		1	2.885-909.0	'
and T 15/1 Bp   a separation degree of 99.995% and is certified according to test standard DIN EN 1822/2019.  Exhaust affilter  Motor protection filters, 3 Piece(s), T 10/1 Bp, T 15/1, T 15/1  Bend, JB, T 10/1, T 15/1  Bend, JBST 16/1, T 15/1  Be	HEPA Filter			
Motor protection filters, 3 Piece(s), T 10/1 Bp, T 10/1, T 15/1 Bp, T		2	2.889-424.0	, , , ,
EERDS  Bend, plastic  Bend with air-flow regulator, T, DN 35, plastic, and plastic accessory end  SUCTION NOZZLES  Floor nozzle  Switchable floor nozzle, DN 35, width 280  Switchable floor nozzle, DN 35, width 300, mm, with parking book, suitable for pracuet floors and hard surfaces  Floor nozzle, DN 35, width 300, mm, with parking book, suitable for pracuet floors and hard surfaces  Frou nozzle, DN 35, width 300, mm, with parking book, suitable for pracuet floors and hard surfaces  From nozzle, DN 35, width 300, mm, with parking book, suitable for pracuet floors and hard surfaces  From nozzle, DN 35, width 300, mm, with parking book, suitable for pracuet floors and hard surfaces  From nozzle, DN 35, width 300, mm, with parking book, suitable for pracuet floors and hard surfaces  From nozzle, DN 35, plastic, length 210 mm  To 2889-1300, With the DN 35 plastic crevice nozzle, orners and crevices can be vacuumed quickly and throughly, Length 210 mm.  Upholstery nozzle  Upholstery nozzle DN 35  B 6,905-990, D Handy Length 210 mm, blastic upholstery nozzle in nominal width DN 35, ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.  SUCTION TUBES  SUCTIO	Exhaust air filter			
Bend with air-flow regulator, T, DN 35, plastic, accessory end sanistatic, clip 2.0 at hose end, cone at accessory end scurior in the following regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. SutTON NOZZES  Floor nozzles  Switchable floor nozzle, DN 35, width 280 mm, with parking book, suitable for textile and hard surfaces. Switchable plastic floor nozzle with width of 280 mm and nominal size of DN 35 for cleaning mm, with parking book, suitable for parquet floors and hard surfaces. Parquet nozzle, DN 35, width 300 mm, with parking book, suitable for parquet floors and shard surfaces. Features a practical parking hook. And surfaces are reviewed nozzle, DN 35, plastic, length 210 mm and nominal size of DN 35 for gentle cleaning of parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook hard surfaces. Includes practical parking hook hard surfaces. Parquet nozzle with width of 300 mm width and nominal size of DN 35 for gentle cleaning of parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook hard surfaces. Parquet nozzle with width of 300 mm width and nominal size of DN 35 for gentle cleaning of parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook hard surfaces.  Teveloe nozzle, DN 35, plastic, length 210 mm and nominal size of DN 35 for gentle cleaning of parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook hard surfaces.  Tevelve nozzle, DN 35, plastic, length 210 mm and nominal size of DN 35 for gentle cleaning of parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook hard surfaces and crevice nozzle, upholstery nozzle by plastic parquet floors, delicate wooden floors and other hard surfaces and beautiful parking hoo		3	2.885-910.0	
Bend with air-flow regulator, T, DN 35, plastic, antistatic, cino 2.0 at hose end, cone at accessory end. antistatic, cino 2.0 at hose end, cone at accessory end. accessor	BENDS		<u>'</u>	
antistatic, clip 2.0 at hose end, cone at a concessory end coressory end coressors or end coresponding to the core core core core core core core cor	Bend, plastic			
Switchable floor nozzle, DN 35, width 280 mm, with parking hook, suitable for textile and hard surfaces  Parquet nozzle, DN 35, width 200 mm, with parking hook, suitable for parquet floors and parking hook, suitable for parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook hard surfaces.  With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.  Upholstery nozzle  Upholstery nozzle DN 35  8 6 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   8 6905-9980   9 6905-9980	antistatic, clip 2.0 at hose end, cone at	4	2.889-148.0	
Switchable floor nozzle, DN 35, width 280 mm, with parking hook, suitable for textile and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and be a suitable for parquet floors and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook hard surfaces. Includes practical parking hook hard surfaces.  Parquet nozzle, DN 35, plastic, length 210 mm.  Parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook.  Parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook.  Parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook.  Parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook.  Parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook.  Parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook.  Parquet floors, delicate wooden floors and other hard surfaces in cludes for parquet floors, delicate wooden floors and other hard surfaces. Includes practical parking hook.  Parquet floors, delicate wooden floors and with the DN 35 plastic crevice nozzle, upholstery nozzle and suction prush	SUCTION NOZZLES			
mm, with parking hook, suitable for textile and hard surfaces. Features a practical parking hook.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces.  Parquet nozzle, DN 35, width 300 mm, with parking hook, suitable for parquet floors and hard surfaces.  Previce nozzle, DN 35, plastic, length 210 mm  7 2.889-137.0 With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.  **Upholstery nozzle**  Upholstery nozzle DN 35  8 6.905-998.0 Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.  **SUCTION TUBES**  SUCTION	Floor nozzles			
parking hook, suitable for parquet floors and hard surfaces. Includes practical parking hook hard surfaces. Vertice nozzles  Crevice nozzle, DN 35, plastic, length 210 mm	mm, with parking hook, suitable for textile and		2.860-278.0	· ·
Crevice nozzle, DN 35, plastic, length 210 mm	parking hook, suitable for parquet floors and	6	2.889-197.0	
Upholstery nozzles Upholstery nozzle DN 35  8 6.905-998.0 Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.  SUCTION TUBES  SUCTION HOSES  SUCTION HO	Crevice nozzles			
Upholstery nozzle DN 35  8 6,905-998.0 Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.  SUCTION TUBES  SUCTION TUBES  SUCTION TUBES  SUCTION TUBES  SUCTION TUBES  SUCTION TUBES  SUCTION HOSE, metal  Practical and extremely lightweight telescopic suction tube made of aluminium, painted basalt grey, suitable for: BVL 3/1 Bp, BVL 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 15/1  SUCTION HOSES  SUCTION HOSES  SUCTION HOSES  SUCTION HOSES  SUCTION HOSE, T, DN 35, length 2 m, Clip 2.0, click fastener  NOZZLE KITS  NOZZLE KITS  NOZZLE KITS  NOZZLE KITCEVICE NOZZLE, upholstery nozzle, suction spray and suction brush, ID 35  SUCTION HOSES  SUCT	Crevice nozzle, DN 35, plastic, length 210 mm	7	2.889-130.0	
SUCTION TUBES  Suction tubes, metal  Telescopic suction tube, DN 35, 615 - 1007 mlong, aluminium, painted basalt grey, suitable for: BVL 3/1 Bp, BVL 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 15/1  SUCTION HOSES  Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)  Suction hoses, T, DN 35, length 2 m, Clip 2.0, click fastener  NOZZLE KITS  NOZZLE KITS  NOZZLE KITCRO HOSZE, upholstery nozzle, upholstery nozzle, suction brush, ID 35 for hard surfaces and carpeted areas  PLANCA (Sa99-361.0) Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.  FILTER BAGS	Upholstery nozzles			
Suction tubes, metal  Telescopic suction tube, DN 35, 615 - 1007 mm long, aluminium, painted basalt grey, suitable for: BVL 3/1 Bp, BVL 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 15/1  SUCTION HOSES  Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)  Suction hose, T, DN 35, length 2 m, Clip 2.0, click fastener  Nozzle Kits  Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, ID 35  FURTHER ACCESSORIES DRY VACUUM CLEANERS  Surface nozzle DN 35 for hard surfaces and carpeted areas  Bush 2 m, 2889-361.0 linnovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.	Upholstery nozzle DN 35	8	6.905-998.0	
Telescopic suction tube, DN 35, 615 - 1007 mm long, aluminium, painted basalt grey, suitable for: BVL 3/1 Bp, BVL 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 15/1  SUCTION HOSES  Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)  Suction hose, T, DN 35, length 2 m, Clip 2.0, click fastener  NOZZLE KITS  NOZZLE KITS  NOZZLE KITS  NOZZLE KITS  Suction brush, ID 35  The suction hose in nominal width DN 35 and with 2 m length is suitable for use with dry vacuum cleaners from Kärcher.  Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, ID 35  FURTHER ACCESSORIES DRY VACUUM CLEANERS  Surface nozzle DN 35 for hard surfaces and carpeted areas  12 2.889-361.0 Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.  FILTER BAGS	SUCTION TUBES		<u>'</u>	
mm long, aluminium, painted basalt grey, suitable for: BVL 3/1 Bp, BVL 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 15/1  SUCTION HOSES  Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)  Suction hose, T, DN 35, length 2 m, Clip 2.0, click fastener  Nozzle Kits  Nozzle Kits  Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, ID 35  FURTHER ACCESSORIES DRY VACUUM CLEANERS  Surface nozzle DN 35 for hard surfaces and carpeted areas  Telephone Surface nozzle with nominal width DN 35 for dry vacuum cleaners from Karcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.  FILTER BAGS	Suction tubes, metal			
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)  Suction hose, T, DN 35, length 2 m, Clip 2.0, click fastener  NOZZLE KITS  Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, ID 35  Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, ID 35  FURTHER ACCESSORIES DRY VACUUM CLEANERS  Surface nozzle DN 35 for hard surfaces and carpeted areas  12 2.889-361.0 Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.	mm long, aluminium, painted basalt grey, suitable for: BVL 3/1 Bp, BVL 5/1 Bp, T 9/1		2.862-011.0	
Suction hose, T, DN 35, length 2 m, Clip 2.0, click fastener  NOZZLE KITS  NOZZLE KIT CANNO AND	SUCTION HOSES			
cleaners from Kärcher.  NOZZLE KITS  Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, ID 35  FURTHER ACCESSORIES DRY VACUUM CLEANERS  Surface nozzle DN 35 for hard surfaces and carpeted areas  FILTER BAGS    Cleaners from Kärcher.	Suction hoses with clip system 2.0 (compatible	with	vacuum cleane	ers from model year 2017 on)
Nozzle kit.crevice nozzle, upholstery nozzle, suction brush, ID 35  FURTHER ACCESSORIES DRY VACUUM CLEANERS  Surface nozzle DN 35 for hard surfaces and carpeted areas  12 2.889-361.0 Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.		10	2.889-161.0	
suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35.  FURTHER ACCESSORIES DRY VACUUM CLEANERS  Surface nozzle DN 35 for hard surfaces and carpeted areas  12 2.889-361.0 Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.  FILTER BAGS	NOZZLE KITS			
Surface nozzle DN 35 for hard surfaces and carpeted areas  12   2.889-361.0   Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.  FILTER BAGS		11	2.860-116.0	suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width
carpeted areas nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.  FILTER BAGS	FURTHER ACCESSORIES DRY VACUUM CLEANE	RS		
		12	2.889-361.0	
Electric Characteristics and the Control of the Con	FILTER BAGS		·	
Fleece Tilter Dags	Fleece filter bags			
Fleece filter bags, 10 Piece(s), T 10/1, T 10/1  Bp, T 15/1, T 15/1 Bp  13 2.885-908.0 Tear-resistant 3-layer fleece filter bags, dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10 pieces.	Fleece filter bags, 10 Piece(s), T 10/1, T 10/1	13	2.885-908.0	