

# NT 22/1 AP TE L

Perfect for tradespeople: NT 22/1 Ap wet and dry vacuum cleaner with power outlet (with auto-start feature), strong suction power and semi-automatic cleaning system. Compact, lightweight entry-level device.







#### Order no.

#### 1.378-610.0

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools

#### Moisture-resistant PES cartridge filter


#### Technical data

Technical data		
EAN code		4054278287935
Power supply	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	72
Vacuum	mbar / kPa	249 / 24.9
Container capacity	I	22
Container material		Plastic
Rated input power	W	max. 1300
Standard nominal width		ID 35
Cable length	m	6
Sound pressure level	dB(A)	72
Colour		anthracite
Weight without accessories	kg	6.1
Weight incl. packaging	kg	9.3
Dimensions (L × W × H)	mm	380 × 370 × 480

Equipment		
Suction hose length	m	1.9
Bend		Plastic
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	505
Suction tubes material		Steel, chrome-plated
Quantity of filter bags	Piece(s)	1
Filter bag material		Fleece
Wet/dry floor nozzle width	mm	300
Crevice nozzle		
Cartridge filter		PES
Power tool connection adapter		
Automatic switch-on/off for electric devices		•
Filter cleaning		Semi-automatic filter cleaning
Protection class		1
Stop swivel castor		

Included in the scope of supply.


## KARCHER





#### Low weight and compact dimensions

• The machine can be easily and conveniently transported and stored.



#### Semi-automatic filter cleaning

- Optimum filter cleaning efficiency at the push of a button.
- Enables consistently high filter performance and suction power.
- Time-saving design and longer filter service life.



#### Moisture-resistant PES cartridge filter

- Easy switching between wet and dry vacuum cleaner operation.
- The PES cartridge filter does not need to be dried before use.
- Sustainability: the PES cartridge filter is washable.

### KARCHER

# ACCESSORIES FOR NT 22/1 AP TE L 1.378-610.0

	3		$\begin{bmatrix} & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & & \\ & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & & \\ & & & & \\ & & & & & $	
		Order no.	Description	
CARTRIDGE FILTER, STANDARD, UP TO BIA C, D Cartridge filter PES				
PES cartridge filter, for wet and dry vacuum cleaners	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	2	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	3	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	4	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	5	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
SUCTION NOZZLES				
Floor nozzles Wet/dry floor nozzle, DN 35, width 300 mm,	6	2.899-811.0	Plastic wet/dry floor nozzle with parking hook, brush strips and squeegees in DN 35. For wet and	
with parking hook Wet/dry floor nozzle, Adv, DN 35, width 360 mm	7	2.889-152.0	dry vacuuming of fine dust, coarse dirt or liquids. Width of 300 mm. For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm	8	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	
Car cleaning nozzles				
Ergonomic car nozzle, ID 35, 100 mm	9	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	
Car nozzle, ID 35, 90 mm	10	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	
Rubber suction tools, nose 45°		1		
Rubber suction tool, nose 45°	11	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
SUCTION TUBES				
Suction tubes, metal	10	6 002 074 0	Chrome plated steel susties tube for Kärsber dru userung sleepers and wat and drugs	
Suction tube, DN 35, 505 mm long, chrome-plated steel, suitable for: T 7/1, T 10/1 T 12/1, NT 22/1, NT 30/1, NT 40/1, NT 50/1, NT 65/2	12	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.	
Suction tubes, plastic				
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L	13	2.889-218.0	The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV $1/1$ Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher.	
CONNECTING SLEEVES				
Connection adapter for power tools, clip conne				
Tool adapter for power tools, DN 35, clip 2.0	14	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.	

Included in the scope of supply.  $\Box$  Available accessories.

### KARCHER

# ACCESSORIES FOR NT 22/1 AP TE L 1.378-610.0















		Order no.	Description	
CONNECTING SLEEVES				
Connection adapter C ID (clip to cone)				
Adapter clip DN 35 on cone DN 35	15	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	
VACUUMS				
Nozzles				
Flexible crevice nozzle	16	2.863-374.0	Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Piece(s), NT 22/1	17	2.889-217.0	Tear-resistant 3-layer fleece filter bags of dust class L, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible	with	vacuum cleane	ers from model year 2017 on)	
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	18	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	19	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	20	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	C
OTHER ACCESSORIES NT				
Drilling dust nozzle	21	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	n 🗆
Adapter clip new on clip old DN 35	22	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	

■ Included in the scope of supply. □ Available accessories.