



## NT 22/1 Ap Te L

Perfect for tradespeople: NT 22/1 Ap wet and dry vacuum cleaner with power outlet (with auto-start feature), strong suction power and semi-automatic cleaning system. Compact, lightweight entry-level device.



1

### 1 Lightweight with compact dimensions

- The machine is easy and convenient to transport and store.



2

### 2 Semi-automatic filter cleaning

- Semi-automatic filter cleaning effectively ensures constantly high suction power.



3

### 3 Moisture-resistant PES cartridge filter

- It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.



4

### 4 Socket for electric tools (with automatic start-up)

- The appliance's socket acts as a "remote control" for the vacuum cleaner.
- The vacuum cleaner starts automatically when the attached electric tool is started.



## NT 22/1 Ap Te L

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

### Technical data

<b>Order no.</b>	1.378-610.0	
<b>EAN code</b>	4054278287935	
<b>Current type</b>	<b>Ph / V / Hz</b>	1 / 220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	71
<b>Vacuum</b>	<b>mbar / kPa</b>	255 / 25.5
<b>Container capacity</b>	<b>l</b>	22
<b>Container material</b>	Plastic	
<b>Rated input power</b>	<b>W</b>	1300
<b>Standard nominal width</b>	DN 35	
<b>Cable length</b>	<b>m</b>	6
<b>Sound pressure level</b>	<b>dB(A)</b>	72
<b>Number of motors</b>	1	
<b>Weight</b>	<b>kg</b>	6.1
<b>Dimensions (L × W × H)</b>	<b>mm</b>	380 × 370 × 480

### Equipment

<b>Suction hose</b>	<b>m</b>	1.9	<b>Stop swivel castor</b>	■
<b>Suction tube</b>	<b>piece(s) / m</b>	2 × 0.5 / Metal		
<b>Filter bag</b>	<b>piece(s)</b>	1 / Fleece		
<b>Wet and dry floor nozzle</b>	<b>mm</b>	300		
<b>Crevice nozzle</b>		■		
<b>Power tool connection adapter</b>		■		
<b>Automatic switch-on/off for electric devices</b>		■		
<b>Bends</b>		■		
<b>Cartridge filter</b>		PES		
<b>Filter cleaning</b>		ApClean (semi-automatic filter cleaning system)		
<b>Protection class</b>		I		

■ Included in the scope of supply.

# NT 22/1 AP TE L

## 1.378-610.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Inaktiv</b>									
Attachment rubber sleeve	1	5.303-877.0	1 piece(s)	35				Rubber tool socket for screwing onto the suction hose.	■
<b>Cartridge filter PES</b>									
Cartridge filter packaged PES	2	2.889-219.0	1 piece(s)					Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
<b>Bend, plastic</b>									
Elbow, standard	3	2.889-199.0	1 piece(s)	35				Plastic elbow, grey, with C-35 clip system.	■
Bend	4	2.889-148.0	1 piece(s)	35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Bend Adv, electrically conductive	5	2.889-168.0	1 piece(s)	35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
Bend Adv	6	2.889-170.0	1 piece(s)	35				Ergonomic bend for the new clip system.	□
<b>Floor nozzles</b>									
Wet/Dry floor nozzle standard	7	2.889-263.0	1 piece(s)	35		300 mm		Wet/Dry floor nozzle, NW 35, 300 millimetre wide, grey. Incl. brush strips and squeegees. Easy-to-change inserts.	■
Wet and dry floor nozzle Adv	8	2.889-152.0	1 piece(s)	35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
<b>Suction tubes, metal</b>									
Suction tube, chrome-plated	9	6.902-074.0	1 piece(s)	35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	■
<b>Fleece filter bags (three-ply)</b>									
Fleece filter bags	10	2.889-217.0	5 piece(s)					Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified.	□
<b>Rubber suction tools, nose 45°</b>									
Rubber suction tool, nose 45°	11	6.902-104.0	1 piece(s)	35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
	12	6.902-105.0	1 piece(s)	40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
<b>Other</b>									
Adapter clip new on clip old DN 35	13	2.889-312.0						Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	□
Drilling dust nozzle	14	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	□
<b>Car cleaning nozzles</b>									
Car nozzle	15	6.906-108.0	1 piece(s)	35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
<b>Crevice nozzles</b>									
Crevice nozzle NT Tact DN 35	16	2.889-159.0	1 piece(s)	35	225 mm			Crevice nozzle ID 35, for new Tact range.	□
<b>Suction tubes, stainless steel</b>									
Suction tube set	17	2.889-175.0	1 piece(s)	35	505 mm			Stainless steel suction tube set, NW 35, 2-part, each 0.55 millimetres.	□
<b>Suction tubes, plastic</b>									
Suction tube set	18	2.889-218.0	1 piece(s)	35	505 mm			Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	□
<b>Complete suction hoses (clip system)</b>									
Suction hose	19	2.889-134.0	1 piece(s)	35	2.5 m			2.5 m suction hose with new bayonet and clip fastener.	□

■ Included in the scope of supply. □ Available accessories.

# NT 22/1 AP TE L 1.378-610.0



		<b>Order no.</b>	<b>Quantity</b>	<b>ID</b>	<b>Length</b>	<b>Width</b>	<b>Price</b>	<b>Description</b>	
Electrically conductive suction hose	20	2.889-136.0	1 piece(s)	35	2.5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
<b>Extension hoses (clip system)</b>									
Extension hose	21	2.889-145.0	1 piece(s)	35	2.5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
<b>Connection adapter C ID (clip to cone), electrically conductive</b>									
Adapter clip DN 35 on cone DN 35	22	5.407-005.0						Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
Adapter clip DN 40 on cone DN 35	23	5.407-006.0						For connection of small nozzles and suction tubes to cone DN 35: adapter clip system DN 40. Perfect for applications in vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
<b>Connection adapter for power tools, clip-on, electrically conductive</b>									
Tool collar DN 35, clip-on	24	2.889-151.0	1 piece(s)	35				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.