KARCHER

BV 5/1

The new backpack vacuum cleaner BV 5/1 can be carried comfortably on the back like a rucksack above all because of its low weight of just 5.3 kg. The BV 5/1 is particularly used where it is too thight for conventional vacuum cleaners: Between seat rows of cinemas and theatres, in buses, trains and airplane cabs, in stairways of hotels and offices as well as in strongly transferred areas.





Order no.

1.394-200.0

- Clip system
- Air Stream Comfort carrying frame
- Parking position for floor nozzle


| Technical data | | |
|----------------------------|------------|---------------------|
| EAN code | | 4039784723757 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Vacuum | mbar / kPa | 240 / 24 |
| Air flow | I/s | 53 |
| Rated performance | W | 800 |
| Container content | 1 | 5 |
| Standard nominal width | | ID 35 |
| Cable length | m | 15 |
| Sound pressure level | dB(A) | 62 |
| Weight without accessories | kg | 6.5 |
| Dimensions (L × W × H) | mm | 400 × 320 × 540 |

| Equipment | | |
|-----------------------------------|----------|-----------------|
| Suction hose | m | 1.5 / with bend |
| Motor protection filters | piece(s) | 1 |
| Telescopic suction tube | mm | 615 - 1007 |
| Telescopic suction tube, material | | Steel, chromed |
| Filter bag | piece(s) | 1 / Fleece |
| Combi floor nozzle | | |
| Container material | | Plastic |
| Clip system for extending hose | | |
| Crevice nozzle | | |
| Upholstery nozzle | | |
| Protection class | | II |
| Permanent filter basket | | Nylon |

■ Included in the scope of supply.

KARCHER





Patented carrying frame with Air Stream Comfort system padding

■ The ventilation pads reduce heat generation on the back, whilst the mesh with ventilation on 3 sides reduces perspiration by 25%.



Portability

■ The BV 5/1 backpack vacuum allows unrestricted use in areas where conventional vacuum cleaners cannot be used.

KARCHER

ACCESSORIES FOR BV 5/1 1.394-200.0



























| | | | | \top |
|--|----|-------------|--|--------|
| | | | | |
| | | Order no. | Description | |
| FILTER T/ NT | | | | |
| Main filter baskets | | | | |
| Permanent main filter basket, BV 5/1, BV 5/1 Bp | 1 | 5.731-632.0 | Plastic frames with nylon fabric, washably to 40°C. | |
| HEPA Filter | | | | |
| HEPA 13 filter, packaged | 2 | 6.414-080.0 | HEPA 13 filter with 99.95% separation degree certified according to test standard DIN EN 1822:2019. For increasing the filter capacity and improving the blower air. | |
| Fabric filter bag | | • | | |
| Fabric filter bag | 3 | 6.904-425.0 | Cotton, washable (40°C) | |
| | 4 | 6.904-316.0 | The fabric filter bag for Kärcher dry vacuum cleaners is made of cotton and can be washed at up to 40°C . | 0 [|
| Exhaust air filter | | | | |
| Motor protection filter, 3 \times , BV 5/1, T 7, T 8, T 9, T 10, T 12, T 15 | 5 | 2.889-119.0 | Motor protection filter, removable fleece, which can be replaced when heavily soiled. | |
| Standard exhaust air filter, $3 \times$, BV 5/1, BV 5/1 Bp, T 12, T 15, T 17 | 6 | 6.414-802.0 | Standard exhaust filter and diffusor for reducing filtered air. Made of foam. | |
| BENDS | | | | |
| Bend, plastic | | | | |
| Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end | 7 | 2.889-148.0 | Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. | • |
| SUCTION NOZZLES | | | | |
| Floor nozzles | | | | |
| Combi-nozzle, DN 35, 280 mm | 8 | 2.889-129.0 | Plastic floor nozzle, ID 35 and switchable. | |
| Parquet nozzle, DN 35, 360 mm | 9 | 2.889-196.0 | Parquet nozzle with wide working width | |
| Parquet nozzle, DN 35, 300 mm | 10 | 2.889-197.0 | | |
| Floor nozzle, DN 32 | 11 | 2.889-244.0 | Lightweight floor nozzle for all Kärcher dry vacuum cleaners in DN 32. The nozzle can be adapted to the respective floor covering and is therefore suitable for vacuuming hard and textile floors. | |
| Crevice nozzles | | · | | _ |
| Crevice nozzle, DN 35, plastic, 210 mm | 12 | 2.889-130.0 | Plastic crevice nozzle. | |
| Crevice nozzle, DN 35, plastic, 250 mm | 13 | 6.906-240.0 | Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm. | • |
| Upholstery nozzles | - | · | | _ |
| Upholstery nozzle DN 35 | 14 | 6.905-998.0 | Plastic upholstery nozzle in DN 35. | |

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.

KÄRCHER

ACCESSORIES FOR BV 5/1 1.394-200.0



























| | | | | Τ |
|---|------|---------------|--|---|
| | | Order no. | Description | |
| SUCTION NOZZLES | | | | Ť |
| Suction brushes | | | | |
| Suction brush DN 35 | 15 | 2.889-221.0 | Suction brush DN 35 with horsehair natural bristles. | |
| Suction brush | 16 | 6.903-862.0 | Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70×45 mm. | |
| Turbo nozzles | | ' | | Ť |
| Turbo upholstery nozzle | 17 | 2.860-113.0 | Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve. | |
| Turbo floor nozzle | 18 | 2.860-114.0 | Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve. | |
| SUCTION TUBES | | <u> </u> | | Ė |
| Suction tubes, metal | | | | П |
| Telescopic suction tube, DN 35, 615 - 1007 mm long, chrome-plated steel, suitable for: BV 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 12/1, T 15/1, NT 30/1, Nt 40/1, NT 50/1NT 65/2 | 19 | 2.862-008.0 | Practical telescopic suction tube made of chrome-plated steel for Kärcher dry vacuum cleaners, nominal width DN 35 and 615-1007 mm long. | |
| SUCTION HOSES | | | | |
| Suction hoses with clip system 2.0 (compatible | with | vacuum cleane | ers from model year 2017 on) | |
| Suction hose, T, DN 35, length 1.5 m, clip 2.0, click fastener | 20 | 2.889-132.0 | The suction hose in nominal width DN 35 and with 1.5 m length is suitable for use with the BV $5/1$ backpack vacuum and the BV $5/1$ Bp battery-powered backpack vacuum from Kärcher. | |
| NOZZLE KITS | | | | |
| Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, DN 35 | 21 | 2.860-116.0 | Nozzle kit consisting of a crevice nozzle, upholstery nozzle and suction brush. The nozzle kit is suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35. | [|
| OTHER ACCESSORIES NT | | | | Ť |
| Adapter clip new on clip old DN 35 | 22 | 2.889-312.0 | Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35. | [|
| FILTER BAGS | | | | _ |
| Fleece filter bags | | | | |
| Fleece filter bags, 10 × , BV 5/1, BVL 3/1 Bp, BVL 5/1 Bp, T 7/1, T 9/1 | 23 | 6.904-335.0 | Three-layered, tear-resistant fleece filter bags of dust class M. Content: 10 pieces. | |
| Fleece filter bags, 300 × , BV 5/1, BVL 3/1 Bp, BVL 5/1 Bp, T 7/1, T 9/1 | 24 | 6.904-336.0 | Fleece filter bag, 3-ply, tear-proof, dust class M / large-scale consumer pack | ı |
| Paper filter bags | | • | | |
| Paper filter bags, 10 × , BDP 43/450, BDS 43/Duo, BDS 43/180, BV | 25 | 6.904-403.0 | Economical low-dust paper filter bags (x10), dust class L, suitable for use with BV 5/1. | |
| CONNECTING SLEEVES | | | | Ė |
| Reducing sleeves | | | | |
| Reducer from ID 35 to ID 32 | 26 | 6.902-072.0 | Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners. | |
| Reduction/expansion adapter kit | | , | | Ť |
| Set of reducers / adapter sleeves | 27 | 2.860-117.0 | DN 40/35, DN 35/32 (tube -> nozzle), plastic. | |
| OTHER ACCESSORIES SCRUBBER DRIERS | | | | t |
| Miscellaneous | | | | Ī |
| Extension cable | 28 | 6.647-022.0 | Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve. | |

 $[\]blacksquare$ Included in the scope of supply. $\hfill\Box$ Available accessories.