



# NT 30/1 ME CLASSIC EDITION

The NT 30/1 Me Classic is a practical and robust wet and dry vacuum cleaner. The 1,500 Watt machine features a 30-litre container and removes all kinds of dirt.



**Order no.** 1.428-568.0

- Easy Service Concept
- Strong suction power
- Cartridge filter or permanent filter basket

Technical data		
EAN code		4039784978515
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	59
Vacuum	mbar / kPa	227 / 22.7
Container content	l	30
Container material		Stainless steel
Rated input power	W	max. 1500
Standard nominal width		ID 35
Cable length	m	6.5
Sound pressure level	dB(A)	78
Weight without accessories	kg	8
Weight incl. packaging	kg	10.9
Dimensions (L × W × H)	mm	375 × 360 × 645

Equipment		
Suction hose	m	2.5 / with bend
Suction tube	piece(s) × mm	1 × 505 / Steel
Filter bag	piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	360
Crevice nozzle		■
Cartridge filter		PES
Stainless steel container		■
■ Included in the scope of supply.		



## Compact, robust and mobile

- Excellent stability, easy manoeuvrability and convenient transport thanks to its slimline form and 4 castors.
- The bumper offers secure all-round protection for the vacuum cleaner and equipment.



## Excellent suction power

- NT Classic devices with a powerful 1,500 W turbine reliably remove a wide range of dirt.
- For excellent cleaning results.




## Service and comfort

- Sensationally fast: the Easy Service Concept allows removal of the turbine in just 44 seconds.
- The rapid turbine change not only saves an enormous amount of time, but also costs.

## ACCESSORIES FOR NT 30/1 ME CLASSIC EDITION

1.428-568.0



		Order no.	Description	
<b>CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M</b>				
<b>Cartridge filter paper</b>				
Cartridge filter, paper	1	6.414-789.0	Paper cartridge filter with larger filter surface, standard for NT 48/1 and optional for NT 27/1/Me Advanced.	■
<b>Cartridge filter PES</b>				
Cartridge filter PES, suitable for NT Me Classic 20/1, 30/1, 38/1	2	2.885-891.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning.	■
<b>SUCTION NOZZLES</b>				
<b>Floor nozzles</b>				
Floor tool replacement Edition	3	9.755-549.0	Edition floor nozzle in DN 35 for wet and dry vacuum cleaner from Kärcher. Made from plastic and includes rollers, brush strips and squeegees. Working width: 300 mm.	■
<b>Crevice nozzles</b>				
Crevice nozzle, DN 35, plastic, 340 mm	4	9.770-638.0	Plastic crevice nozzle for effortless and thorough vacuuming of areas that are very difficult to access such as crevices, gaps or corners. 340 mm long, nominal diameter DN 35.	■
<b>Car cleaning nozzles</b>				
Car nozzle, DN 35, 90 mm	5	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes, metal</b>				
Suction tube, DN 35, length 505 mm, steel, black, suitable for: T 8/1, T 14/1, NT 20/1, NT 30/1, NT 38/1	6	9.770-654.0	Black steel suction tube with a nominal diameter of DN 35 and a length of 505 mm for wet and dry vacuum cleaners from Kärcher.	■
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)</b>				
Suction hose with bend, NT, DN 35, length 2.5 m, clip 1.0, bayonet 1.0	7	9.755-263.0	The suction hose with bend in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	■
<b>FILTER BAGS</b>				
<b>Fleece filter bags</b>				
Fleece filter bags, 10 x , NT 30/1	8	9.755-358.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 10-pack.	□
<b>OTHER ACCESSORIES NT</b>				
Drilling dust nozzle	9	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	□
Cyclone preseparator CS 40 Me	10	2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	□

■ Included in the scope of supply. □ Available accessories.