

## NT 48/1

This machine is an extremely robust, functional and powerful wet and dry vacuum cleaner. It has optimum ergonomic features and a compact design, which is specifically developed for the special needs of building service contractors, the automotive sector and trade.



**Order no.** 1.428-620.0

- Robust chassis
- Moisture-resistant PES cartridge filter
- Drain hose

### Technical data

<b>EAN code</b>		4039784724921
<b>Power supply</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	72
<b>Vacuum</b>	<b>mbar / kPa</b>	249 / 24.9
<b>Container capacity</b>	<b>l</b>	48
<b>Container material</b>		Plastic
<b>Rated input power</b>	<b>W</b>	max. 1380
<b>Standard nominal width</b>		ID 35
<b>Cable length</b>	<b>m</b>	7.5
<b>Sound pressure level</b>	<b>dB(A)</b>	71
<b>Colour</b>		anthracite
<b>Weight without accessories</b>	<b>kg</b>	10.2
<b>Weight incl. packaging</b>	<b>kg</b>	14.6
<b>Dimensions (L × W × H)</b>	<b>mm</b>	490 × 390 × 780

### Equipment

<b>Suction hose length</b>	<b>m</b>	2.5
<b>Bend</b>		Plastic
<b>Quantity of suction tubes</b>	<b>Piece(s)</b>	2
<b>Suction tubes length</b>	<b>mm</b>	550
<b>Suction tubes material</b>		Stainless steel
<b>Quantity of filter bags</b>	<b>Piece(s)</b>	1
<b>Filter bag material</b>		Paper
<b>Wet/dry floor nozzle width</b>	<b>mm</b>	360
<b>Crevice nozzle</b>		■
<b>Cartridge filter</b>		PES
<b>Drain hose</b>		■
<b>Sturdy bumper</b>		■
<b>Protection class</b>		II
<b>Stop swivel castor</b>		■

■ Included in the scope of supply.



## Container emptying

- The easily accessible drain hose makes it easy to dispose of any liquids that have been sucked up.



## Accessory storage

- Accessories can be attached to the container at the rear of the machine.



## Robust metal latches

- These extremely robust latches lock more reliably.

## ACCESSORIES FOR NT 48/1 1.428-620.0



		Order no.	Description	
<b>CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M</b>				
<b>Cartridge filter PES</b>				
PES cartridge filter, for wet and dry vacuum cleaners	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
<b>BENDS</b>				
<b>Bend, plastic</b>				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	2	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	3	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>Floor nozzles</b>				
Wet/dry floor nozzle, Adv, DN 35, width 360 mm	4	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	■
<b>Crevice nozzles</b>				
Crevice nozzle, DN 35, plastic, 225 mm	5	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>All-purpose brushes</b>				
All-purpose brush	6	6.900-425.0	All-purpose brush PPN_Bristle	□
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, ID 35, 100 mm	7	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	□
<b>Suction brushes</b>				
Suction brush	8	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes, stainless steel</b>				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	9	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
<b>Suction tubes, plastic</b>				
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L	10	2.889-218.0	The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher.	□
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	11	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	12	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	13	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	□
<b>VACUUMS</b>				
<b>Nozzles</b>				
Flexible crevice nozzle	14	2.863-374.0	Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 48/1

### 1.428-620.0



		Order no.	Description	
<b>FILTER T/ NT</b>				
<b>Wet filter bag</b>				
Wet filter bag	15	6.904-211.0	Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	<input type="checkbox"/>
<b>Fabric filter</b>				
Membrane filter, NT 27/1, NT 48/1	16	6.906-103.0	The membrane/fabric filter made of polyester needle fleece for wet and dry vacuum cleaners is washable up to 40°C.	<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Connection adapter C ID (clip to cone)</b>				
Adapter clip DN 35 on cone DN 35	17	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
<b>OTHER ACCESSORIES NT</b>				
Adapter for NT hoses with bayonet connection 1.0	18	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.