

## B 40 W BP DOSE (DISC)

Walk-behind scrubber dryer B 40 W Bp. Configuration example with infinitely variable traction drive, disc brush, 51 cm working width and maintenance-free battery with 115 Ah capacity.



Order no. 1.533-210.2

Technical data		
EAN code		4039784538764
Drive type		Battery
Traction drive		traction motor
Working width, brushes	mm	430
Working width, vacuuming	mm	850
Fresh/dirty water tank	l	40 / 40
Battery	V	24
Battery runtime	h	max. 3.5
Battery charging time	h	approx. 12
Power supply for battery charger	V / Hz	100 - 240 / 50 - 60
Brush speed	rpm	180
Brush contact pressure	g/cm <sup>2</sup>	30 - 25.7
aisle turning width	mm	1450
Water consumption	l/min	3.2
Sound pressure level	dB(A)	69
Rated input power	W	max. 1300
Permissible total weight	kg	210
Dimensions (L × W × H)	mm	1249 × 620 × 1145

This machine requires instruction.

Equipment		
Disc brush	Piece(s)	1
Tank-in-tank design		■
Motor		Battery

■ Included in the scope of supply.



## **Choice of several batteries. Also available as a mains-operated variant**

- The built-in charger is perfectly adapted for the different battery types.
- For a long battery life.

## **Convenient Auto Fill function**

- Time-saving filling of the fresh water tank.
- Filling with the fresh water hose stops automatically as soon as the tank is full.

## **Brush head with disc engineering**

- Optionally available with a 43 or 51 centimetre working width.
- Tool-free and fast brush replacement by foot pedal and locking mechanism.

## ACCESSORIES FOR B 40 W BP DOSE (DISC)

### 1.533-210.2




		Order no.	Description	
DISC BRUSHES				
Disc brush complete white D51, very soft, White, 510 mm	1	4.905-028.0	White, soft disc brush for the gentle cleaning of sensitive floor coverings.	<input type="checkbox"/>
Disc brush, soft, natural, 510 mm	2	4.905-027.0	Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	<input type="checkbox"/>
Disc brush, medium, red, 510 mm	3	4.905-026.0	Red standard disc brush for regular maintenance cleaning.	<input type="checkbox"/>
Disc brush complete black D51, hard, black, 510 mm	4	4.905-029.0	Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
Disc brush, very soft, White, 430 mm	5	4.905-024.0	White, soft disc brush for the gentle cleaning of sensitive floor coverings.	<input type="checkbox"/>
Disc brush, soft, natural, 430 mm	6	4.905-023.0	Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	<input type="checkbox"/>
Disc brush, medium, red, 430 mm	7	4.905-022.0	Red standard disc brush for regular maintenance cleaning.	<input type="checkbox"/>
Disc brush, hard, black, 430 mm	8	4.905-025.0	Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
DISC PADS / PAD DRIVE BOARDS				
Microfibre pad				
Microfibre pad, White, 430 mm, 5 Piece(s)	9	6.371-346.0	Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	<input type="checkbox"/>
Microfibre pad, White, 508 mm, 5 Piece(s)	10	6.371-271.0		<input type="checkbox"/>
Pads				
Pad, soft, beige, 508 mm, 5 Piece(s)	11	6.369-468.0	Beige-coloured pad for ultra high-speed polishing and cleaning.	<input type="checkbox"/>
Pad, medium-soft, red, 508 mm, 5 Piece(s)	12	6.369-079.0	Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
Pad, medium-hard, green, 508 mm, 5 Piece(s)	13	6.369-078.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
Pad, hard, black, 508 mm, 5 Piece(s)	14	6.369-077.0	Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.

## ACCESSORIES FOR B 40 W BP DOSE (DISC)


1.533-210.2



		Order no.	Description	
<b>DISC PADS / PAD DRIVE BOARDS</b>				
<b>Pads</b>				
Pad, hard, brown, 508 mm, 2 Piece(s)	15	2.639-258.0	Very abrasive disc pad for chemical-free care film and decoating.	<input type="checkbox"/>
Natural hair pad, soft, natural, 500 mm, 5 Piece(s)	16	6.371-146.0	The soft beige disc pad made from natural hair is ideal for cleaning and high-gloss polishing.	<input type="checkbox"/>
Pad, very soft, White, 432 mm, 5 Piece(s)	17	6.369-469.0	Soft, non-abrasive pad for polishing to a dazzling shine.	<input type="checkbox"/>
Natural hair pad, soft, natural, 432 mm, 5 Piece(s)	18	6.371-149.0	The soft, beige natural-hair disc pad is ideal for cleaning and high-gloss polishing.	<input type="checkbox"/>
Pad, soft, beige, 432 mm, 5 Piece(s)	19	6.371-081.0	Beige-coloured pad for ultra high-speed polishing and cleaning.	<input type="checkbox"/>
Pad, medium-soft, red, 432 mm, 5 Piece(s)	20	6.369-470.0	Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
Pad, medium-hard, green, 432 mm, 5 Piece(s)	21	6.369-472.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
Pad, hard, black, 432 mm, 5 Piece(s)	22	6.369-473.0	Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
<b>Pad drive boards</b>				
Pad drive board STRONG, 480 mm	23	4.762-593.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 51.	<input type="checkbox"/>
Pad drive board STRONG, 403 mm	24	4.762-592.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 43.	<input type="checkbox"/>
Pad drive board, 479 mm	25	4.762-534.0	For cleaning with pads. With quick-change coupling and Centerlock.	<input type="checkbox"/>
Pad drive board, 403 mm	26	4.762-533.0	For cleaning with pads. With quick-change coupling and Centerlock. Fits D 43.	<input type="checkbox"/>
<b>Diamond pad</b>				
Diamond pad, coarse, White, 508 mm, 5 Piece(s)	27	6.371-260.0	White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
Diamond pad, medium, Yellow, 508 mm, 5 Piece(s)	28	6.371-261.0	Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


## ACCESSORIES FOR B 40 W BP DOSE (DISC) 1.533-210.2



		Order no.	Description	
<b>DISC PADS / PAD DRIVE BOARDS</b>				
<b>Diamond pad</b>				
Diamond pad, fine, green, 508 mm, 5 Piece(s)	29	6.371-240.0	Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>
Diamond pad, coarse, White, 432 mm, 5 Piece(s)	30	6.371-256.0	White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
Diamond pad, medium, Yellow, 432 mm, 5 Piece(s)	31	6.371-257.0	Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>
Diamond pad, fine, green, 432 mm, 5 Piece(s)	32	6.371-238.0	Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>
<b>SQUEEGEES AND SQUEEGEE BLADES</b>				
<b>Squeegee blades</b>				
Rubber lip set, oil-resistant, grooved, 890 mm	33	6.273-207.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	<input type="checkbox"/>
Squeegee blades, oil-resistant, slotted, 890 mm	34	6.273-229.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	<input type="checkbox"/>
Squeegee blades, oil-resistant, closed, 890 mm	35	6.273-290.0	Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	<input type="checkbox"/>
Squeegee blades, Natural rubber, 890 mm	36	6.273-213.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	<input type="checkbox"/>
Squeegee blades for V-squeegee, oil-resistant, grooved, 1010 mm	37	6.273-023.0	Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
<b>Squeegees</b>				
Squeegee, 900 mm, V-shaped	38	4.777-079.0	900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>
<b>OTHER ACCESSORIES SCRUBBER DRIERS</b>				
<b>Miscellaneous</b>				
Filling hose	39	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	<input type="checkbox"/>
KIK key, white	40	4.035-076.0	User key for using the appliance programmable	<input type="checkbox"/>
KIK key set, white	41	4.035-064.0	5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	<input type="checkbox"/>
<b>Home Base accessories</b>				
Home Base adapter	42	5.035-488.0	Fastener for various hooks and clips on the machine.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR B 40 W BP DOSE (DISC) 1.533-210.2



		Order no.	Description	
<b>OTHER ACCESSORIES SCRUBBER DRIERS</b>				
<b>Home Base accessories</b>				
Home Base mop holder kit	43	4.035-374.0	The Homebase Mop kit contains mop clip, mop support and bottle holder – the perfect solution for securely carrying the mop directly on the scrubber drier.	<input type="checkbox"/>
Double hook	44	6.980-077.0	Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Holder handhold grey	45	6.980-078.0	Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Bottle holder	46	6.980-080.0	Suitable for transporting spray bottles – only in conjunction with Home Base adapter 5.035-488.0.	<input type="checkbox"/>
Home Base Box Kit	47	4.035-406.0	The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	<input type="checkbox"/>
Universal hook kit	48	4.070-075.0	Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	<input type="checkbox"/>
Holder for squeegee	49	9.753-088.0	Holder for squeegee: The steel holder is attached to the Home Base rail of the scrubber drier and allows the safe storage and transportation of the squeegee.	<input type="checkbox"/>
<b>Dosing aids</b>				
DS 3 Cleaning Agent Dosing Station	50	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	<input type="checkbox"/>
<b>KITS</b>				
<b>Fleet mounting kit</b>				
Attachment kit Plug-in Connect Module	51	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	<input type="checkbox"/>
<b>Other attachment kits</b>				
Suction hose accessories	52	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Attachment kit stacked bumper roller squeegee	53	4.035-619.0	Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	<input type="checkbox"/>
<b>TRACTION BATTERIES AND CHARGERS</b>				
<b>Batteries</b>				
Battery kit, 24 V, 105 Ah, Maintenance-free	54	2.815-100.0	Battery kit with 24 V voltage and 105 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
Battery kit, 24 V, 76 Ah, Maintenance-free	55	2.815-099.0	Battery kit with 24 V voltage and 76 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
Battery kit, 24 V, 115 Ah, Maintenance-free	56	2.815-091.0	Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>

☐ Available accessories.

## ACCESSORIES FOR B 40 W BP DOSE (DISC) 1.533-210.2



		Order no.	Description	
<b>TRACTION BATTERIES AND CHARGERS</b>				
<b>Batteries</b>				
Battery kit, 24 V, 80 Ah, Maintenance-free	57	2.815-090.0	AGM battery kit with 24 V voltage and 80 Ah (C5). The kit includes 2 single batteries, each with 12 V and 80 Ah capacity.	<input type="checkbox"/>
<b>Accessories for batteries</b>				
Battery mounting kit	58	2.638-036.0	Installation kit for installing a battery kit in a machine. Incl. connection cable and spacers. Image similar.	<input type="checkbox"/>
	59	2.638-059.0	Installation kit for installing a battery kit in a machine. Incl. spacers and connection cable. Image similar.	<input type="checkbox"/>
Spacer	60	4.642-020.0	Fits quick charger set 2.642-559.0. Prevents the battery from slipping into the machine.	<input type="checkbox"/>
<b>SPRAY UNITS</b>				
Pump spray bottle	61	6.394-409.0	1-litre pump spray bottle - including pump and pressure tank - easy, uniform spraying for cleaning or crystallising.	<input type="checkbox"/>
<b>SPRAY EXTRACTION MACHINES</b>				
<b>Other</b>				
Cleaning agent container, complete	62	4.070-006.0	Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	<input type="checkbox"/>

☐ Available accessories.