

TB 42

TB 42 commercial vehicle wash for automatic exterior cleaning. The 3-brush gantry allows a washing height of 4.25 m and offers total flexibility for different vehicle sizes and types.




Order no.

1.534-051.0

Technical data

EAN code		4039784403505
Washing bay requirement	mm	5500 × 1250 × 1720
Washing height	mm	4250
Fresh water connection, volume	l/min	100
Fresh water connection, pressure	bar	4 / 6
Power input	kW	5.3
Supply voltage	Ph / V / Hz	3 / 400 / 50
Weight without accessories	kg	1503




Low maintenance effort saves on time and costs

- Tried-and-tested belt or direct drives make lubrication of the system unnecessary.



High user-friendliness makes working processes faster and easier

- Large, clear and robust control panel with intuitive user interface which can be used while wearing work gloves.




High variability for vehicle types, construction and expansion options

- Universal CAN bus control for easy installation and individual expansion options.

ACCESSORIES FOR TB 42

1.534-051.0



		Order no.	Description	
WATER RECLAMATION FOR CAR AND TRUCK WASH SYSTEMS				
Systems for oil free wash water				
WRP 8000	1	1.217-151.0	The WRP 8000 washing water recycling system has a flow performance of up to 8,000 l/h and reduces fresh water consumption efficiently and cost-effectively by up to 85%.	<input type="checkbox"/>
PAYMENT SYSTEMS				
CR 213	2	2.642-797.0	Equipped with a magnetic card reader for single-use magnetic wash cards, our start system for gantry and commercial vehicle washes impresses with easy operation and a robust design.	<input type="checkbox"/>

■ Included in the scope of supply. Available accessories.