IVC 60/30 TACT²

Compact industrial vacuum for cleaning production areas and machines. Also suitable for continuous use thanks to the wear-free side channel blower. Therefore, can also be used as a stationary suction device in production or packaging machines.









Order no.


1.576-101.0

- Anti-static equipment
- Liquid cut-off
- Integrated cyclone for pre-separation system

Technical data		
EAN code		4039784463707
Supply voltage	Ph / V / Hz	3 / 400 / 50
Air flow	$l/s / m^3/h$	68 / 244.8
Vacuum	mbar / kPa	286 / 28.6
Container content	1	60
Container material		Stainless steel
Rated input power	kW	3
Vacuuming type		Electric
Connection nominal diameter		ID 70
Accessory nominal diameter		ID 50 / ID 40
Sound pressure level	dB(A)	77
Main filter dust class		M
Filter area for main filter	m²	1.9
Weight without accessories	kg	95
Dimensions (L × W × H)	mm	970 × 690 × 1240

Users must receive training on this device.

Equipment	
Accessories included in the scope of delivery	no
Automatic filling level shut-off	•
Container emptying	Set-down trolley
Included in the scope of supply.	





Wear-resistant side channel blower

 A side channel blower delivers high suction power with a very long lifetime of at least 20,000 hours. These machines are therefore ideal for multiple shift operation.



Automatic filter cleaning system Tact²

- Automatic cleaning of the filters by means of targeted and powerful air blasts.
- Despite filter cleaning, the suction power remains constantly high.
- \blacksquare Long life of the filter reduces maintenance costs.



Equipped with compact flat pleated filter

- Clear compact design of the filter.
- Suitable for picking up free-flowing, dry dusts up to dust class M.

ACCESSORIES FOR IVC 60/30 TACT² 1.576-101.0























				т
		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR U	JP TO D	UST CLASS M		
Flat pleated filter, paper				
Flat pleated filter, paper	1	6.907-276.0	Flat pleated filter dust class M, nano-coated paper. Suitable for fine dust and dry dirt pick up.	
Flat pleated filter, PTFE				
Flat pleated filter, PTFE	2	6.907-449.0	Polyester fleece with PTFE coating, dust class M, for Tact² vacuum cleaners. Particularly suitable for very adhesive materials.	
ACCESORY SETS				
Accessory kit for liquids				
Liquid accessory kit DN 40	3	9.989-660.0	Accessory kit DN 40 for liquid vacuums: PU hose 3 m (9.989-617.0), handle (9.977-679.0), standard nozzle (9.988-401.0), reducer (9.989-690.0), surface nozzle 120 mm (9.988-118.0).	
Liquid accessory kit DN50	4	9.989-661.0	Accessory kit DN 50 for liquid vacuums: PU hose 3 m (9.989-619.0), handle (9.977-678.0), standard nozzle (9.988-402.0), reducer (9.977-772.0), surface nozzle 120 mm (9.988-119.0).] [:
Accessory kit for liquids/chips	•			
Accessory kit for liquids / sawdust DN40	5	9.989-657.0	Accessory kit DN40 for liquid vacuum and swarf vacuum: 3 m ME-PU hose (9.989-621.0), handle (9.977-679.0), standard nozzle (9.989-674.0), reducer (9.989-690.0), surface nozzle (9.988-118.0)	
Accessory kit for liquids/chips DN50	6	9.989-658.0	Accessory kit DN50 for liquid vacuum and swarf vacuum: 3 m ME-PU hose (9.989-623.0), handle (9.977-678.0), standard nozzle (9.989-673.0), reducer (9.977-772.0), surface nozzle (9.988-119.0).	
Accessory kit for solids/dust	•			
Oven cleaning accessory kit DN 50	7	9.989-938.0	Accessory kit for oven cleaning: ME hose 3 m (9.989-979.0), handle (9.989-899.0), suction tube (9.989-929.0), floor nozzle (9.989-935.0), reducer (9.989-712.0), adapter (9.993-011.0).	
Oven cleaning accessory kit DN 40	8	9.989-939.0	Accessory kit for oven cleaning: ME hose 3 m (9.989-976.0), handle (9.989-898.0), suction tube (9.989-928.0), floor nozzle (9.989-934.0), reducer (9.989-713.0), adapter (9.993-012.0).	
Food accessory kit DN 40	9	9.989-940.0	Food accessory kit DN 40: PU hose 3 m (9.989-970.0), handle (9.989-898.0), standard nozzle (9.989-838.0), brush (9.989-879.0), reducer (9.989-713.0), adapter (9.993-012.0).	
Food accessory kit DN 50	10	9.989-941.0	Food accessory kit: PU hose 3 m (9.989-973.0), handle (9.989-899.0), standard nozzle (9.989-844.0), brush (9.989-880.0), reducer (9.989-712.0), adapter (9.993-011.0).	
Accessory kit for overhead cleaning DN 40	11	9.989-942.0	Accessory kit DN 40 for overhead cleaning: suction tubes (9.989-920.0/9.993-008.0), handles (9.989-916.0/9.989-918.0), standard nozzle (9.989-838.0), brush (9.989-879.0), adapter (9.993-012.0).	
Accessory kit for overhead cleaning DN 50	12	9.989-943.0	Accessory kit DN 50 for overhead cleaning: suction tubes (9.989-921.0/9.993-009.0), handles (9.989-917.0/9.989-919.0), standard nozzle (9.989-844.0), brush (9.989-880.0), adapter (9.993-011.0).	
NOZZLES				
Standard nozzles				
Standard nozzle silicone FDA blue DN-F40	13	9.989-835.0		
Standard nozzle silicone FDA green DN-F40	14	9.989-836.0		

 \blacksquare Included in the scope of supply. \square Available accessories.



















		Order no.	Description	
NOZZLES				
Standard nozzles				
Standard nozzle silicone FDA red DN-F40	15	9.989-837.0		
Standard nozzle silicone FDA transparent DN-F40	16	9.989-838.0		
Standard nozzle silicone FDA white DN-F40	17	9.989-839.0		
Standard nozzle silicone FDA yellow DN-F40	18	9.989-840.0		
Standard nozzle silicone FDA blue DN-F50	19	9.989-841.0		
Standard nozzle silicone FDA green DN-F50	20	9.989-842.0		
Standard nozzle silicone FDA red DN-F50	21	9.989-843.0		
Standard nozzle silicone FDA transparent DN-F50	22	9.989-844.0		
Standard nozzle silicone FDA white DN-F50	23	9.989-845.0		
Standard nozzle silicone FDA yellow DN-F50	24	9.989-846.0		
Standard PVC nozzle DN40	25	9.989-674.0	Electroconductive standard PVC nozzle. DN 40.	
Standard PVC nozzle DN50	26	9.989-673.0	Electroconductive standard PVC nozzle. DN 50.	
Standard nozzle silicone DN40	27	9.988-401.0	Stretchy standard nozzle made from silicone, inner cone DN 40.	
Standard nozzle silicone DN50	28	9.988-402.0		

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.

















				\neg
		Order no.	Description	
NOZZLES				
Standard nozzles				
Standard nozzle cuttable rubber DN40	29	9.989-677.0	Standard nozzle, electroconductive, made from cuttable rubber. DN 40.	
Standard nozzle cuttable rubber DN50	30	9.989-675.0	Standard nozzle, electroconductive, made from cuttable rubber. DN 50.	
Standard aluminium nozzle DN40	31	9.980-748.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 40.	
Standard aluminium nozzle DN50	32	9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	
Flexible standard nozzles		•		
Standard nozzle flexible PVC DN40	33	9.981-420.0	Electroconductive, flexible round nozzle made from galvanised steel, with rubber mouthpiece DN 30.	
Standard nozzle flexible PVC DN50	34	9.981-421.0	Electroconductive, flexible round nozzle made from galvanised steel, DN 50, with rubber mouthpiece DN 30.	
Standard nozzle, flexible, angled 90° PP DN40	35	9.981-429.0	Flexible, electroconductive angled nozzle, DN 40, length: 800 mm.	
Standard nozzle, flexible, angled 90° PP DN50	36	9.981-430.0	Flexible, electroconductive angled nozzle, DN 50, length: 800 mm.	
Floor nozzles		•		
Floor nozzle stainless steel AISI 304 DN-F40 blue	37	9.989-861.0		
Floor nozzle stainless steel AISI 316L DN-F50 blue	38	9.989-862.0		
Floor nozzle stainless steel AISI 316L DN-F40 green	39	9.989-863.0		
Floor nozzle stainless steel AISI 316L DN-F50 green	40	9.989-864.0		
Floor nozzle stainless steel AISI 316L DN-F40 red	41	9.989-865.0		
Floor nozzle stainless steel AISI 316L DN-F50 red	42	9.989-866.0		

 $[\]hfill \square$ Available accessories.

















		Order no.	Description
NOZZLES			
loor nozzles			
Floor nozzle stainless steel AISI 316L DN-F40 transparent	43	9.989-867.0	
loor nozzle stainless steel AISI 316L DN-F50 ransparent	44	9.989-868.0	
Floor nozzle stainless steel AISI 316L DN-F40 white	45	9.989-869.0	
loor nozzle stainless steel AISI 316L DN-F50 white	46	9.989-870.0	
Floor nozzle stainless steel AISI 316L DN-F40 yellow	47	9.989-871.0	
loor nozzle stainless steel AISI 316L DN-F50 rellow	48	9.989-872.0	
loor nozzle stainless steel AISI 316L DN-F40	49	9.989-914.0	
loor nozzle stainless steel AISI 316L DN-F50	50	9.989-915.0	
Floor nozzle stainless steel 400 mm DN-F40	51	9.989-934.0	
loor nozzle stainless steel 400 mm DN-F50	52	9.989-935.0	
loor nozzle aluminium 400 mm DN-F40	53	9.989-936.0	
oor nozzle aluminium 400 mm DN-F50	54	9.989-937.0	
uminium floor nozzle 370 mm DN40	55	9.989-683.0	Floor nozzle, 370 mm, made from aluminium. DN 40.
luminium floor nozzle, el, 370 mm, DN40	56	9.989-682.0	Floor nozzle, 370 mm, made from aluminium. Electroconducti

[☐] Available accessories.























		Oudenne	Bestintien	
NOZZLES		Order no.	Description	
Floor nozzles				
Aluminium floor nozzle 200 mm DN50	57	9.981-426.0	Floor nozzle, DN 50, with 200 mm suction width.	
Aluminium floor nozzle 370 mm DN50	58	9.989-664.0	Floor nozzle. 370 mm, made from aluminium. Electroconductive. DN 50.	
Aluminium floor nozzle, el, 370 mm, DN50	59	9.987-612.0	Electroconductive multi-purpose floor nozzle. 370 mm wide, DN 50.	
Aluminium floor nozzle 500 mm DN50	60	9.989-684.0	Floor nozzle, 500 mm, made from aluminium. Electroconductive. DN 50.	
Aluminium floor nozzle, el, 500 mm, DN50	61	9.981-925.0	Floor nozzle with 500 mm suction width and hinge. DN 50, electroconductive.	
Stainless steel floor nozzle el 370 mm DN40	62	9.989-558.0	Multi-purpose floor nozzle (370 mm), electroconductive, DN 40.	
Stainless steel floor nozzle el 370 mm DN50	63	9.988-115.0	Floor nozzle (370 mm) made from stainless steel, electroconductive, DN 50.	
Floor nozzle rubber strip oil-resistant. 220 mm	64	9.981-923.0	Squeegee with plastic strip for floor nozzle, 220 mm wide.	
Floor nozzle rubber strip 370 mm	65	9.981-914.0	Squeegee with profiled strip for floor nozzle, 370 mm wide.	
Floor nozzle rubber strip 500 mm	66	9.981-915.0	Oil-resistant squeegee with profiled strip for floor nozzle, 500 mm wide.	
Floor nozzle brush strip el. 370 mm	67	9.984-939.0	Electroconductive squeegee for floor nozzle, 370 mm wide.	
Floor nozzle brush strip 500 mm	68	9.980-764.0	Brush strip set for floor nozzle 500 mm, with profiled strip.	
Crevice nozzles				
Crevice nozzle PP 15 mm × 145 mm DN50	69	9.988-117.0	Electroconductive, flat multi-purpose crevice nozzle made from plastic, DN 52.	
Crevice nozzle PU 22 mm × 175 mm DN50	70	9.981-482.0	Crevice nozzle made from PU, DN 50.	

[☐] Available accessories.

KÄRCHER

















		Order no.	Description	
NOZZLES				
Crevice nozzles				
Crevice nozzle 18 mm × 120 mm DN50	71	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width.	
Crevice nozzle 25 mm × 120 mm DN50	72	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width.	
Flexible crevice nozzles		<u>'</u>		
Crevice nozzle flexible silicone FDA DN-F50 transparent	73	9.989-847.0		
Crevice nozzle flexible silicone FDA DN-F40 transparent	74	9.989-848.0		
Flexible crevice nozzle silicone 65 mm DN50	75	9.988-403.0	Flexible crevice nozzle made from silicone, DN 50.	
Flexible crevice nozzle 11 mm × 58 mm DN40	76	9.989-681.0	Electroconductive and flexible crevice nozzle, 11 × 58 mm.	
Flexible crevice nozzle 20 mm × 45 mm DN40	77	9.981-423.0	Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 40.	
Flexible crevice nozzle 12 mm × 45 mm DN50	78	9.981-424.0	Flexible, electroconductive galvanised crevice nozzle, DN 50, with 13 mm slot width.	
Flexible crevice nozzle 20 mm × 45 mm DN50	79	9.981-425.0	Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 50.	
Surface nozzles				
Silicone surface nozzle FDA blue DN-F40	80	9.989-849.0		
Silicone surface nozzle FDA blue DN-F50	81	9.989-850.0		
Silicone surface nozzle FDA green DN-F40	82	9.989-851.0		
Silicone surface nozzle FDA green DN-F50	83	9.989-852.0		
Silicone surface nozzle FDA red DN-F40	84	9.989-853.0		

 $[\]hfill\square$ Available accessories.

KÄRCHER



















	_			
		Order no.	Description	
NOZZLES				
Surface nozzles				
Silicone surface nozzle FDA red DN-F50	85	9.989-854.0		
Silicone surface nozzle FDA transparent DN-F40	86	9.989-855.0		
Silicone surface nozzle FDA transparent DN-F50	87	9.989-856.0		
Silicone surface nozzle FDA white DN-F40	88	9.989-857.0		
Silicone surface nozzle FDA white DN-F50	89	9.989-858.0		
Silicone surface nozzle FDA yellow DN-F40	90	9.989-859.0		
Silicone surface nozzle FDA yellow DN-F50	91	9.989-860.0		
Silicone surface nozzle 120 mm DN40	92	9.988-118.0	Electroconductive rubber nozzle, angled, DN 40, suitable for use with foods.	
Silicone surface nozzle 120 mm DN50	93	9.988-119.0	Electroconductive rubber nozzle, angled, DN 50, suitable for use with foods.	
Aluminium surface nozzle, 150 mm, DN 40	94	9.989-666.0	Surface nozzle, 150 mm, made from aluminium. DN 40.	
Aluminium surface nozzle 150 mm DN50	95	9.989-665.0	Surface nozzle, 150 mm, made from aluminium. DN 50.	
Liquid nozzles		•		
Liquid nozzle 900 mm DN50	96	9.981-427.0	Bypass nozzle, DN 50, overall length: 1000 mm.	
Borehole nozzles	•	'		
Blind hole nozzle DN40	97	9.989-671.0	90° curved blind hole nozzle with 60 mm diameter.	
Blind hose nozzle angled 60° DN40	98	9.989-669.0	90° curved blind hole nozzle with 48 mm diameter. DN 40.	

[☐] Available accessories.



















		Order no.	Description	
NOZZLES				
Borehole nozzles				
Blind hose nozzle angled 90° DN40	99	9.989-667.0	90° curved blind hole nozzle with 60 mm diameter. DN 40.	
Blind hose nozzle angled 90° 200 mm extension DN40	100	9.989-670.0	90° curved blind hole nozzle with 48 mm diameter. DN 40.	
BRUSHES		<u> </u>		
Standard brushes				
Standard brush 40 mm DN40	101	9.981-431.0	Flat brush nozzle DN 40.	
Standard brush 40 mm DN50	102	9.981-432.0	Flat brush nozzle DN 50.	
End brushes		<u> </u>		
Brush FDA blue ø 75 mm DN-F40	103	9.989-873.0		
Brush FDA blue ø 75 mm DN-F50	104	9.989-874.0		
Brush FDA green ø 75 mm DN-F40	105	9.989-875.0		
Brush FDA green ø 75 mm DN-F50	106	9.989-876.0		
Brush FDA red ø 75 mm DN-F40	107	9.989-877.0		
Brush FDA red ø 75 mm DN-F50	108	9.989-878.0		
Brush FDA white ø 75 mm DN-F40	109	9.989-879.0		
Brush FDA white ø 75 mm DN-F50	110	9.989-880.0		
Brush FDA yellow ø 75 mm DN-F40	111	9.989-881.0		
Brush FDA yellow ø 75 mm DN-F50	112	9.989-882.0		

[☐] Available accessories.















		Order no.	Description	
BRUSHES				
End brushes				
End brush Ø 82 mm DN40	113	9.989-609.0	Electroconductive end brush with 82 mm diameter. DN 40.	
End brush Ø 82 mm DN50	114	9.989-608.0	Electroconductive end brush with 82 mm diameter. DN 50.	
Surface brushes				
Surface brush PP 24 mm DN40	115	9.989-610.0	Electroconductive surface brush. DN 40.	
Surface brush 300 mm DN40	116	9.981-911.0	Vacuum brush, 300 mm, with 45° connection, with star screw, horsehair bristles.	
Surface brush 300 mm DN50	117	9.981-912.0		
Cylinder brushes				
Cylinder brush ø 100 mm DN-F40	118	9.989-922.0		
Cylinder brush ø 200 mm DN-F40	119	9.989-923.0		
Cylinder brush ø 100 mm DN-F50	120	9.989-925.0		
Cylinder brush ø 200 mm DN-F50	121	9.989-926.0		
HOSES				
PVC				
Hose PVC DN40 1 m	122	9.989-626.0	Electroconductive PVC hose, DN 40. Temperature-resistant up to 85 °C. Length: 1 m.	
Hose PVC DN40 3 m	123	9.989-962.0		
Hose PVC DN40 5 m	124	9.989-963.0		
Hose PVC DN50 3 m	125	9.989-964.0		
Hose PVC DN50 5 m	126	9.989-965.0		
			I .	

[☐] Available accessories.















	_	1		_
		Order no.	Description	
HOSES				
PVC				
Hose PVC DN40 3 m	127	9.989-647.0	PVC hose, DN 40. Temperature-resistant up to 85 °C and electrically conductive. Length: 3 m.	
Hose PVC DN40 5 m	128	9.989-614.0	Electroconductive PVC hose, DN 40. Temperature-resistant up to 85 °C. Length: 5 m.	
PVC hose DN40 15 m without connectors	129	9.989-633.0	PVC hose without tap adapter, DN 40. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m.	
Hose PVC DN50 3 m	130	9.989-615.0	Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 3 m.	
Hose PVC DN50 5 m	131	9.989-616.0	Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 5 m.	
PVC hose DN50 15 m without connectors	132	9.989-634.0	PVC hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m.	
EVA hoses		·		
Hose EVA DN40 3 m	133	9.989-982.0		
Hose EVA DN40 5 m	134	9.989-983.0		
Hose EVA DN50 3 m	135	9.989-984.0		
Hose EVA DN50 5 m	136	9.989-985.0		
Hose EVA NW40 3 m	137	9.988-088.0	Electroconductive hose with NW 40. Suitable for temperatures up to 65°C. Length: 3 m.	
Hose EVA NW40 5 m	138	9.988-089.0	Five-metre-long, electroconductive hose with NW 40. Suitable for temperatures up to 65° C. Length 5 m.	1: 🗆
EVA hose DN40 15 m without connectors	139	9.989-630.0	EVA hose without tap adapter, DN 40. Electroconductive and temperature-resistant up to 65 $^{\circ}$ C. Length: 15 m.	
Hose EVA NW50 3 m	140	9.988-090.0	Electroconductive hose with NW50. Suitable for temperatures up to 65°C. Length: 3 m.	

 $[\]hfill \square$ Available accessories.















		Order no.	Description	
HOSES				Ť
EVA hoses				
Hose EVA NW50 5 m	141	9.988-091.0	Electroconductive hose with NW50. Suitable for temperatures up to 65°C. Length: 3 m.	
EVA hose DN50 15 m without connectors	142	9.989-631.0	EVA hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 65 °C. Length: 15 m.	
Hose installation sets				
Hose installation kit DN40	143	9.989-627.0	Multipiece hose connection set, DN 40.	
Hose installation kit DN50	144	9.989-628.0	Multipiece hose connection kit, DN 50.	T
Hose connection kit, stainless steel AISI 304 DN40	145	9.989-986.0	Hose connection kit in nominal width DN 40, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic).	
Hose connection kit, stainless steel AISI 304 DN50	146	9.989-987.0	Hose connection kit in nominal width DN 50, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic).	
PU hoses				Ť
Hose PU DN40 3 m	147	9.989-966.0		
Hose PU DN40 5 m	148	9.989-967.0		
Hose PU DN50 3 m	149	9.989-968.0		
Hose PU DN50 5 m	150	9.989-969.0		
Hose PU FDA DN40 3 m	151	9.989-970.0		
Hose PU FDA DN40 5 m	152	9.989-971.0		
Hose PU FDA DN40 15 m	153	9.989-972.0		
Hose PU FDA DN50 3 m	154	9.989-973.0		

[☐] Available accessories.













		Order no.	Description	
HOSES	'			
PU hoses				
Hose PU FDA DN50 5 m	155	9.989-974.0		
Hose PU FDA DN50 15 m	156	9.989-975.0		
Hose PU DN40 3 m	157	9.989-617.0	Oil-resistant, electroconductive PU hose, DN 40. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 3 m.	
Hose PU DN40 5 m	158	9.989-618.0	Oil-resistant, electroconductive PU hose, DN 40. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 5 m.	
PU hose DN40 15 m without connectors	159	9.989-637.0	PU hose without tap adapter, DN 40. Electroconductive and temperature-resistant up to 80 °C. Length: 15 m.	
Hose PU DN50 3 m	160	9.989-619.0	Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 3 m.	
Hose PU DN50 5 m	161	9.989-620.0	Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 5 m.	
PU hose DN50 15 m without connectors	162	9.989-638.0	PU hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 80 °C. Length: 15 m.	
ME-PU-hoses		'		
Hose ME DN40 3 m	163	9.989-976.0		
Hose ME DN40 5 m	164	9.989-977.0		
Hose without connection ME DN40 15 m	165	9.989-978.0		
Hose ME DN50 3 m	166	9.989-979.0		
Hose ME DN50 5 m	167	9.989-980.0		
Hose without connection ME DN50 15 m	168	9.989-981.0		
	_		!	-

 $[\]hfill \square$ Available accessories.

















		Order no.	Description	
HOSES				
ME-PU-hoses				
Hose ME-PU DN40 3 m	169	9.989-621.0	Electroconductive, oil-resistant ME-PU hose, DN 40. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 3 m.	
ME-PU hose, DN 40, 5 m	170	9.989-622.0	Electroconductive, oil-resistant ME-PU hose, DN 40. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 5 m.	
ME-PU hose DN40 15 m without connectors	171	9.989-640.0	Electroconductive, oil-resistant ME-PU hose without tap adapter, DN 40. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 15 m.	
Hose ME-PU DN50 3 m	172	9.989-623.0	Electroconductive, oil-resistant ME-PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 3 m.	
Hose ME-PU DN50 5 m	173	9.989-625.0	Electroconductive, oil-resistant ME-PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 5 m.	
ME-PU hose DN50 15 m without connectors	174	9.989-641.0	Electroconductive, oil-resistant ME-PU hose without tap adapter, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 15 m.	
HANDLES				
Elbow aluminium 45° DN40	175	9.989-544.0	45° curved handle made from aluminium, DN 40.	
Elbow aluminium 45° DN50	176	9.989-547.0	Handle with 45° bend. Made from aluminium, DN 50.	
Handle stainless steel AISI 304 DN40	177	9.989-896.0		
Handle stainless steel AISI 304 DN50	178	9.989-897.0		
Handle straight stainless steel AISI 304 DN40	179	9.989-898.0		
Handle straight stainless steel AISI 304 DN50	180	9.989-899.0		
Handle carbon 45° DN-F40	181	9.989-916.0		
Handle carbon 45° DN-F50	182	9.989-917.0		

 $[\]hfill \square$ Available accessories.



















		Order no.	Description	
HANDLES		<u> </u>		
Handle carbon 110° DN-F40	183	9.989-918.0		
Handle carbon 110° DN-F50	184	9.989-919.0		
Handle DN 40	185	9.977-679.0	45° curved and electroconductive handle made from stainless steel. Inner cone DN 40.	
Handle DN 50	186	9.977-678.0	Electroconductive and 45° curved handle made from stainless steel. Inner cone DN 50.	
Stainless steel handle NW40	187	9.989-036.0	Curved and electroconductive handle made from stainless steel. Angle 45°, inner cone NW 40.	
Stainless steel handle NW50	188	9.988-111.0	Curved and electroconductive handle made from stainless steel. Angle 45°, inner cone NW 50.	
SUCTION TUBES				
Carbon suction tube 1500 mm DN40	189	9.989-552.0	Very light carbon extension tube, electroconductive, DN 40. Length: 1500 mm.	
Carbon suction tube 1500 mm DN50	190	9.989-553.0	Electroconductive, very light carbon extension tube. Inner cone DN 50, 1500 mm long.	
Suction tube stainless steel AISI 304 DN40	191	9.989-912.0		
Suction tube stainless steel AISI 304 DN50	192	9.989-913.0		
Suction tube carbon 1500 mm DN-F40 conical	193	9.989-920.0		
Suction tube carbon 1500 mm DN-F50 conical	194	9.989-921.0		
Suction tube aluminium high temperature 1000 mm DN-F40	195	9.989-928.0		
Suction tube aluminium high temperature 1000 mm DN-F50	196	9.989-929.0		

[☐] Available accessories.