

K 3 Full Control Car

K 3 Full Control Car pressure washer with Car Kit including wash brush, foam jet and car shampoo. The trigger gun features a pressure indicator – ensuring the right pressure for every surface.















1 Power gun Full Control and spray lances

- Three pressure settings and a detergent setting ensure the optimal setting for every surface.
- The pressure can be regulated by twisting the Vario Power spray lance until the desired level is shown.

2 Supports for accessories, high-pressure gun and cable

- Spray lances are always accessible and within easy reach.
- Generous hook for tidy storage of the hose and cable directly on the device.

3 Clean tank solution


- The practical detergent tank simplifies the application of detergents.
- Kärcher detergents increase efficiency and help protect and care for the surface being cleaned.

4 Telescopic handle

- For a convenient pulling height.
- Completely retractable for optimal storage.

TECHNICAL DATA AND EQUIPMENT





K 3 Full Control Car

- Full Control Power Gun with manual pressure level display
- Telescopic handle
 Detergent tank

Technical data		
Order no.		1.602-604.0
EAN code		4054278250434
Pressure	bar / MPa	20 - max. 120 / 2 - max. 12
Flow rate	I/h	max. 380
Inlet temperature	°C	max. 40
Connection load	kW	1.6
Supply voltage	V	220 - 240
Weight without accessories	kg	4.38
Dimensions (L x W x H)	mm	307 × 272 × 600

Equipment		
High-pressure gun		G 120 Q Full Control
Vario Power Jet		
Dirt Blaster		
High-pressure hose	m	6
Detergent application via		Tank
Integrated water filter		1
Adapter for A3/4" garden hose conne tor	ec-	•
Car Cleaning Kit		Wash brush, foam nozzle, Car Shampoo, 0.5 l
Telescopic handle		I and the second se

■ Included in the scope of supply.

K 3 FULL CONTROL CAR 1.602-604.0































							_
		Order no.			Price	Description	
Spray lances							
VP 120 vario power jet for K 2-K	1	2.642-724.0				Vario power spray lance for pressure washers in classes K 2	
3						to K 3. Continuously adjustable from low-pressure detergent	
DD 420 dist blacks for 1/ 2 1/ 2		2642 727 0				jet to high-pressure jet, simply by turning the spray lance.	_
DB 120 dirt blaster for K 2-K 3	2	2.642-727.0				Dirt blaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly	
						stubborn dirt like that on mossy or weathered surfaces.	
TLA 4 telescopic spray lance	3	2.644-190.0				Simple cleaning at (almost) every point: The telescopic spray	_
						lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	L
Facade & glass cleaning kit	4	2.644-249.0				Set comprising the telescopic spray lance TLA 4 and the	_
						façade and glass cleaning attachment. For easy cleaning of	
						objects that are difficult to access such as house façades or	
Splash guard	5	2.642-706.0				conservatories. Transparent splash guard for class K 2 to K 7 Kärcher pres-	_
Spidsii godi d		2.012 700.0					
						from spray water. Ideal for cleaning corners and edges.	_
Angled spray lance	6	2.638-817.0				Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under-	
						bodies.	
1-step lance extension	7	2.643-240.0				Extends spray lance by 0.4 m. For effective cleaning of	
						difficult to reach areas. Suitable for all Kärcher accessories.	_
VP 180 S vario power jet short 360° for K 2-K 7	8	2.643-254.0				VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is	
J00 101 K 2 K 7						ideal for cleaning areas that are difficult to reach.	
Telescopic spray lance	9	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of	
						difficult to reach areas. With shoulder strap, bayonet con-	
						nection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	
Trigger guns		'	,	 	1		
G 120 Q gun	10	2.643-823.0				The G 120 Q high-pressure gun for all Kärcher K 3 Power	
						Control and Full Control devices displays the different pres-	
						sure stages and the cleaning agent mode. With Quick Connect.	
Surface cleaners							
T 5 T-Racer surface cleaner	11	2.644-084.0				Thorough and splash-free cleaning over large areas: The T 5	
						T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and	
						delicate surfaces alike.	
PS 30 power scrubber surface	12	2.644-123.0				The PS 30 power scrubber, with its three integrated	
cleaner						high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and	_
						edges. Includes integrated squeegee blade to remove the	
						dirty water.	
PS 30 Plus power scrubber surface	13	2.644-212.0				The PS 30 Plus power scrubber removes stubborn dirt with	_
cleaner						its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	
Brushes			1		1	and content and cages are entorcessity element.	
WB 150 power brush	14	2.643-237.0				WB 150 power brush for splash-free cleaning of sensitive	
						surfaces. The effective combination of high pressure and	
						manual brush pressure saves energy, water and up to 30% time.	
		I		 		unic.	_

K 3 FULL CONTROL CAR 1.602-604.0































			1				T	_
	Order no.					Price	Description	
15	2.644-060.0						Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	
16	2.644-286.0						Always in motion: The rotating wash brush with inter- changeable attachment cleans smooth surfaces such as paint, glass or plastic. Quick attachment changes thanks to the integrated release lever.	
17	2.644-061.0						Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	
18	2.644-288.0							
19	2.644-129.0							
20	2.644-287.0						Gentle cleaning of cars and motorbikes: The rotating wash brush with innovative removable microfibre Car & Bike attachment. Machine washable at 60 °C.	
21	2.643-233.0						Soft flat brush for cleaning larger areas such as car, caravan boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	ı,
22	2.643-234.0						Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	t 🗆
23	6.903-276.0						Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	
24	2.640-732.0							
	1	Quick Connect	system					
25	2.643-585.0						system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in	
stem	starting 2009 with (Quick Connect	system					
26	2.641-721.0						washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect	П
syste	m starting 1992		•					
27	2.643-037.0						Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	
	1	Connect syste	em					
28	2.641-710.0						High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	
	16 17 18 19 20 21 22 23 24 24 stem 25 system 26 27	15 2.644-060.0 16 2.644-286.0 17 2.644-061.0 18 2.644-288.0 19 2.644-129.0 20 2.644-287.0 21 2.643-233.0 22 2.643-234.0 23 6.903-276.0 24 2.640-732.0 ith anti-twist system and 25 2.643-585.0 system starting 2009 with 26 2.641-721.0 system starting 1992 27 2.643-037.0	15	15	15	15	15	Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic Quick and easy attachment changins to the integrate of release lever. Always in motion: The rotating wash brush with interchangeable attachment cleans smooth surfaces such as paint, glass or plastic. Quick attachment cleans smooth surfaces such as paint, glass or plastic. Quick attachment changes thanks to the integrated release lever. 17 2.644-061.0 Idea for cleaning smooth surfaces such as paint, glass or plastic. The rotating wash brush with interchangeable at tachment. 18 2.644-288.0 Effective cleaning of smooth surfaces such as paint, glass or plastic. The rotating wash brush with interchangeable at tachment. 19 2.644-287.0 Gently cleans cars and motorbikes. The rotating wash brush with innovative soft microfibre interchangeable at tachment. 20 2.644-287.0 Gently cleans cars and motorbikes. The rotating wash brush with innovative soft microfibre interchangeable at Eachment. 21 2.643-233.0 Gently cleans cars and motorbikes. The rotating wash brush with innovative removable microfibre Car & Bike attachment. Machine washable at 60° C. 22 2.643-234.0 Soft flat brush for cleaning larger areas such as car, caravan boat, conservatory or roller shutters. Good area performance with working width of 248 microfibre Car & Bike attachment. Machine washable at 60° C. 23 6.903-276.0 Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to reach areas. Uniform 360° water cleaning sensitive areas and areas which are difficult scens in the outside area. Suitable for all Karcher N2 to N7 pressure washers. 24 2.640-732.0 Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult scens in the outside area. Suitable for hose real devices or for Full Control devices in the K 4 to K 7 ranges. Not suitable for hose real devices or for Full Control devices in the K 4 to K 7 ranges. Not suitable for hose real devices or for Full

[■] Included in the scope of supply.

Available accessories.

K 3 FULL CONTROL CAR 1.602-604.0



























		Order no.		Price	Description	
XH 6 Q extension hose Quick Connect	29	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	ŝ [
Pipe cleaning						
PC 20 roof gutter and pipe cleaning kit	30	2.642-240.0			The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
PC 15 pipe cleaning kit	31	2.637-767.0			Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	32	2.637-729.0			Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
Foam jet						
FJ 6 foam jet	33	2.643-147.0			FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 3 foam jet	34	2.643-150.0			FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and facades.	
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	35	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	36	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
Miscellaneous						
Sand and wet-blasting kit	37	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	[
Vario joint	38	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	
Water filter	39	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.	
	40	2.642-794.0			Water filter to protect the high-pressure pump against dirt particles from contaminated water.	
O-ring set	41	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.

K 3 FULL CONTROL CAR 1.602-604.0

























						_			
		Order no.					Price	Description	
Hose storage and hose trolley		·	'						
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving stowage. Fully assembled.	
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0						Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	
Hoses			1	1		,			
Hose set for pressure washers	4	2.645-156.0						Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex* hose (3/4"), C3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua Stop.	
Water supply hose set	5	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	
PrimoFlex* hose 1/2" - 20 m	6	2.645-138.0						The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	
PrimoFlex* hose 3/4" - 25 m	7	2.645-142.0						PrimoFlex* quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	
Hose Performance Plus 1/2" -20m	8	2.645-318.0						Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	
Hose Performance Plus 3/4" -25m	9	2.645-322.0						Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks - for constant water flow.	
Performance Premium hose, 1/2" -20 m	10	2.645-324.0						The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	
Hose connection systems					,				
Universal hose coupling Plus	11	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal Hose Connector with Agua Stop	13	2.645-192.0						Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	
Universal Hose Connector	14	2.645-191.0						Ergonomically designed universal hose coupling for conven-	

[■] Included in the scope of supply.

Available accessories.