

K 4

The K 4 is ideal for regular cleaning of moderate dirt on cars, as well as paths and other surfaces around the property.



Order no.

1.679-500.0

| Technical data | | |
|----------------------------|--------|---------------------|
| EAN code | | 4054278907444 |
| Power supply | V / Hz | 220 - 240 / 50 - 60 |
| Pressure | bar | 20 - max. 130 |
| Flow rate | l/h | max. 420 |
| Area performance | m²/h | 30 |
| Inlet temperature | °C | max. 40 |
| Connected load | W | 1800 |
| Power cable | m | 5 |
| Colour | | Yellow |
| Weight without accessories | kg | 5.5 |
| Weight incl. packaging | kg | 8.5 |
| Dimensions (L × W × H) | mm | 302 × 346 × 849 |

| High-pressure gun | | G 180 Q |
|--|---|---------|
| Vario Power Jet | | |
| Dirt blaster | | |
| High-pressure hose | m | 6 |
| Detergent application via | | Suction |
| Integrated water filter | | |
| Adapter for A3/4" garden hose connector | | • |
| | | • |

K 4, 1.679-500.0, 2025-07-13





Integrated detergent suction hose

- Convenient and easy use of detergents.
- Kärcher detergents (available as an option) not only protect and care for the surface being cleaned but produce more efficient and longer-lasting results.



Tidy storage

• Store hose, spray lances, trigger gun and cable in a space-saving and neat manner.



Large wheels

- For safe and convenient transport, even on rough terrain, such as garden paths.
- Easy to manoeuvre.

ACCESSORIES FOR K 4 1.679-500.0



| | | Order no. | Description | |
|--|----|-------------|---|-----|
| SPRAY LANCES | | | | |
| VP 145 vario power jet for K 4-K 5 | 1 | 2.642-725.0 | Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance. | |
| DB 145 dirt blaster for K 4-K 5 | 2 | 2.642-728.0 | Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces. | |
| TLA 4 telescopic spray lance | 3 | 2.644-190.0 | Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge. | |
| Façade & glass cleaning kit | 4 | 2.644-249.0 | Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories. | |
| Splash guard | 5 | 2.642-706.0 | Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges. | |
| Angled spray lance | 6 | 2.638-817.0 | Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies. | |
| 1-step lance extension | 7 | 2.643-240.0 | Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kårcher accessories. | |
| eco!Booster 130 | 8 | 2.645-387.0 | Ideal for delicate surfaces – the eco!Booster delivers a 50% higher cleaning performance than the Kårcher standard flat jet, saving water, energy and time. | |
| VP 180 S vario power jet short 360° for K 2-K 7 | 9 | 2.643-254.0 | VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach. | e 🗆 |
| MP 145 multi power jet for K 3-K 5 | 10 | 2.643-239.0 | Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting. | |
| TRIGGER GUNS | | | | |
| G 180 Q Quick Connect trigger gun | 11 | 2.642-889.0 | The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers. | |
| SURFACE CLEANERS | | | | |
| T 7 Plus T-Racer surface cleaner | 12 | 2.644-074.0 | Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas. | |
| T 5 T-Racer surface cleaner | 13 | 2.644-084.0 | Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike. | 2 🗆 |
| PS 30 power scrubber surface cleaner | 14 | 2.644-123.0 | The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water. | |

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories. O Detergents.

ACCESSORIES FOR K 4 1.679-500.0

| 15 | 16 | 17 | 18 | 19 | 20 | 21 |
|----|----|----|----|-------|----|----|
| 22 | 23 | 24 | 25 | 26-27 | 28 | |

| | | | | 1 |
|---|----|-------------|--|---|
| | | | | |
| | | Order no. | Description | |
| SURFACE CLEANERS | | | | |
| PS 30 Plus power scrubber surface cleaner | 15 | 2.644-212.0 | The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned. | |
| BRUSHES | | | | |
| WB 7 Plus 3-in-1 wash brush | 16 | 2.644-374.0 | Particularly versatile thanks to its clever combination: The WB 7 Plus 3-in-1 wash brush combines a foam jet, high-pressure flat spray nozzle and a soft brush in a single product. | |
| WB 150 power brush | 17 | 2.643-237.0 | WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time. | |
| WB 120 rotating wash brush | 18 | 2.644-060.0 | Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever. | |
| WB 130 rotating wash brush | 19 | 2.644-286.0 | Always in motion: The rotating wash brush with interchangeable attachment cleans smooth surfaces such as paint, glass or plastic. Quick attachment changes thanks to the integrated release lever. | |
| Rotating wash brush | 20 | 2.644-061.0 | Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment. | |
| | 21 | 2.644-288.0 | Effective cleaning of smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment. | |
| WB 120 rotating wash brush car & bike | 22 | 2.644-129.0 | Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C. | |
| WB 130 rotating wash brush car & bike | 23 | 2.644-287.0 | Gentle cleaning of cars and motorbikes: The rotating wash brush with innovative removable microfibre Car & Bike attachment. Machine washable at 60 °C. | |
| WB 60 soft surface wash brush | 24 | 2.643-233.0 | Soft surface brush for cleaning larger surfaces such as cars, caravans, boats, photovoltaic systems, conservatories and shutters. Good area performance thanks to a working width of 248 mm. | |
| Wheel washing brush | 25 | 2.643-234.0 | Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result. | |
| Wash brush | 26 | 6.903-276.0 | Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers. | |
| | 27 | 2.642-783.0 | Universal brush with ergonomic handle and soft bristles for thorough and gentle cleaning of all surfaces. | |
| PIPE CLEANING | | | | |
| PC 7.5 | 28 | 2.644-491.0 | Pipe cleaning kit with 7.5 m hose for cleaning pipes, drains and downpipes and for removing blockages. With practical changing system and two nozzles included. | |

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories. O Detergents.

ACCESSORIES FOR K 4 1.679-500.0

| 29 | 30 | 31 | 32 | 33 | 34 | 35 |
|----|----|----|----|----|----|----|
| 36 | 37 | 38 | 39 | 40 | 41 | 42 |

| | | 1 | | |
|--|----|-------------|---|--|
| | | | | |
| | | Order no. | Description | |
| PIPE CLEANING | | | | |
| PC 15 | 29 | 2.644-492.0 | Pipe cleaning kit with 15 m hose for cleaning pipes, drains and downpipes and for removing blockages. With practical changing system and two nozzles included. | |
| PC 20 roof gutter and pipe cleaning kit | 30 | 2.642-240.0 | The gutter and pipe cleaning kit works all by itself – with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m. | |
| PC 15 pipe cleaning kit | 31 | 2.637-767.0 | Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes. | |
| PC 7.5 pipe cleaning kit | 32 | 2.637-729.0 | Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes. | |
| FOAM JET | | | | |
| FJ 6 foam jet | 33 | 2.643-147.0 | FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades. | |
| FJ 3 foam jet | 34 | 2.643-150.0 | FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles | |
| | 35 | 2.645-383.0 | etc. and for applying cleaning products to stone and wood surfaces and façades. | |
| FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner | 36 | 2.643-143.0 | Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click. | |
| FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1 | 37 | 2.643-144.0 | Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click. | |
| MISCELLANEOUS | | | | |
| SH 5 suction hose | 38 | 2.643-100.0 | Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers. | |
| SH 3 suction hose | 39 | 2.643-101.0 | 3 metre suction hose for drawing water from alternative sources such as water butts and barrels. | |
| Sand and wet-blasting kit | 40 | 2.638-792.0 | Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive. | |
| Vario joint | 41 | 2.640-733.0 | Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory. | |
| Water filter | 42 | 4.730-059.0 | Water filter protects pressure washer pumps against dirt particles from dirty water. | |

□ Available accessories.

ACCESSORIES FOR K 4 1.679-500.0

| | 4 | | $ \begin{bmatrix} \begin{bmatrix}$ | |
|---|---------|----------------|--|--|
| | | Order no. | Description | |
| MISCELLANEOUS | | order no. | beschpton | |
| Water filter | 43 | 2.642-794.0 | Water filter to protect the high-pressure pump against dirt particles from contaminated water. | |
| Anti-twist adapter | 44 | 2.644-257.0 | The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun. | |
| O-ring set | 45 | 2.640-729.0 | Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories. | |
| HIGH-PRESSURE HOSES | | | | |
| High-pressure replacement hose: With anti-tw | ist sys | tem and Quick | Connect system | |
| H 10 Q Flex PremiumFlex anti twist | 46 | 2.643-585.0 | Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges. | |
| High-pressure replacement hose: system start | ing 20 | 09 with Quick | Connect system | |
| H 9 Q high-pressure hose Quick Connect | 47 | 2.641-721.0 | 9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C. | |
| High-Pressure replacement hose kit system sta | arting | 1992 | | |
| Extension hose adapter kit | 48 | 2.643-037.0 | Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines. | |
| High-pressure extension hose: System for dev | ices w | ith Quick Conn | ect system | |
| XH 10 Q extension hose Quick Connect | 49 | 2.641-710.0 | High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter. | |
| XH 6 Q extension hose Quick Connect | 50 | 2.641-709.0 | High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose. | |
| HOSE STORAGE AND HOSE TROLLEY | | | | |
| HT 2 | 51 | 2.645-361.0 | The mobile and stable hose trolley impresses with its extra wide base for maximum stability. A compact model with a height-adjustable handle for small gardens. | |
| HT 2.20 Set | 52 | 2.645-362.0 | The compact and mobile hose trolley with an extra wide base for maximum stability, 20 m Kärcher hose, watering accessories and nozzle, as well as a height-adjustable handle. | |
| HT 3 | 53 | 2.645-363.0 | Mobile and stable: The hose trolley for medium-sized gardens scores points with its extra-wide base for maximum stability and its height-adjustable handle. Includes nozzle holder. | |
| HT 3.20 Set | 54 | 2.645-364.0 | The hose trolley with nozzle holder impresses with its extra wide base for maximum stability, height-adjustable handle, 20 m garden hose and watering accessories. | |
| HT 4 | 55 | 2.645-365.0 | Everything under control: the hose trolley scores points with its robust hose reel, extra-wide base for maximum stability, precise hose guide and height-adjustable handle. | |
| HT 4.20 Set | 56 | 2.645-366.0 | The mobile hose trolley set impresses with its extra wide base, precise hose guide and height-adjustable handle and is ready for immediate use, including a 20 m hose and accessories. | |

ACCESSORIES FOR K 4 1.679-500.0

65-66

67-69



70

| | | Order no. | Description | |
|-------------------------------|----|-------------|---|-----|
| HOSE STORAGE AND HOSE TROLLEY | | | | |
| HT 5 M | 57 | 2.645-367.0 | The mobile and stable hose trolley impresses with a robust metal hose reel, extra-wide base, precise hose guide and height-adjustable handle. | |
| HT 5.20 M Set | 58 | 2.645-368.0 | The hose trolley scores points with its robust metal reel, wide base for high stability and 20 m hose and is ready for immediate use with the enclosed watering accessories. | 5 |
| HT 6 M | 59 | 2.645-369.0 | The mobile and stable hose trolley scores points with a robust metal hose reel and an extra-wide base, as well as precise hose guides and a height-adjustable handle. | |
| HR 2.10 Set | 60 | 2.645-370.0 | Complete set for convenient watering and space-saving hose storage. Ready for immediate use with a 10 m Kärcher garden hose, connectors, tap adapter and nozzle. | |
| HR 3 | 61 | 2.645-371.0 | One hose reel – two functions: the HR 3 is used both for storing the hose on the wall and for mobile use in the garden. This is what flexible watering looks like. | 5 🗆 |
| HR 3.20 Set | 62 | 2.645-372.0 | One hose reel – two functions: the HR 3.20 set with 20 m hose and accessories is used both for storing the hose on the wall and for mobile use in the garden. | |
| HR 4 | 63 | 2.645-373.0 | For hose storage on the wall and as a mobile hose reel: the HR 4 offers both options and can be easily removed from the wall for flexible watering. | |
| HR 4.30 Set | 64 | 2.645-374.0 | For hose storage on the wall and as a mobile hose reel: the HR 4.30 set with a 30 m hose, accessories and nozzle holder offers both options for flexible watering. | |
| HBX 4.15 Automatic | 65 | 2.645-377.0 | Always ready for use: hose box for convenient and flexible watering. With a 15 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty. | |
| HBX 4.20 Automatic | 66 | 2.645-378.0 | Always ready for use: hose box for convenient and flexible watering. With a 20 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty. | |
| HBX 5.25 Automatic | 67 | 2.645-379.0 | No more bending down, cranking or getting your hands dirty: the hose box guarantees convenient and flexible watering. With a 25 m hose and automatic hose retraction. | |
| HBX 5.30 Automatic | 68 | 2.645-380.0 | The hose box for convenient, flexible and effortless watering. With a 30 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty. | |
| HBX 5.35 Automatic | 69 | 2.645-381.0 | Always ready for use: hose box for convenient and flexible watering. With a 35 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty. | |
| HBX 2.10 Compact | 70 | 2.645-388.0 | Compact hose box for balconies, roof terraces, small gardens and camping holidays. Fast, convenient unwinding and winding. Ideal for space-saving storage in apartments. | |

ACCESSORIES FOR K 4 1.679-500.0



| | | | | 1 |
|---|----|-------------|---|-----|
| | | | | |
| 10077 | | Order no. | Description | |
| HOSES | | 1 | | |
| PrimoFlex [®] hose 1/2" - 30 m | 71 | 2.645-248.0 | Ultra-durable and kink-resistant PrimoFlex* quality garden hose (1/2"). 30 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. | |
| PrimoFlex® hose 1/2" - 15 m | 72 | 2.645-296.0 | The PrimoFlex [®] (1/2") flexible garden hose is 15 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to human health. Bursting pressure: 22 bar. | n 🗆 |
| PrimoFlex* 1/2" - 25 m | 73 | 2.645-297.0 | The PrimoFlex® (1/2") flexible garden hose is 25 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to human health. Bursting pressure: 24 bar. | n |
| PrimoFlex [®] hose 5/8" - 15 m | 74 | 2.645-298.0 | 15 m long, temperature-resistant and contains no substances that are harmful to human health: The flexible PrimoFlex [®] garden hose (5/8") with pressure-resistant reinforcement mesh and a bursting pressure of 22 bar. | 3 |
| Hose Performance Plus 1/2" -20m | 75 | 2.645-318.0 | Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow. | |
| Hose Performance Plus 1/2" -50m | 76 | 2.645-319.0 | Flexible, ultra-robust and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 50-metre long Performance Plus 1/2" garden hose for constant water flow. | |
| Hose Performance Plus 5/8" -25m | 77 | 2.645-320.0 | Quality garden hose from Kärcher: the new 25-metre long Performance Plus 5/8" garden hose. Flexible and extremely resistant to kinks – for constant water flow. Bursting pressure 40 bar. | |
| Hose Performance Plus 5/8" -50m | 78 | 2.645-321.0 | The 50-metre long Performance Plus 5/8" garden hose, made from ultra-robust multi-layered woven material. Flexible and extremely resistant to kinks for constant water flow. | |
| Hose Performance Plus 3/4" -25m | 79 | 2.645-322.0 | Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks – for constant water flow. | |
| Hose Performance Plus 3/4" -50m | 80 | 2.645-323.0 | Ultra-robust, extremely resistant to kinks and free from potentially harmful substances: the 50-metre long Performance Plus 3/4" garden hose. Made from high-quality multi-layered woven material – for constant water flow. | |
| Performance Premium hose, 1/2" -20 m | 81 | 2.645-324.0 | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology. | |
| Hose Performance Premium 1/2"-50m | 82 | 2.645-325.0 | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 50 m. With Kärcher Premium anti-torsion technology. | |
| Hose Performance Premium 5/8"-25m | 83 | 2.645-326.0 | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 25 m. With Kärcher Premium anti-torsion technology. | |
| Hose Performance Premium 5/8" -50m | 84 | 2.645-327.0 | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 50 m. With Kärcher Premium anti-torsion technology. | |

ACCESSORIES FOR K 4 1.679-500.0









1











| | | Order no. | Description | |
|--|----|-------------|--|-----|
| HOSES | | order no. | | _ |
| Hose set for pressure washers | 85 | 2.645-156.0 | Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex [®] hose (3/4"), G3/4 tag adaptor, $1 \times$ universal hose connector and universal connector with Aqua Stop. | p 🗆 |
| Water supply hose set | 86 | 2.645-258.0 | Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps. | |
| PrimoFlex* hose 1/2" - 20 m | 87 | 2.645-138.0 | The PrimoFlex [®] (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health Bursting pressure: 24 bar. | ۱. |
| PrimoFlex* hose 1/2" - 50 m | 88 | 2.645-139.0 | PrimoFlex [®] quality garden hose (1/2"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. | |
| Primo Flex* hose 5/8" - 25 m | 89 | 2.645-140.0 | PrimoFlex [®] quality garden hose (5/8"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. | |
| PrimoFlex [®] hose 5/8" - 50 m | 90 | 2.645-141.0 | PrimoFlex [®] quality garden hose (5/8"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. | |
| PrimoFlex* hose 3/4" - 25 m | 91 | 2.645-142.0 | PrimoFlex [®] quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. | |
| PrimoFlex [®] hose 3/4" - 50 m | 92 | 2.645-143.0 | PrimoFlex [®] quality garden hose (3/4"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. | |
| HOSE CONNECTION SYSTEMS | | | | |
| Universal hose coupling Plus | 93 | 2.645-193.0 | Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems. | |
| Universal hose coupling Plus with Aqua Stop | 94 | 2.645-194.0 | Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems. | |
| UNIVERSAL CLEANERS | | | | |
| Universal cleaner RM 626 | 95 | 6.295-753.0 | Powerful universal cleaner for use with Kärcher pressure washers. With new active dirt remover | 0 |
| | 96 | 6.295-754.0 | which effortlessly removes oil, grease and stubborn mineral-bearing dirt with just cold water. For use all around the house and garden and on vehicles. | 0 |
| | 97 | 6.295-755.0 | | 0 |
| VEHICLE MAINTENANCE | | · | | |
| Car shampoo 3-in-1 RM 610 + Interior cleaner RM 651 | 98 | 6.296-169.0 | RM 610 Car Shampoo for a sparkling finish thanks to its gentle cleaning and quick drying properties. Care and protection in a single step. With sample of RM 651 Interior Cleaner. | 0 |

ACCESSORIES FOR K 4 1.679-500.0



Т

| | | Order no. | Description | |
|---|-----|-------------|---|-----|
| VEHICLE MAINTENANCE | | | | |
| Insect Remover RM 618 | 99 | 6.295-761.0 | Gently removes insects from paint surfaces, radiator grilles, external mirrors, panels and plastic. | 0 |
| Insect remover RM 618 | 100 | 6.295-888.0 | | 0 |
| Car glass cleaner RM 650 | 101 | 6.296-105.0 | Streak- and glare-free cleaning of car windows and mirrors. Reliably removes insects, fingerprints and dirt from the street. With antistatic effect for low resoiling. | 0 |
| Interior cleaner RM 651 | 102 | 6.296-106.0 | For refreshingly clean interiors without odours: From the cockpit to the rubber seal, from the display through to the upholstery and artificial leather. With antistatic effect and effective odour neutralisation. | 0 |
| Cockpit care matt finish RM 652 | 103 | 6.296-107.0 | Deep-cleaning care and protection for all plastics and rubber surfaces. Leaves silk-matt surfaces that look as good as new, are pleasant to touch and are water- and dirt-repellent. | 0 |
| Polish & wax RM 660 | 104 | 6.296-108.0 | Intensive cleaning and washing- and weather-resistant preservation in a single step. Fine scratches and streaks are removed, and the original colour brilliance is restored. | s O |
| Rim cleaner premium RM 667 | 105 | 6.296-048.0 | With maximum cleaning power and quick-action formula. Helps remove all kinds of dirt picked up by all common rim types while on the road. The intelligent colour change indicates how the cleaning agent is taking effect over time. | 0 |
| Winter screen wash concentrate -60°C RM 670 | 106 | 6.296-109.0 | Cleaning and frost-protection agent for window- and headlight-cleaning systems. Prevents the windscreen from freezing and guarantees a streak- and glare-free view. | 0 |
| Summer screen wash 1:100 concentrate RM 672 | 107 | 6.296-110.0 | Highly effective cleaning concentrate for a streak- and glare-free view in summer. Effectively removes insect residues and bird droppings. Yield: 250 ml provides 25 l cleaning agent. | 0 |
| Car shampoo 3-in-1 RM 610 | 108 | 6.295-750.0 | Powerful car shampoo with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a quick-drying and ultra-shine formula. For outstanding cleaning efficiency, care and protection in one step. To gently clean all vehicle types. | 0 |
| Ultra foam cleaner RM 615 | 109 | 6.295-743.0 | With extra foam booster for an even deeper clean. Thanks to the new active dirt remover, it effortlessly and quickly removes even oil and greasy dirt, as well as typical vehicle dirt and road dirt. Phosphate-free and gentle on materials. | 0 |
| Bike cleaner RM 44 G | 110 | 6.295-763.0 | To manually clean motorbikes. Gently and effectively removes typical dirt such as brake dust, tyre wear, insects, mud and oil. A dream to use thanks to the sticky gel formula. | e 0 |
| ALL AROUND THE HOUSE | | | | |
| Glas Finisher EN | | | | |
| Glass finisher 3-in-1 RM 627 | 111 | 6.295-474.0 | Saves time and effort: the 3-in-1 glass finisher ensures lasting cleanliness without spots or streaks and is particularly suitable for large, hard-to-reach windows (such as winter gardens and glass facades). With protective formula to keep surfaces cleaner for longer. Not effective on coated glass surfaces. | |
| Stone cleaning & care | | | | _ |
| Outdoor surface protector RM 542 | 112 | 6.295-594.0 | The highly effective outdoor surface protector maintains surfaces in outside areas, refreshes the colour, protects against environmental influences and impresses with its high area performance. | 0 |

O Detergents.

ACCESSORIES FOR K 4 1.679-500.0



| | | Order no. | Description | |
|--|-----|-------------|--|-----|
| ALL AROUND THE HOUSE | | | | |
| Stone cleaning & care | | | | |
| Stone and Façade Cleaner 3-in-1 RM 611 | 113 | 6.295-765.0 | performance. With active dirt remover, protection formula against resoiling, and wind and weather protection. For outstanding cleaning efficiency, care and protection in one step. Can be used on stone terraces, walls and façades all around the house and garden. | 0 |
| Stone and paving cleaner 3-in-1 RM 611 | 114 | 6.295-766.0 | | 0 |
| | 115 | 6.295-767.0 | | 0 |
| Stone and cladding cleaner 3-in-1 RM 611 | 116 | 6.295-885.0 | | 0 |
| RM 611 | 117 | 6.296-227.0 | | 0 |
| Wood cleaning & care | | | | |
| Wood cleaner 3-in-1 RM 612 | 118 | 6.295-757.0 | Powerful wood cleaner with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a UV protection formula and intensive care. For outstanding cleaning efficiency, care and protection in one step. Can be used on all treated and untreated wooden outdoor surfaces. | 0 |
| | 119 | 6.295-882.0 | | 0 |
| | 120 | 6.295-883.0 | | 0 |
| Plastic cleaning & care | | | | |
| Plastic cleaner 3-in-1 RM 613 | 121 | 6.295-758.0 | Powerful plastic cleaner with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a colour and material protection formula. For outstanding cleaning efficiency, care and protection in one step. Can be used on garden furniture, PVC window frames and other plastic surfaces. | : 0 |

O Detergents.