




## BR 45/22 C Bp Pack

Fully equipped, battery powered BR 45/22 C Bp Pack scrubber drier. With rotating roller brush head and KART technology for maximum manoeuvrability with a large area performance.



### 1 Brush head rotatable by +/- 200° with KART technology

- Enables extreme manoeuvrability of the machine, even in areas with a lot of furniture and when negotiating curves.
- The brush is always transverse to the direction of travel. The squeegee reliably absorbs the water in every corner.

### 2 Includes high-performance lithium-ion battery

- Completely maintenance-free and with a service life that is up to three times longer than conventional batteries.
- Interim and partial charging possible as required.

### 3 Compact device design

- Makes it possible to drive away from walls at a 90° angle.
- The lack of machine protrusions make handling easier.

### 4 Includes sweeping function

- Efficiently sweep, scrub and vacuum in a single procedure.
- Vacuums small stones, splinter of wood and other small parts.



## BR 45/22 C Bp Pack

- Lithium-ion battery
- Built-in charger included in delivery
- Height-adjustable handlebar

### Technical data


<b>Order no.</b>	1.783-460.0	
<b>EAN code</b>	4039784997288	
<b>Supply voltage</b>	<b>V</b>	25.2
<b>Working width of brushes</b>	<b>mm</b>	450
<b>Working width, vacuuming</b>	<b>mm</b>	500
<b>Max. area performance</b>	<b>m<sup>2</sup>/h</b>	1800
<b>Tank of fresh/dirty water</b>	<b>l</b>	22 / 22
<b>Brush contact pressure</b>	<b>g/cm<sup>2</sup></b>	100 - 150
<b>Brush rotational speed</b>	<b>rpm</b>	750 - 1050
<b>Rated input power</b>	<b>W</b>	up to 550
<b>Battery capacity</b>	<b>Ah</b>	42
<b>Battery voltage</b>	<b>V</b>	25.2
<b>Dimensions (L x W x H)</b>	<b>mm</b>	970 × 530 × 1115

### Equipment

<b>Roller brush</b>	■
<b>2-tank system</b>	■
<b>Battery and built-in charger included</b>	■
<b>Variable contact pressure</b>	■
<b>Transport wheels</b>	■
<b>Squeegee, straight</b>	■
■ Included in the scope of supply.	

# BR 45/22 C BP PACK

## 1.783-460.0



		Order no.	Hardness grade	Length	Colour	Quantity	Price	Description	
<b>Roller brushes</b>									
Roller brush	1	4.762-392.0	medium	450 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	<input checked="" type="checkbox"/>
	2	4.762-406.0		450 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	<input type="checkbox"/>
	3	4.762-407.0	hard	450 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	<input type="checkbox"/>
	4	4.762-408.0	very hard	450 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>

Included in the scope of supply.
  Available accessories.


# BR 45/22 C BP PACK 1.783-460.0



		Order no.	Quantity				Price	Description	
<b>Filters</b>									
EPA filter	1	6.414-631.0	1 piece(s)					Washable EPA filter for BR 45/22 scrubber dryer and DS 6 spray extraction cleaner from Kärcher. Withholds tiny dust particles and allergens from the condensed moist air.	<input type="checkbox"/>

Included in the scope of supply.
  Available accessories.



# BR 45/22 C BP PACK 1.783-460.0



		Order no.	Hardness grade	Length	Diameter	Colour	Price	Description	
<b>Pad roller shafts</b>									
Pad roller shaft	1	4.762-413.0		450 mm				Pad roller shaft suitable for holding roller pads or microfibre rollers.	<input type="checkbox"/>
<b>Roller pads</b>									
Stripping roller	2	4.114-011.0		450 mm		brown		Very abrasive roller pad for chemical-free care film and decoating.	<input type="checkbox"/>
Roller pad on sleeve	3	6.367-105.0	soft	450 mm	96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	<input type="checkbox"/>
	4	6.367-107.0	medium	450 mm	96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	<input type="checkbox"/>
	5	6.367-106.0	hard	450 mm	96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	<input type="checkbox"/>
Roller pad	6	6.369-451.0	soft		96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	<input type="checkbox"/>
	7	6.369-452.0	hard		96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	<input type="checkbox"/>
	8	6.369-453.0	medium		96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	<input type="checkbox"/>
<b>Microfibre shaft</b>									
Microfibre roller	9	4.037-093.0		450 mm	96 mm	light green		Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# BR 45/22 C BP PACK 1.783-460.0




		Order no.	Length	Colour	Quantity	Price	Description	
<b>Squeegee blades</b>								
Squeegee blades	1	4.037-097.0	560 mm	transparent	2 -part		Grooved, oil-resistant, polyurethane.	<input type="checkbox"/>
	2	4.037-131.0	560 mm	red	2 -part		Ideal for profiled floor coverings: The tear-proof Linatex® suction lip set ensures very good wiping and suction results.	<input type="checkbox"/>

Included in the scope of supply.
  Available accessories.

# BR 45/22 C BP PACK

## 1.783-460.0



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
Add-on kit ecolzero	1	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	<input type="checkbox"/>
Filling hose	2	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	<input type="checkbox"/>
<b>Dosing aids</b>								
DS 3 Cleaning Agent Dosing Station	3	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.