## KARCHER

## BR 35/12 C BP PACK LI

High cleaning performance, manoeuvrability and low weight: the battery-powered BR 35/12 C scrubber dryer with KART technology is made from 30% recycled material to conserve resources.











1.783-467.0

- Energy-saving eco!efficiency mode
- Includes sweeping function
- Height-adjustable handlebar

Technical data		
EAN code		4054278610146
Drive type		Battery
Traction drive		Advance by brush rotation
Working width of brushes	mm	350
Working width, vacuuming	mm	450
Tank of fresh/dirty water	1	12 / 12
Theoretical area performance	m²/h	1400
Practical area performance	m²/h	1050
Battery type		Li-lon
Battery	V / Ah	25.2 / 21
Battery runtime	h	max. 1.5
Battery charging time	h	approx. 2.7
Power supply for battery charger	V / Hz	220 - 240 / 50 - 60
Brush rotational speed	rpm	700 - 1500
Brush contact pressure	g/cm² / kg	80 - 150 / 6 - 12
Aisle turning width	mm	1050
Water consumption	l/min	1
Sound pressure level	dB(A)	max. 65
Rated input power	W	500
Colour		anthracite
Total permissible weight	kg	48
Weight without accessories	kg	36
Dimensions (L × W × H)	mm	930 × 420 × 1100

Equipment		
Roller brush	Piece(s)	1
2-tank system		
Battery and built-in charger included		•
Variable contact pressure		
Transport wheels		
Squeegee, straight	Piece(s)	1
technical in the cases of sounds.		

Included in the scope of supply.

Users must receive training on this device.





### Includes high-performance lithium-ion battery

- Completely maintenance-free despite a lifetime that is three times longer than conventional batteries.
- Interim or partial charging is also possible where necessary.
- Fast charging (fully charged in three hours, half charged in one hour).



#### **Compact machine**

- Can be moved away from the wall at a 90° angle.
- No machine projections; easy handling.

### Sustainable: 30% recycled material and eco!efficiency mode

- Saves resources and extends the run time by up to 50%.
- 40% quieter.
- Reduced CO₂ emissions.

### KARCHER

# ACCESSORIES FOR BR 35/12 C BP PACK LI 1.783-467.0





























				Т
		Order no.	Description	
ROLLER BRUSHES		Order no.	Description	_
Roller brush, medium, red, 350 mm	1	4.037-031.0	Red standard roller brush for maintenance cleaning.	-
Roller brush, very soft, White, 350 mm	2	4.037-036.0	White roller brush for cleaning sensitive floor coverings.	
Roller brush, high / low, orange, 350 mm	3	4.037-037.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
Roller brush, hard, green, 350 mm	4	4.037-038.0	Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
SQUEEGEES AND SQUEEGEE BLADES				H
Squeegee blades				
Squeegee blades, Linatex®, 450 mm	5	4.037-127.0	Thanks to the good adaptability to floor coverings, the tear-proof Linatex® suction lip set is especially suitable for structured floors and ensures good wiping and suction results.	•
Squeegee blades, oil-resistant, grooved, 450 mm	6	4.037-035.0	Grooved, oil-resistant, polyurethane.	
KITS				
Fleet mounting kit				
Attachment kit Plug-in Connect Module	7	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment managemen system.	t
ROLLER PADS / ROLLER PAD SHAFTS				
Pad roller shafts				
Pad roller shaft, 350 mm	8	4.762-009.0	Roller pad shaft, aluminium For roller pads or microfibre rollers, length 350 mm.	
Roller pads		•		
Roller pad on sleeve, medium, red, 350 mm	9	6.369-047.0	Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	
Roller pad on sleeve, hard, green, 350 mm	10	6.369-052.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	
Microfibre shaft		•		
Microfibre roller, 350 mm	11	4.037-066.0	Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	
OTHER ACCESSORIES SCRUBBER DRIERS				
Miscellaneous				
Filling hose	12	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Dosing aids				
DS 3 Cleaning Agent Dosing Station	13	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	
SPRAY UNITS				
Pump spray bottle	14	6.394-409.0	1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleaning or crystallising.	; 🗆