

## BR 35/12 C BP PACK LI

High cleaning performance, manoeuvrability and low weight: the battery-powered BR 35/12 C scrubber dryer with KART technology is made from 30% recycled material to conserve resources.



Order no. 1.783-467.0

- Energy-saving ecoefficiency mode
- Includes sweeping function
- Height-adjustable handlebar

### Technical data

EAN code		4054278610146
Drive type		Battery
Traction drive		Advance by brush rotation
Working width, brushes	mm	350
Working width, vacuuming	mm	450
Fresh/dirty water tank	l	12 / 12
Theoretical area performance	m²/h	1400
Practical area performance	m²/h	1050
Battery type		Li-ion
Battery	V / Ah	25.2 / 21
Battery runtime	h	max. 1.5
Battery charging time	h	approx. 2.7
Power supply for battery charger	V / Hz	220 - 240 / 50 - 60
Brush speed	rpm	700 - 1500
Brush contact pressure	g/cm² / kg	80 - 150 / 6 - 12
aisle turning width	mm	1050
Water consumption	l/min	1
Sound pressure level	dB(A)	max. 65
Rated input power	W	500
Colour		anthracite
Permissible total weight	kg	48
Weight without accessories	kg	36
Dimensions (L × W × H)	mm	930 × 420 × 1100

### Equipment

Roller brush	Piece(s)	1
Two-tank system		■
Battery and built-in charger included		■
Variable contact pressure		■
Transport wheels		■
Squeegee, straight	Piece(s)	1

■ Included in the scope of supply.

This machine requires instruction.



## Includes high-performance lithium-ion battery

- Completely maintenance-free despite a lifetime that is three times longer than conventional batteries.
- Interim or partial charging is also possible where necessary.
- Fast charging (fully charged in three hours, half charged in one hour).



## Compact machine


- Can be moved away from the wall at a 90° angle.
- No machine projections; easy handling.

## Sustainable: 30% recycled material and ecoefficiency mode

- Saves resources and extends the run time by up to 50%.
- 40% quieter.
- Reduced CO<sub>2</sub> emissions.

## ACCESSORIES FOR BR 35/12 C BP PACK LI

1.783-467.0



		Order no.	Description	
<b>ROLLER BRUSHES</b>				
Roller brush, medium, red, 350 mm	1	4.037-031.0	Red standard roller brush for maintenance cleaning.	■
Roller brush, very soft, White, 350 mm	2	4.037-036.0	White roller brush for cleaning sensitive floor coverings.	□
Roller brush, high / low, orange, 350 mm	3	4.037-037.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	□
Roller brush, hard, green, 350 mm	4	4.037-038.0	Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	□
<b>SQUEEGEES AND SQUEEGEE BLADES</b>				
<b>Squeegee blades</b>				
Squeegee blades, Linatex®, 450 mm	5	4.037-127.0	Thanks to the good adaptability to floor coverings, the tear-proof Linatex® suction lip set is especially suitable for structured floors and ensures good wiping and suction results.	■
Squeegee blades, oil-resistant, grooved, 450 mm	6	4.037-035.0	Grooved, oil-resistant, polyurethane.	□
<b>KITS</b>				
<b>Fleet mounting kit</b>				
Attachment kit Plug-in Connect Module	7	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	□
<b>ROLLER PADS / ROLLER PAD SHAFTS</b>				
<b>Pad roller shafts</b>				
Pad roller shaft, 350 mm	8	4.762-009.0	Roller pad shaft, aluminium For roller pads or microfibre rollers, length 350 mm.	□
<b>Roller pads</b>				
Roller pad on sleeve, medium, red, 350 mm	9	6.369-047.0	Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	□
Roller pad on sleeve, hard, green, 350 mm	10	6.369-052.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	□
<b>Microfibre shaft</b>				
Microfibre roller, 350 mm	11	4.037-066.0	Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	□
<b>OTHER ACCESSORIES SCRUBBER DRIERS</b>				
<b>Miscellaneous</b>				
Filling hose	12	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
<b>Dosing aids</b>				
DS 3 Cleaning Agent Dosing Station	13	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	□
<b>SPRAY UNITS</b>				
Pump spray bottle	14	6.394-409.0	1-litre pump spray bottle - including pump and pressure tank - easy, uniform spraying for cleaning or crystallising.	□

■ Included in the scope of supply. □ Available accessories.