




Circular sprinkler RS 120/2

Circular sprinkler RS 120/2 with adjustable spray angle ideal for watering medium-sized areas and gardens. Covers up to 113 m².



1 Adjustable spray angle

- For watering as required



Circular sprinkler RS 120/2

Technical data		
Order no.		2.645-020.0
EAN code		4039784289031
Water volume		16 l/min
Sprinkling diameter (2 bar)		≤ 8 m
Sprinkling diameter (4 bar)		≤ 12 m
Sprinkling area (2 bar)		50 m ²
Sprinkling area (4 bar)		113 m ²
Weight	kg	0.18
Weight incl. packaging	kg	0.22
Dimensions (L x W x H)	mm	200 x 248 x 110

CIRCULAR SPRINKLER RS 120/2

2.645-020.0



		Order no.					Price	Description	
Hoses									
PrimoFlex® hose 1/2" - 20 m	1	2.645-138.0						The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	☐
Hose connection systems									
Universal Hose Connector with Aqua Stop	2	2.645-192.0						Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	☐
Universal Hose Connector	3	2.645-191.0						Ergonomically designed universal hose coupling for convenient handling.	☐

☐ Available accessories.