


High stability and sturdiness

- Thanks to the extra wide base and low centre of gravity of the hose reel.



Practical nozzle holder

- Nozzles and spray lances can be hung on the wall bracket for convenient storage.



Quick-release lever for securing the telescopic handle

- Compact storage.

COMPATIBLE MACHINES

- K 1 Entry *MX
- K 2
- K 2 Battery
- K 2 Classic
- K 2 Classic Car
- K 2 Classic Car & Home
- K 2 Classic Home
- K 2 Horizontal
- K 2 Horizontal *MX
- K 2 OPP *GB
- K 2 Power Control
- K 2 Power Control Car
- K 2 Power Control Car & Home
- K 2 Power Control Home
- K 2 Premium
- K 2 Premium Horizontal
- K 2 Premium Power Control
- K 2 Premium Power Control Home
- K 2 Universal Edition
- K 2 Universal Edition Car
- K 2 Universal Edition Car *MX
- K 2 Universal Edition Home
- K 2 Universal Edition OJ
- K 2 Universal Edition Promo
- K 3
- K 3 Car
- K 3 Car & Home
- K 3 Classic
- K 3 Classic Car
- K 3 Classic Car & Home
- K 3 Classic Home
- K 3 Home
- K 3 Horizontal
- K 3 Horizontal Plus
- K 3 Horizontal Plus Home
- K 3 Induction
- K 3 Power Control
- K 3 Power Control Car
- K 3 Power Control Car & Home
- K 3 Power Control Home
- K 3 Power Control Home & Pipe
- K 3 Power Control Home T 5
- K 3 Premium
- K 3 Premium Power Control
- K 3 Premium Power Control Car & Home
- K 3 Premium Power Control Home
- K 4
- K 4 Classic
- K 4 Classic Car
- K 4 Classic Home
- K 4 Power Control
- K 4 Premium
- K 4 Premium Silent Veranda 60Hz
- K 5 Classic
- K 5 Classic Car & Home
- K 5 Classic Home
- K 5 Modular UM
- K 5 Power Control
- K 5 Premium Power Control Home
- K 5 WCM Premium
- K 7 Premium Smart Control
- K Mini
- K Mini Plus
- K2 Follow Me Cordless
- KHB 4-18
- KHB 4-18 Battery Set
- KHB 4-18 Plus Battery Set
- KHB 6
- KHB 6 Battery Set
- KHB 6 Battery Set *JP
- PCL 3-18
- PCL 3-18 Battery Set
- PCL 6

ACCESSORIES FOR HT 3.20 SET 2.645-364.0



		Order no.	Description	
HOSES				
PrimoFlex® hose 1/2" - 20 m	1	2.645-138.0	The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	■
Hose Performance Plus 1/2" -20m	2	2.645-318.0	Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	□
Performance Premium hose, 1/2" -20 m	3	2.645-324.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	□
HOSE CONNECTION SYSTEMS				
G3/4 tap adaptor with G1/2 reducer	4	2.645-006.0	Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	■
Universal hose coupling Plus	5	2.645-193.0	Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	□
Universal hose coupling Plus with Aqua Stop	6	2.645-194.0	Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	□
NOZZLES AND SPRAY LANCES				
Nozzle	7	2.645-264.0	Small, convenient and easy to connect to the garden hose: the ideal nozzle for uncomplicated watering tasks.	■
Multifunctional spray gun	8	2.645-266.0	The simple multi-functional spray gun with 3 spraying patterns: Shower, point and cone jet. Thanks to the lockable trigger, it is ideal for continuous watering of many different plants.	□
Metall multifunctional spray gun Premium	9	2.645-271.0	With the high-quality multi-functional spray gun made from long-lasting metal, different plants can be watered according to requirements. Includes rotatable handle and drip-free spray head.	□
Premium spray lance	10	2.645-137.0	Robust, long-lasting premium spray lance in top equipment. For watering small and medium-sized areas. Diverse areas of use - from ground-level watering to working above head height.	□
SPRINKLERS				
OS 5.320 SV oscillating sprinkler	11	2.645-135.0	OS 5.320 SV oscillating sprinkler with adjustable width of spray and splash guard for convenient alignment. For medium-sized/large surfaces up to 320 m2. Adjustable water volume (0-max.)	□

■ Included in the scope of supply. □ Available accessories.