



## HBX 5.35 AUTOMATIC

Always ready for use: hose box for convenient and flexible watering. With a 35 m hose and automatic hose retraction - no more bending down, cranking or getting your hands dirty.



Order no.

2.645-381.0

- FlexChange: innovative technology for tool-free removal of the box from the wall bracket or hose spike
- Automatic hose retraction
- Can be swivelled through 180° thanks to practical wall bracket

### Technical data

|                        |     |                 |
|------------------------|-----|-----------------|
| EAN code               |     | 4066529016270   |
| Hose length            | m   | 35              |
| Hose diameter          |     | 11 mm           |
| Connection hose        | m   | 1.5 (1/2")      |
| Bursting pressure      | bar | 24              |
| Colour                 |     | Black           |
| Weight                 | kg  | 13              |
| Weight incl. packaging | kg  | 17.2            |
| Dimensions (L × W × H) | mm  | 810 × 220 × 595 |

### Equipment

|                                      |          |     |
|--------------------------------------|----------|-----|
| Kit                                  |          | ■   |
| Automatic hose retraction            |          | ■   |
| Hose guide                           |          | ■   |
| Nozzle holder                        |          | ■   |
| Hose coupling                        | Piece(s) | 2   |
| Hose connector with Aqua Stop        | Piece(s) | 1   |
| G 3/4 tap adaptor with G 1/2 reducer | Piece(s) | 1   |
| Nozzle                               | Piece(s) | 1   |
| Spraying pattern: cone jet           |          | ■   |
| Spraying pattern: point jet          |          | ■   |
| Wall bracket incl. screws and dowels |          | ■   |
| Primoflex connection hose            | m        | 1.5 |

■ included in the scope of supply.




### FlexChange

- No screws, no tools, no stress: with the unique Kärcher FlexChange system, the hose box can be removed from the wall bracket or hose spike in seconds (e.g. in winter).



### Practical nozzle holder

- Nozzles and spray lances can be hung on the wall bracket for convenient storage.



### Hose storage

- Pull briefly on the end of the hose and the hose retractor will retract the hose fully automatically. Maximum comfort without knots, cranks or getting your hands dirty.

## COMPATIBLE MACHINES

- K 1 Entry \*MX
- K 2
- K 2 Battery
- K 2 Classic
- K 2 Classic Car
- K 2 Classic Car & Home
- K 2 Classic Home
- K 2 Horizontal
- K 2 Horizontal \*MX
- K 2 OPP \*GB
- K 2 Power Control
- K 2 Power Control Car
- K 2 Power Control Car & Home
- K 2 Power Control Home
- K 2 Premium
- K 2 Premium Horizontal
- K 2 Premium Power Control
- K 2 Premium Power Control Home
- K 2 Universal Edition
- K 2 Universal Edition Car
- K 2 Universal Edition Car \*MX
- K 2 Universal Edition Home
- K 2 Universal Edition OJ
- K 2 Universal Edition Promo
- K 3
- K 3 Car
- K 3 Car & Home
- K 3 Classic
- K 3 Classic Car
- K 3 Classic Car & Home
- K 3 Classic Home
- K 3 Home
- K 3 Horizontal
- K 3 Horizontal Plus
- K 3 Horizontal Plus Home
- K 3 Induction
- K 3 Power Control
- K 3 Power Control Car
- K 3 Power Control Car & Home
- K 3 Power Control Home
- K 3 Power Control Home & Pipe
- K 3 Power Control Home T 5
- K 3 Premium
- K 3 Premium Power Control
- K 3 Premium Power Control Car & Home
- K 3 Premium Power Control Home
- K 4
- K 4 Classic
- K 4 Classic Car
- K 4 Classic Home
- K 4 Power Control
- K 4 Premium
- K 4 Premium Silent Veranda 60Hz
- K 5 Modular UM
- K 5 Power Control
- K 5 Premium Power Control Home
- K 5 WCM Premium
- K 7 Premium Smart Control
- K Mini
- K Mini Plus
- K2 Follow Me Cordless
- KHB 4-18
- KHB 4-18 Battery Set
- KHB 4-18 Plus Battery Set
- KHB 6
- KHB 6 Battery Set
- KHB 6 Battery Set \*JP
- PCL 3-18
- PCL 3-18 Battery Set
- PCL 6

## ACCESSORIES FOR HBX 5.35 AUTOMATIC 2.645-381.0



|  |    | Order no.   | Description  |   |
|--|----|-------------|--|---|
| <b>HOSE CONNECTION SYSTEMS</b>                 |    |             |  |   |
| G3/4 tap adaptor with G1/2 reducer             | 1  | 2.645-006.0 | Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.  | ■ |
| Premium universal hose coupling                | 2  | 2.645-195.0 | Premium universal hose coupling made of metal. Comes with a robust hose clamp made of corrosion-free aluminium and soft plastic recessed grips. Compatible with all click systems.               | □ |
| Premium universal hose coupling with Aqua Stop | 3  | 2.645-196.0 | Premium universal hose coupling made of metal. Comes with Aqua Stop and a robust hose clamp made of corrosion-free aluminium and soft plastic recessed grips. Compatible with all click systems. | □ |
| Universal hose coupling Plus                   | 4  | 2.645-193.0 | Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.   | □ |
| Universal hose coupling Plus with Aqua Stop    | 5  | 2.645-194.0 | Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.   | □ |
| <b>NOZZLES AND SPRAY LANCES</b>                |    |             |  |   |
| Nozzle   | 6  | 2.645-264.0 | Small, convenient and easy to connect to the garden hose: the ideal nozzle for uncomplicated watering tasks.   | ■ |
| Metall multifunctional spray gun Premium       | 7  | 2.645-271.0 | With the high-quality multi-functional spray gun made from long-lasting metal, different plants can be watered according to requirements. Includes rotatable handle and drip-free spray head.    | □ |
| Premium spray lance                            | 8  | 2.645-137.0 | Robust, long-lasting premium spray lance in top equipment. For watering small and medium-sized areas. Diverse areas of use - from ground-level watering to working above head height.            | □ |
| <b>HOSE STORAGE AND HOSE TROLLEY</b>           |    |             |  |   |
| Ground Spike                                   | 9  | 2.645-382.0 | The ground spike for Kärcher hose boxes for flexible placement anywhere in the garden. The hose box can be swivelled around 360° on the ground spike for maximum freedom of movement.            | □ |
| <b>SPRINKLERS</b>                              |    |             |  |   |
| OS 5.320 SV oscillating sprinkler              | 10 | 2.645-135.0 | OS 5.320 SV oscillating sprinkler with adjustable width of spray and splash guard for convenient alignment. For medium-sized/large surfaces up to 320 m2. Adjustable water volume (0-max.)       | □ |

■ Included in the scope of supply. □ Available accessories. ○ Detergents.