

IVM 40/24-2 M ACD SET

The IVM 40/24-2 M ACD Set dual-motor mobile middle class industrial vacuum cleaner, which includes accessories, impresses when it comes to picking up fine and coarse combustible types of dust.



Order no.

9.990-992.0

- ACD - Applied for Combustible Dust
- Stainless steel container, Pull-and-Clean filter cleaning, 4 accessories holders

Technical data

EAN code		4066529216144
Number of current phases	Ph	1
Voltage	V	220 - 240
Frequency	Hz	50 - 60
Air flow	l/s / m³/h	100 / 360
Vacuum	mbar / kPa	225 / 22.5
Container capacity	l	40
Container material		Stainless steel
Rated input power	kW	2.3
Vacuuming type		Electric
Connection nominal diameter		DN 70
Accessory nominal diameter		DN 50
Sound pressure level	dB(A)	77
Cable length	m	10
Main filter dust class		M
Filter area for main filter	m²	1.5
Colour		silver
Weight without accessories	kg	34.5
Weight incl. packaging	kg	35.6
Dimensions (L × W × H)	mm	645 × 655 × 1157

Equipment

- Main filter: Star filter
- Accessories included in the scope of delivery: yes
- Container emptying: Set-down trolley



ACD – Applied for Combustible Dust

- For the safe and economical vacuuming of combustible dusts.
- Conforms to the IEC 60335-2-69 standard.



Dust class M

- Complete device certified according to DIN EN 60335-2-69 for dust class M.



Manual pull-and-clean filter cleaning

- Filter is cleaned in a single step during operation.
- Low-wear dedusting by means of air reversal.

ACCESSORIES FOR IVM 40/24-2 M ACD SET

9.990-992.0



		Order no.	Description	
NOZZLES				
Standard nozzles				
Standard nozzle silicone FDA transparent DN-F50	1	9.989-844.0		■
Standard nozzle silicone FDA blue DN-F50	2	9.989-841.0		□
Standard nozzle silicone FDA green DN-F50	3	9.989-842.0		□
Standard nozzle silicone FDA red DN-F50	4	9.989-843.0		□
Standard nozzle silicone FDA white DN-F50	5	9.989-845.0		□
Standard nozzle silicone FDA yellow DN-F50	6	9.989-846.0		□
Standard PVC nozzle DN50	7	9.989-673.0	Electroconductive standard PVC nozzle. DN 50.	□
Standard nozzle silicone DN50	8	9.988-402.0		□
Standard nozzle cuttable rubber DN50	9	9.989-675.0	Standard nozzle, electroconductive, made from cuttable rubber. DN 50.	□
Standard aluminium nozzle DN50	10	9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	□
Flexible standard nozzles				
Standard nozzle flexible PVC DN50	11	9.981-421.0	Electroconductive, flexible round nozzle made from galvanised steel, DN 50, with rubber mouthpiece DN 30.	□
Floor nozzles				
Floor nozzle stainless steel AISI 316L DN-F50 blue	12	9.989-862.0		□
Floor nozzle stainless steel AISI 316L DN-F50 green	13	9.989-864.0		□
Floor nozzle stainless steel AISI 316L DN-F50 red	14	9.989-866.0		□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVM 40/24-2 M ACD SET

9.990-992.0



		Order no.	Description	
NOZZLES				
Floor nozzles				
Floor nozzle stainless steel AISI 316L DN-F50 transparent	15	9.989-868.0		☐
Floor nozzle stainless steel AISI 316L DN-F50 white	16	9.989-870.0		☐
Floor nozzle stainless steel AISI 316L DN-F50 yellow	17	9.989-872.0		☐
Floor nozzle stainless steel AISI 316L DN-F50	18	9.989-915.0		☐
Floor nozzle stainless steel 400 mm DN-F50	19	9.989-935.0		☐
Floor nozzle aluminium 400 mm DN-F50	20	9.989-937.0		☐
Aluminium floor nozzle 370 mm DN50	21	9.989-664.0	Floor nozzle. 370 mm, made from aluminium. DN 50.	☐
Aluminium floor nozzle, el, 370 mm, DN50	22	9.987-612.0	Electroconductive multi-purpose floor nozzle. 370 mm wide, DN 50.	☐
Aluminium floor nozzle 500 mm DN50	23	9.989-684.0	Floor nozzle, 500 mm, made from aluminium. Electroconductive. DN 50.	☐
Stainless steel floor nozzle el 370 mm DN50	24	9.988-115.0	Floor nozzle (370 mm) made from stainless steel, electroconductive, DN 50.	☐
Wide nozzles				
Lane nozzle set	25	9.991-032.0		☐
Crevice nozzles				
Crevice nozzle stainless steel DN50	26	9.989-283.0		☐
Crevice nozzle PP 15 mm × 145 mm DN50	27	9.988-117.0	Electroconductive, flat multi-purpose crevice nozzle made from plastic, DN 52.	☐
Crevice nozzle 25 mm × 120 mm DN50	28	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width.	☐

☐ Available accessories.

ACCESSORIES FOR IVM 40/24-2 M ACD SET 9.990-992.0



		Order no.	Description	
NOZZLES				
Crevice nozzles				
Stainless steel crevice nozzle 22 mm × 220 mm DN 50	29	9.988-123.0	Stainless steel crevice nozzle, DN 50, suitable for use with foods.	☐
Flexible crevice nozzles				
Crevice nozzle flexible silicone FDA DN-F50 transparent	30	9.989-847.0		☐
Flexible crevice nozzle 12 mm × 45 mm DN50	31	9.981-424.0	Flexible, electroconductive galvanised crevice nozzle, DN 50, with 13 mm slot width.	☐
Flexible crevice nozzle 20 mm × 45 mm DN50	32	9.981-425.0	Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 50.	☐
Surface nozzles				
Silicone surface nozzle FDA blue DN-F50	33	9.989-850.0		☐
Silicone surface nozzle FDA green DN-F50	34	9.989-852.0		☐
Silicone surface nozzle FDA red DN-F50	35	9.989-854.0		☐
Silicone surface nozzle FDA transparent DN-F50	36	9.989-856.0		☐
Silicone surface nozzle FDA white DN-F50	37	9.989-858.0		☐
Silicone surface nozzle FDA yellow DN-F50	38	9.989-860.0		☐
Silicone surface nozzle 120 mm DN50	39	9.988-119.0	Electroconductive rubber nozzle, angled, DN 50, suitable for use with foods.	☐
HOSES				
PVC				
Hose PVC DN50 3 m	40	9.989-964.0		■
Hose PVC DN50 5 m	41	9.989-965.0		☐
Hose PVC DN50 3 m	42	9.989-615.0	Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 3 m.	☐

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVM 40/24-2 M ACD SET 9.990-992.0



		Order no.	Description	
HOSES				
PVC				
Hose PVC DN50 5 m	43	9.989-616.0	Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 5 m.	☐
PO-Schläuche				
Hose PO el. ø50mm 3m	44	9.990-924.0		☐
EVA hoses				
Hose EVA, hose connectors stainless steel, DN 50 3 m	45	9.989-984.0		☐
Hose EVA, hose connectors stainless steel, DN 50 5 m	46	9.989-985.0		☐
Hose EVA NW50 3 m	47	9.988-090.0	Electroconductive hose with NW50. Suitable for temperatures up to 65°C. Length: 3 m.	☐
Hose EVA NW50 5 m	48	9.988-091.0		☐
PU hoses				
Hose PU FDA, hose connectors stainless steel, DN 50 3 m	49	9.989-973.0		☐
Hose PU FDA, hose connectors stainless steel, DN 50 5 m	50	9.989-974.0		☐
HANDLES				
Handle stainless steel AISI 304 DN50	51	9.989-897.0		☒
Handle straight stainless steel AISI 304 DN50	52	9.989-899.0		☐
Hand grip el. ø50mm IK50 – AK50	53	9.990-930.0		☐
Handle DN50, curved	54	9.977-678.0	Electroconductive and 45° curved handle made from stainless steel. Inner cone DN 50.	☐
Stainless steel handle NW50	55	9.988-111.0	Curved and electroconductive handle made from stainless steel. Angle 45°, inner cone NW 50.	☐
OTHER ACCESSORIES				
Accessories holder completely	56	9.991-147.0		☒

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVM 40/24-2 M ACD SET

9.990-992.0



		Order no.	Description	
OTHER ACCESSORIES				
Power cable storage compartment	57	5.037-240.0	The power cord is stored on a hook attached to the tubular frame. The practical cord hook is suitable for a pipe diameter of 30 to 32 mm.	■
Cable drum 25 m (3 × 1.5 ʔ)	58	9.982-080.0	AC cable drum with 25 m cable, for fixing in accessories holder 6.415-930.0.	□
SUCTION TUBES				
Suction tube stainless steel AISI 304 DN50	59	9.989-913.0		□
Suction tube el. ø50mm IK50 - AK50	60	9.990-934.0		□
Suction tube 850 mm DN 50	61	9.977-531.0	850 mm long extension tube made from steel. Electroconductive and with inner cone DN 50.	□
Aluminium suction tube 1500 mm NW50	62	9.989-035.0	Electrically conductive suction tube (1500 mm) made of aluminium with 50 mm diameter.	□
Stainless steel suction tube 850 mm NW50	63	9.988-114.0	Electroconductive extension tube made from stainless steel. Inner cone NW 50.	□
ADAPTERS / REDUCERS / DISTRIBUTORS				
Reducers/expanders				
Stainless steel reducer DN 70 to DN 50	64	9.989-712.0		■
Reducer DN 70 to DN 50	65	9.977-772.0		□
Accessories adapter				
Adapter Food DN-F50	66	9.993-011.0		□
Distributor				
AISI 304 stainless steel manifold DN70 to DN40	67	9.989-895.0		□
Y-piece fitting DN50 to DN40	68	9.981-149.0	Manifold, electroconductive, steel, DN 50/40/40.	□
FILTERS				
Bag/star filter				
Star filter PE/PTFE el. M 1,6m²	69	9.990-222.0		■
Star filter M NOMEX 1,6m²	70	9.991-243.0		□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVM 40/24-2 M ACD SET

9.990-992.0



		Order no.	Description	
EMPTYING SUPPORTS				
Emptying bags				
Disposal bag ø540 mm 50 l 5x	71	9.989-606.0	For dust-free emptying: 5 PE emptying bags with 50 l capacity. Diameter: 540 mm.	■
PE emptying bag dia. 540 mm 50 l	72	9.977-885.0		□
ACCESSORY SETS				
Accessory kit for solids/dust				
Food accessory kit Expert DN 50	73	9.989-941.0	Food accessory kit: PU hose 3 m (9.989-973.0), handle (9.989-899.0), standard nozzle (9.989-844.0), brush (9.989-880.0), reducer (9.989-712.0), adapter (9.993-011.0).	□
Accessory kit for overhead cleaning DN 50 Expert	74	9.989-943.0	Accessory kit DN 50 for overhead cleaning: suction tubes (9.989-921.0/9.993-009.0), handles (9.989-917.0/9.989-919.0), standard nozzle (9.989-844.0), brush (9.989-880.0), adapter (9.993-011.0).	□
Floor cleaning kit dry Professional DN 40	75	9.990-877.0	Professional dry floor cleaning set: adapter (9.990-874.0), hose (2.889-141.0), bend (2.889-172.0), 2 × suction tube (2.889-194.0), 3 × nozzles (6.906-958.0, 6.903-033.0, 6.902-105.0).	□
Floor cleaning kit dry Advanced DN 40	76	9.990-893.0	Advanced dry floor cleaning set: EVA hose (9.990-923.0), handle (9.990-929.0), 2 × suction tube (9.990-933.0), floor nozzle (9.990-935.0), standard nozzle (9.980-773.0).	□
Floor cleaning kit dry Advanced DN 50	77	9.990-894.0	Advanced dry floor cleaning set: EVA hose (9.990-924.0), handle (9.990-930.0), 2 × suction tube (9.990-934.0), floor nozzle (9.990-936.0), standard nozzle (9.980-761.0).	□
Expert oven accessory kit, DN 35	78	9.991-106.0	Accessory kit for oven cleaning: adapter (9.990-987.0), adapter (5.031-436.0), suction hose (4.440-731.0), suction tube (4.321-161.0), 2 × suction tube (6.902-124.0), oven nozzle (4.130-104.0).	□
Accessory kit for solids/dust DN 50 Expert	79	9.989-662.0	Accessory kit DN 50 for industrial vacuum cleaners (solids and dust): EVA hose (9.988-090.0), handle (9.977-678.0), standard nozzle (9.988-402.0), reducer (9.977-772.0).	□
BRUSHES				
Standard brushes				
Standard brush 40 mm DN50	80	9.981-432.0	Flat brush nozzle DN 50.	□
End brushes				
Brush FDA blue ø 75 mm DN-F50	81	9.989-874.0		□
Brush FDA green ø 75 mm DN-F50	82	9.989-876.0		□
Brush FDA red ø 75 mm DN-F50	83	9.989-878.0		□
Brush FDA white ø 75 mm DN-F50	84	9.989-880.0		□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVM 40/24-2 M ACD SET

9.990-992.0



		Order no.	Description	
BRUSHES				
End brushes				
Brush FDA yellow ø 75 mm DN-F50	85	9.989-882.0		☐
Surface brushes				
Surface brush 300 mm DN50	86	9.981-912.0	Vacuum brush, 300 mm, with 45° connection, with star screw, horsehair bristles.	☐
Cylinder brushes				
Cylinder brush ø 100 mm DN-F50	87	9.989-925.0		☐
Cylinder brush ø 200 mm DN-F50	88	9.989-926.0		☐
PRE-SEPARATORS				
Pre-separator				
Pre-separator station SB 100L	89	9.982-243.0		☐
Pre-separator Ef solid materials 100 l DN70	90	9.982-238.0	Mobile pre-separator station with 100 l capacity and discharge flap.	☐
Pre-separator dust 60 l DN50	91	9.989-688.0		☐
Pre-separator drum 200 l	92	9.989-685.0	Standard drum which complies with the ISO 15750-2 standard.	☐
Pre-separator lid				
Pre-separator lid DN 50, for 200 l drum	93	9.981-659.0		☐
Pre-separator cover Op liquids ø 575 mm DN70	94	9.981-662.0	Pre-separator cover DN 70 for 200 litre standard drum (9.989-685.0).	☐
Pre-separator cover solid materials ø 517 mm DN70	95	9.981-665.0	Pre-separator cover DN 70. Suitable for containers with 517 mm diameter.	☐
Pre-separator cover solid materials ø 575 mm DN70	96	9.981-661.0	Pre-separator cover DN 70 for 200 litre standard drum (9.989-685.0).	☐

☐ Available accessories.