

## IVR-L 100/24-2 TC ME SET

The IVR-L 100/24-2 Tc Me industrial vacuum kit in glass bead blasted stainless steel design is suitable for vacuuming and separating liquids and solids as well as corrosive media.



Order no. 9.990-998.0

- 360° working radius
- Plastic proportionately made from recycled material

### Technical data

|                             |            |                  |
|-----------------------------|------------|------------------|
| EAN code                    |            | 4066529216717    |
| Number of current phases    | Ph         | 1                |
| Voltage                     | V          | 220 - 240        |
| Frequency                   | Hz         | 50 - 60          |
| Air flow                    | l/s / m³/h | 148 / 532        |
| Vacuum                      | mbar / kPa | 230 / 23         |
| Container capacity          | l          | 100              |
| Container material          |            | Stainless steel  |
| Rated input power           | kW         | 2.4              |
| Vacuuming type              |            | Electric         |
| Connection nominal diameter |            | DN 50            |
| Accessory nominal diameter  |            | DN 50            |
| Main filter dust class      |            | L                |
| Filter area for main filter | m²         | 0.45             |
| Cable length                | m          | 10               |
| Weight without accessories  | kg         | 66.2             |
| Weight (with accessories)   | kg         | 66.2             |
| Weight incl. packaging      | kg         | 66.9             |
| Dimensions (L × W × H)      | mm         | 844 × 637 × 1325 |

### Equipment

Main filter: Surface filter

Accessories included in the scope of delivery: yes



## Ergonomic tilting chassis

- Sophisticated system for safe, manual, effortless emptying.
- Chassis system enables ergonomic tilted emptying using the roll-off mechanism.
- Quick and easy emptying of the container: just tip backwards and you are done!



## High-quality stainless steel collection container

- Very easy to clean.
- Suitable for corrosive suction material.
- Transparent hose as filling level indicator and for draining liquids.



## High robustness, flexibility and modularity

- The machine and chassis feature reinforced wall thicknesses and are designed for continuous industrial use.
- Rotatable hose connection with up to 360° rotatable pipe bend.
- Optionally available with overfill protection, strainer or accessories holder.

SUSTAINABILITY ASPECTS OF IVR-L 100/24-2 TC ME SET  
9.990-998.0

| Sustainability aspects of Beyond Cleaning |   |    |                                         |
|-------------------------------------------|---|----|-----------------------------------------|
| Recycled plastics share device            | % | 35 | All plastic parts excluding accessories |

## ACCESSORIES FOR IVR-L 100/24-2 TC ME SET

### 9.990-998.0



|                                                    |    | Order no.   | Description                                                                                               |   |
|----------------------------------------------------|----|-------------|-----------------------------------------------------------------------------------------------------------|---|
| <b>NOZZLES</b>                                     |    |             |                                                                                                           |   |
| <b>Standard nozzles</b>                            |    |             |                                                                                                           |   |
| Standard PVC nozzle DN50                           | 1  | 9.989-673.0 | Electroconductive standard PVC nozzle. DN 50.                                                             | ■ |
| Mouth piece elastic nozzle DN 50                   | 2  | 9.980-761.0 |                                                                                                           | □ |
| Standard nozzle silicone FDA blue DN-F50           | 3  | 9.989-841.0 |                                                                                                           | □ |
| Standard nozzle silicone FDA green DN-F50          | 4  | 9.989-842.0 |                                                                                                           | □ |
| Standard nozzle silicone FDA red DN-F50            | 5  | 9.989-843.0 |                                                                                                           | □ |
| Standard nozzle silicone FDA transparent DN-F50    | 6  | 9.989-844.0 |                                                                                                           | □ |
| Standard nozzle silicone FDA white DN-F50          | 7  | 9.989-845.0 |                                                                                                           | □ |
| Standard nozzle silicone FDA yellow DN-F50         | 8  | 9.989-846.0 |                                                                                                           | □ |
| Standard nozzle silicone DN50                      | 9  | 9.988-402.0 |                                                                                                           | □ |
| Standard nozzle cuttable rubber DN50               | 10 | 9.989-675.0 | Standard nozzle, electroconductive, made from cuttable rubber. DN 50.                                     | □ |
| Standard aluminium nozzle DN50                     | 11 | 9.980-749.0 | Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.                                   | □ |
| <b>Flexible standard nozzles</b>                   |    |             |                                                                                                           |   |
| Standard nozzle flexible PVC DN50                  | 12 | 9.981-421.0 | Electroconductive, flexible round nozzle made from galvanised steel, DN 50, with rubber mouthpiece DN 30. | □ |
| Standard nozzle, flexible, angled 90° PP DN50      | 13 | 9.981-430.0 | Flexible, electroconductive angled nozzle, DN 50, length: 800 mm.                                         | □ |
| <b>Floor nozzles</b>                               |    |             |                                                                                                           |   |
| Floor nozzle stainless steel AISI 316L DN-F50 blue | 14 | 9.989-862.0 |                                                                                                           | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR IVR-L 100/24-2 TC ME SET

### 9.990-998.0



|                                                           |    | Order no.   | Description                                                                           |                          |
|-----------------------------------------------------------|----|-------------|---------------------------------------------------------------------------------------|--------------------------|
| <b>NOZZLES</b>                                            |    |             |                                                                                       |                          |
| <b>Floor nozzles</b>                                      |    |             |                                                                                       |                          |
| Floor nozzle stainless steel AISI 316L DN-F50 green       | 15 | 9.989-864.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 red         | 16 | 9.989-866.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 transparent | 17 | 9.989-868.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 white       | 18 | 9.989-870.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 yellow      | 19 | 9.989-872.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50             | 20 | 9.989-915.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel 400 mm DN-F50                | 21 | 9.989-935.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle aluminium 400 mm DN-F50                      | 22 | 9.989-937.0 |                                                                                       | <input type="checkbox"/> |
| Aluminium floor nozzle 200 mm DN50                        | 23 | 9.981-426.0 | Floor nozzle, DN 50, with 200 mm suction width.                                       | <input type="checkbox"/> |
| Aluminium floor nozzle 370 mm DN50                        | 24 | 9.989-664.0 | Floor nozzle. 370 mm, made from aluminium. DN 50.                                     | <input type="checkbox"/> |
| Aluminium floor nozzle 500 mm DN50                        | 25 | 9.989-684.0 | Floor nozzle, 500 mm, made from aluminium. Electroconductive. DN 50.                  | <input type="checkbox"/> |
| <b>Crevice nozzles</b>                                    |    |             |                                                                                       |                          |
| Crevice nozzle PP 15 mm × 145 mm DN50                     | 26 | 9.988-117.0 | Electroconductive, flat multi-purpose crevice nozzle made from plastic, DN 52.        | <input type="checkbox"/> |
| Crevice nozzle 18 mm × 120 mm DN50                        | 27 | 9.981-442.0 | Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width. | <input type="checkbox"/> |
| Crevice nozzle 25 mm × 120 mm DN50                        | 28 | 9.981-465.0 | Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width. | <input type="checkbox"/> |

☐ Available accessories.

## ACCESSORIES FOR IVR-L 100/24-2 TC ME SET 9.990-998.0



|                                                         |    | Order no.   | Description                                                                                            |                          |
|---------------------------------------------------------|----|-------------|--------------------------------------------------------------------------------------------------------|--------------------------|
| <b>NOZZLES</b>                                          |    |             |                                                                                                        |                          |
| <b>Flexible crevice nozzles</b>                         |    |             |                                                                                                        |                          |
| Crevice nozzle flexible silicone FDA DN-F50 transparent | 29 | 9.989-847.0 |                                                                                                        | <input type="checkbox"/> |
| Flexible crevice nozzle silicone 65 mm DN50             | 30 | 9.988-403.0 | Flexible crevice nozzle made from silicone, DN 50.                                                     | <input type="checkbox"/> |
| Flexible crevice nozzle 12 mm × 45 mm DN50              | 31 | 9.981-424.0 | Flexible, electroconductive galvanised crevice nozzle, DN 50, with 13 mm slot width.                   | <input type="checkbox"/> |
| Flexible crevice nozzle 20 mm × 45 mm DN50              | 32 | 9.981-425.0 | Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 50. | <input type="checkbox"/> |
| <b>Surface nozzles</b>                                  |    |             |                                                                                                        |                          |
| Silicone surface nozzle FDA blue DN-F50                 | 33 | 9.989-850.0 |                                                                                                        | <input type="checkbox"/> |
| Silicone surface nozzle FDA green DN-F50                | 34 | 9.989-852.0 |                                                                                                        | <input type="checkbox"/> |
| Silicone surface nozzle FDA red DN-F50                  | 35 | 9.989-854.0 |                                                                                                        | <input type="checkbox"/> |
| Silicone surface nozzle FDA transparent DN-F50          | 36 | 9.989-856.0 |                                                                                                        | <input type="checkbox"/> |
| Silicone surface nozzle FDA white DN-F50                | 37 | 9.989-858.0 |                                                                                                        | <input type="checkbox"/> |
| Silicone surface nozzle FDA yellow DN-F50               | 38 | 9.989-860.0 |                                                                                                        | <input type="checkbox"/> |
| Silicone surface nozzle 120 mm DN50                     | 39 | 9.988-119.0 | Electroconductive rubber nozzle, angled, DN 50, suitable for use with foods.                           | <input type="checkbox"/> |
| Aluminium surface nozzle 150 mm DN50                    | 40 | 9.989-665.0 | Surface nozzle, 150 mm, made from aluminium. DN 50.                                                    | <input type="checkbox"/> |
| <b>Liquid nozzles</b>                                   |    |             |                                                                                                        |                          |
| Liquid nozzle 900 mm DN50                               | 41 | 9.981-427.0 | Bypass nozzle, DN 50, overall length: 1000 mm.                                                         | <input type="checkbox"/> |
| <b>Borehole nozzles</b>                                 |    |             |                                                                                                        |                          |
| Blind hole nozzle DN40                                  | 42 | 9.989-671.0 | 90° curved blind hole nozzle with 60 mm diameter.                                                      | <input type="checkbox"/> |

☐ Available accessories.

## ACCESSORIES FOR IVR-L 100/24-2 TC ME SET

### 9.990-998.0



|                                                         |    | Order no.   | Description                                                                                                                                                                                                 |                                     |
|---------------------------------------------------------|----|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| <b>NOZZLES</b>                                          |    |             |                                                                                                                                                                                                             |                                     |
| <b>Borehole nozzles</b>                                 |    |             |                                                                                                                                                                                                             |                                     |
| Blind hose nozzle angled 60° DN40                       | 43 | 9.989-669.0 | 90° curved blind hole nozzle with 48 mm diameter. DN 40.                                                                                                                                                    | <input type="checkbox"/>            |
| Blind hole nozzle angled 90° DN40                       | 44 | 9.989-667.0 | 90° curved blind hole nozzle with 60 mm diameter. DN 40.                                                                                                                                                    | <input type="checkbox"/>            |
| Blind hose nozzle angled 90° 200 mm extension DN40      | 45 | 9.989-670.0 | 90° curved blind hole nozzle with 48 mm diameter. DN 40.                                                                                                                                                    | <input type="checkbox"/>            |
| <b>HOSES</b>                                            |    |             |                                                                                                                                                                                                             |                                     |
| <b>PU hoses</b>                                         |    |             |                                                                                                                                                                                                             |                                     |
| Hose PU DN50 3 m                                        | 46 | 9.989-619.0 | Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 3 m.                                                                    | <input checked="" type="checkbox"/> |
| Hose PU, hose connectors stainless steel, DN 50 3 m     | 47 | 9.989-968.0 |                                                                                                                                                                                                             | <input type="checkbox"/>            |
| Hose PU, hose connectors stainless steel, DN 50 5 m     | 48 | 9.989-969.0 |                                                                                                                                                                                                             | <input type="checkbox"/>            |
| Hose PU FDA, hose connectors stainless steel, DN 50 3 m | 49 | 9.989-973.0 |                                                                                                                                                                                                             | <input type="checkbox"/>            |
| Hose PU FDA, hose connectors stainless steel, DN 50 5 m | 50 | 9.989-974.0 |                                                                                                                                                                                                             | <input type="checkbox"/>            |
| Hose PU FDA DN50 15 m, without connectors               | 51 | 9.989-975.0 |                                                                                                                                                                                                             | <input type="checkbox"/>            |
| Hose PU DN50 5 m                                        | 52 | 9.989-620.0 | Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 5 m.                                                                    | <input type="checkbox"/>            |
| PU hose DN50 15 m without connectors                    | 53 | 9.989-638.0 | PU hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 80 °C. Length: 15 m.                                                                                                  | <input type="checkbox"/>            |
| <b>Hose installation sets</b>                           |    |             |                                                                                                                                                                                                             |                                     |
| Hose installation kit DN50                              | 54 | 9.989-628.0 | Multipiece hose connection kit, DN 50.                                                                                                                                                                      | <input type="checkbox"/>            |
| Hose connection kit, stainless steel AISI 304 DN50      | 55 | 9.989-987.0 | Hose connection kit in nominal width DN 50, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic).    | <input type="checkbox"/>            |
| Hose connection kit, DN50 AISI 304 FDA                  | 56 | 9.990-346.0 | FDA-compliant hose connection kit in nominal width DN 50, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection, 2 hose clamps, 2 hose end pieces (white), 1 flat bag (PE plastic). | <input type="checkbox"/>            |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR IVR-L 100/24-2 TC ME SET

9.990-998.0



|                                                |    | Order no.   | Description                                                                                                                                                       |                                     |
|------------------------------------------------|----|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| <b>HOSES</b>                                   |    |             |                                                                                                                                                                   |                                     |
| <b>ME-PU-hoses</b>                             |    |             |                                                                                                                                                                   |                                     |
| Hose ME-PU DN50 3 m                            | 57 | 9.989-623.0 | Electroconductive, oil-resistant ME-PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 3 m.                      | <input type="checkbox"/>            |
| Hose ME-PU DN50 5 m                            | 58 | 9.989-625.0 | Electroconductive, oil-resistant ME-PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 5 m.                      | <input type="checkbox"/>            |
| ME-PU hose DN50 15 m without connectors        | 59 | 9.989-641.0 | Electroconductive, oil-resistant ME-PU hose without tap adapter, DN 50. Suitable for abrasive suction media and temperature-resistant up to 110 °C. Length: 15 m. | <input type="checkbox"/>            |
| <b>HANDLES</b>                                 |    |             |                                                                                                                                                                   |                                     |
| Handle DN50, curved                            | 60 | 9.977-678.0 | Electroconductive and 45° curved handle made from stainless steel. Inner cone DN 50.                                                                              | <input checked="" type="checkbox"/> |
| Handle stainless steel AISI 304 DN50           | 61 | 9.989-897.0 |                                                                                                                                                                   | <input type="checkbox"/>            |
| Handle straight stainless steel AISI 304 DN50  | 62 | 9.989-899.0 |                                                                                                                                                                   | <input type="checkbox"/>            |
| <b>OTHER ACCESSORIES</b>                       |    |             |                                                                                                                                                                   |                                     |
| Baffle plate Ø 517 mm                          | 63 | 9.980-857.0 | Baffle plate made from plastic with 517 mm diameter for containers and tanks.                                                                                     | <input checked="" type="checkbox"/> |
| Cable drum 25 m (3 × 1.5 ʔ)                    | 64 | 9.982-080.0 | AC cable drum with 25 m cable, for fixing in accessories holder 6.415-930.0.                                                                                      | <input type="checkbox"/>            |
| <b>SUCTION TUBES</b>                           |    |             |                                                                                                                                                                   |                                     |
| Suction tube 850 mm DN 50                      | 65 | 9.977-531.0 | 850 mm long extension tube made from steel. Electroconductive and with inner cone DN 50.                                                                          | <input type="checkbox"/>            |
| <b>FILTERS</b>                                 |    |             |                                                                                                                                                                   |                                     |
| <b>Surface filter</b>                          |    |             |                                                                                                                                                                   |                                     |
| Surface filter PE L 0.45 m²                    | 66 | 9.988-256.0 |                                                                                                                                                                   | <input checked="" type="checkbox"/> |
| <b>EMPTYING SUPPORTS</b>                       |    |             |                                                                                                                                                                   |                                     |
| <b>Strainer baskets</b>                        |    |             |                                                                                                                                                                   |                                     |
| Filter basket, stainless steel, Ø 495 mm, 40 l | 67 | 9.980-849.0 | Stainless steel strainer basket with 40 l capacity and 1.5 mm hole diameter for separating liquids and shavings.                                                  | <input checked="" type="checkbox"/> |
| <b>Other emptying aids</b>                     |    |             |                                                                                                                                                                   |                                     |
| Overfill protection dia. 540 mm                | 68 | 9.982-117.0 | Float insert, stainless steel, for overfill prevention with ball float, central suction.                                                                          | <input type="checkbox"/>            |
| <b>ACCESSORY SETS</b>                          |    |             |                                                                                                                                                                   |                                     |
| <b>Accessory kit for liquids</b>               |    |             |                                                                                                                                                                   |                                     |
| Liquid/solid accessory kit Expert DN50         | 69 | 9.990-879.0 | Accessory kit DN50 for liquid vacuums: PU hose 3 m (9.989-619.0), handle (9.977-678.0), standard nozzle (9.988-402.0), surface nozzle 120 mm (9.988-119.0).       | <input type="checkbox"/>            |
| <b>Accessory kit for liquids/chips</b>         |    |             |                                                                                                                                                                   |                                     |
| Oil/swarf accessory kit DN50 Expert            | 70 | 9.990-881.0 | Accessory kit DN50 for liquid and swarf vacuum: ME-PU hose 3 m (9.989-623.0), handle (9.977-678.0), standard nozzle (9.989-673.0), surface nozzle (9.988-119.0).  | <input type="checkbox"/>            |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR IVR-L 100/24-2 TC ME SET

### 9.990-998.0



|                                           |    | Order no.   | Description                                                                                                                                                                  |                          |
|-------------------------------------------|----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>ACCESSORY SETS</b>                     |    |             |                                                                                                                                                                              |                          |
| <b>Accessory kit for liquids/chips</b>    |    |             |                                                                                                                                                                              |                          |
| Floor cleaning kit liquid Advanced DN 50  | 71 | 9.990-896.0 | Advanced liquid floor cleaning set: EVA hose (9.990-926.0), handle (9.990-928.0), 2 × suction tube (9.990-932.0), floor nozzle (9.990-938.0), standard nozzle (9.980-761.0). | <input type="checkbox"/> |
| <b>Accessory kit for solids/dust</b>      |    |             |                                                                                                                                                                              |                          |
| Food accessory kit Expert DN 50           | 72 | 9.989-941.0 | Food accessory kit: PU hose 3 m (9.989-973.0), handle (9.989-899.0), standard nozzle (9.989-844.0), brush (9.989-880.0), reducer (9.989-712.0), adapter (9.993-011.0).       | <input type="checkbox"/> |
| <b>BRUSHES</b>                            |    |             |                                                                                                                                                                              |                          |
| <b>End brushes</b>                        |    |             |                                                                                                                                                                              |                          |
| Brush FDA blue ø 75 mm DN-F50             | 73 | 9.989-874.0 |                                                                                                                                                                              | <input type="checkbox"/> |
| Brush FDA green ø 75 mm DN-F50            | 74 | 9.989-876.0 |                                                                                                                                                                              | <input type="checkbox"/> |
| Brush FDA red ø 75 mm DN-F50              | 75 | 9.989-878.0 |                                                                                                                                                                              | <input type="checkbox"/> |
| Brush FDA white ø 75 mm DN-F50            | 76 | 9.989-880.0 |                                                                                                                                                                              | <input type="checkbox"/> |
| Brush FDA yellow ø 75 mm DN-F50           | 77 | 9.989-882.0 |                                                                                                                                                                              | <input type="checkbox"/> |
| End brush Ø 82 mm DN50                    | 78 | 9.989-608.0 | Electroconductive end brush with 82 mm diameter. DN 50.                                                                                                                      | <input type="checkbox"/> |
| <b>Cylinder brushes</b>                   |    |             |                                                                                                                                                                              |                          |
| Cylinder brush ø 100 mm DN-F50            | 79 | 9.989-925.0 |                                                                                                                                                                              | <input type="checkbox"/> |
| Cylinder brush ø 200 mm DN-F50            | 80 | 9.989-926.0 |                                                                                                                                                                              | <input type="checkbox"/> |
| <b>ADAPTERS / REDUCERS / DISTRIBUTORS</b> |    |             |                                                                                                                                                                              |                          |
| <b>Reducers/expanders</b>                 |    |             |                                                                                                                                                                              |                          |
| Reducer DN 70 to DN 50                    | 81 | 9.977-772.0 |                                                                                                                                                                              | <input type="checkbox"/> |
| Reduction DN50 to DN40                    | 82 | 9.981-231.0 | Reducer from DN 50 to DN 40. Material: Steel. Electroconductive.                                                                                                             | <input type="checkbox"/> |
| <b>Expander</b>                           |    |             |                                                                                                                                                                              |                          |
| Expansion DN50 to DN70                    | 83 | 9.981-921.0 | Reducer from external cone DN 50 to internal cone DN 70. Material: Steel. Electroconductive.                                                                                 | <input type="checkbox"/> |
| <b>Distributor</b>                        |    |             |                                                                                                                                                                              |                          |
| Y-piece fitting DN50 to DN40              | 84 | 9.981-149.0 | Manifold, electroconductive, steel, DN 50/40/40.                                                                                                                             | <input type="checkbox"/> |

☐ Available accessories.

## ACCESSORIES FOR IVR-L 100/24-2 TC ME SET

### 9.990-998.0



|                                                   |    | Order no.   | Description                                                              |                          |
|---------------------------------------------------|----|-------------|--------------------------------------------------------------------------|--------------------------|
| <b>PRE-SEPARATORS</b>                             |    |             |                                                                          |                          |
| <b>Pre-separator</b>                              |    |             |                                                                          |                          |
| Pre-separator station SB 100L                     | 85 | 9.982-243.0 |                                                                          | <input type="checkbox"/> |
| Pre-separator Tc Op liquids 125 l DN70            | 86 | 9.989-686.0 | 125 litre pre-separator, DN 70.                                          | <input type="checkbox"/> |
| Pre-separator Ef solid materials 100 l DN70       | 87 | 9.982-238.0 | Mobile pre-separator station with 100 l capacity and discharge flap.     | <input type="checkbox"/> |
| Pre-separator drum 200 l                          | 88 | 9.989-685.0 | Standard drum which complies with the ISO 15750-2 standard.              | <input type="checkbox"/> |
| <b>Pre-separator lid</b>                          |    |             |                                                                          |                          |
| Pre-separator lid DN 50, for 200 l drum           | 89 | 9.981-659.0 |                                                                          | <input type="checkbox"/> |
| Pre-separator cover Op liquids ø 517 mm DN70      | 90 | 9.981-666.0 | Pre-separator cover DN 70. Suitable for containers with 517 mm diameter. | <input type="checkbox"/> |
| Pre-separator cover Op liquids ø 575 mm DN70      | 91 | 9.981-662.0 | Pre-separator cover DN 70 for 200 litre standard drum (9.989-685.0).     | <input type="checkbox"/> |
| Pre-separator cover solid materials ø 517 mm DN70 | 92 | 9.981-665.0 | Pre-separator cover DN 70. Suitable for containers with 517 mm diameter. | <input type="checkbox"/> |
| Pre-separator cover solid materials ø 575 mm DN70 | 93 | 9.981-661.0 | Pre-separator cover DN 70 for 200 litre standard drum (9.989-685.0).     | <input type="checkbox"/> |

☐ Available accessories.