

The WD 3 P V-17/4/20 Workshop is characterised by a 17 l plastic container, 4 m cable, 2 m hose, power outlet with automatic on/off switch and special accessories for the hobby workshop.



1.628-175.0


- Power outlet with automatic on/off switch for working with power tools
- With special accessories for workbench cleaning
- Practical blower function

EAN code		4054278874715
Rated input power	W	1000
Rated Input Power Integrated Socket	W	min. 100 - max. 2100
Suction Power	W	230
Vacuum	mbar	max. 230
Air flow	l/s	max. 45
Container capacity	l	17
Container material		Plastic
Colour component		Device head Yellow / Container Yellow / Device bumper Yellow
Power cable	m	4
Nominal size of accessory	mm	35
Voltage	V	220 - 240
Frequency	Hz	50 - 60
Sound pressure level	dB(A)	74
Colour		Yellow
Weight without accessories	kg	4.9
Weight incl. packaging	kg	7
Dimensions (L × W × H)	mm	349 × 328 × 492

Suction hose length	m	2
Suction hose type		with curved handle
Suction hose material		Plastic
Removable handle		■
Quantity of suction tubes	Piece(s)	2
Suction tubes length	m	0.5
Suction tubes nominal width	mm	35
Suction tubes material		Plastic
Wet and dry floor nozzle		clips
Crevice nozzle		■
Flexible suction hose	m / mm	1 / 35
Adaptor for connecting power tools		■
Suction brush with soft bristles		■
Number of cartridge filters	Piece(s)	1
Cartridge filter		Cellulose
Number of fleece filter bags	Piece(s)	1
Fleece filter bag		3-layer
Power outlet with automatic on/off switch		■
Rotary switch (on/off)		■
Blower function		■
Intermediate parking position of the handle on the device head		■
Hose storage on the device head		■

Additional accessory storage on the device head		■
Storage space for small parts		■
Folding carrying handle		■
Cable hook		■
Parking position		■
Accessory storage on the device		■
Sturdy bumper		■
Castors without brake	Piece(s)	4

■ Included in the scope of supply.



Special accessories for workbench cleaning

- Fast and thorough workbench vacuuming using a suction brush with soft bristles.
- Gentle on surfaces and therefore suitable for sensitive areas.



Power outlet with automatic on/off switch for working with power tools

- Dirt that is a result of planing, sawing or grinding is suctioned away directly.
- The vacuum cleaner is switched on and off automatically via the power tool.



Cartridge filter

- For wet and dry vacuuming without additional filter replacement.
- Simple installation and removal of filter by turning without additional locking part.

ACCESSORIES FOR WD 3 P V-17/4/20 WORKSHOP

1.628-175.0



		Order no.	Description	
VACUUMS				
Filters				
Cartridge filter KFI 3310	1	2.863-303.0	Cartridge filter for vacuuming fine and coarse dirt and liquids without having to change the filter. Suitable for Kärcher Home & Garden wet and dry vacuum cleaners.	■
Fleece filter bags KFI 357	2	2.863-314.0	The extremely tear-resistant KFI 357 fleece filter bags easily cope with vacuuming dry and damp dirt. Suitable for Kärcher Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	□
Accessory kits				
Vacuum kit for power tools	3	2.863-112.0	Flexible suction hose (1 m) including adapter for connection to the exhaust air vent of power tools (e.g. jigsaws, grinders, drills, planes, etc.), for dirt-free DIY.	■
Car interior cleaning kit	4	2.863-304.0	From the footwell and the seats to the car boot: the special accessory kit for Kärcher Home & Garden wet and dry vacuum cleaners ensures uninterrupted interior car cleaning.	□
Suction brush kit	5	2.863-221.0	The suction brush set enables cleaning of various surfaces in the car and household. Suitable for all Home & Garden wet and dry vacuum cleaners and SE 4-6 spray extraction cleaners.	□
Household kit	6	2.863-356.0	Handy accessory kit for switching between dry floor nozzle and upholstery nozzle. Suitable for all Kärcher Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	□
Blower adapter kit	7	2.863-373.0	Ensures effortless inflation and deflation of air mattresses, swimming pools, inflatable boats, etc. using a Kärcher Home & Garden wet and dry vacuum cleaner.	□
Nozzles				
Switchable wet and dry floor nozzle with integrated parking nib	8	2.863-000.0	Foot switch-operated floor nozzle for perfect collection of dry and wet dirt. Suitable for all Kärcher wet and dry vacuum cleaners and spray extraction cleaners.	□
Car nozzle	9	2.863-316.0	Fast, effortless vacuuming guaranteed: With the car nozzle, you can clean textile surfaces in your car and around the house conveniently and thoroughly.	□
Extra-long crevice nozzle	10	2.863-306.0	Completely overhauled extra-long crevice nozzle. Ideal for hard-to-reach places in the car. Suitable for all Kärcher Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	□
Flexible crevice nozzle	11	2.863-374.0	Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	□
Upholstery nozzle	12	2.863-398.0	For gently removing dirt from textile surfaces in the car and household. Suitable for wet and dry vacuum cleaners and spray extraction cleaners.	□
Upholstery nozzle for pet hair	13	2.863-375.0	Extra wide upholstery nozzle for reliably removing dirt, especially animal hair, from car and home textiles with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	□
Special applications				
Drill dust catcher	14	2.863-234.0	The drill dust catcher enables safe and dust-free drilling on all common wall and ceiling surfaces. Drill dust is suctioned directly from the drill hole.	□

■ Included in the scope of supply. □ Available accessories. ○ Detergents.

ACCESSORIES FOR WD 3 P V-17/4/20 WORKSHOP 1.628-175.0



		Order no.	Description	
VACUUMS				
Special applications				
3.5 m suction hose extension	15	2.863-305.0	The 3.5 m suction hose extension is suitable for all corded Home & Garden wet and dry vacuum cleaners and provides a larger operating radius and greater freedom of movement.	☐
Extension suction tube	16	2.863-308.0	Practical extension suction tube for greater operating range. The extension of the suction tube is recommended particularly for applications in areas that are difficult to access, such as high ceilings.	☐

■ Included in the scope of supply. ☐ Available accessories. ☐ Detergents.