

NT 30/1 TACT L

Rugged, durable components and strong suction power: the NT 30/1 Tact wet and dry vacuum cleaner with innovative Tact filter cleaning system and 30-litre container, bumper and metal castors.



Order no.

1.148-201.0

- PES flat pleated filter
- Metal castors
- Antistatic preparation

Technical data

EAN code		4039784973299
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container content	l	30
Container material		Plastic
Rated input power	W	max. 1380
Standard nominal width		ID 35
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	69
Weight without accessories	kg	13.5
Weight incl. packaging	kg	17.9
Dimensions (L × W × H)	mm	560 × 370 × 580

Equipment

Suction hose	m	2.5 / with bend
Suction tube	piece(s) × mm	2 × 550 / Stainless steel
Filter bag	piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	360
Crevice nozzle		■
Automatic cut-out features at max. filling quality		■
Antistatic preparation		■
Flat pleated filter		PES
Filter cleaning		Tact automatic filter cleaning system
Sturdy bumper		■
Protection class		II
Stop swivel castor		■

■ included in the scope of supply.



Rugged container with bumpers and metal castors.

- Sturdy metal castors guarantee good manoeuvrability and unrestricted mobility on construction sites
- The rugged container protects the machine from bumps and knocks.



Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- The power cable is always stored safely for transport.



Detachable filter casing

- With the detachable filter casing, removal and replacement of the filter is dust-free.
- It is impossible to insert the flat pleated filter incorrectly.

ACCESSORIES FOR NT 30/1 TACT L

1.148-201.0



		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter, PES				
Wet & Dry flat pleated filter	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
Flat pleated filter, paper				
Dry flat pleated filter	2	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
Flat pleated filter, PTFE				
Ultimate flat pleated filter	3	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	5	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, advanced plastic, DN 35	7	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Wet/dry floor nozzle, standard plastic, DN 35	8	2.889-173.0	300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Combi-nozzle, DN 35, 270 mm	9	6.906-511.0	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□
Wet/dry floor nozzle, plastic as standard, DN 35	10	6.906-512.0	Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	□
Wet/dry floor nozzle, aluminium, DN 35	11	6.906-384.0	All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle, plastic Adv, DN 35, 400 mm	12	2.889-118.0	Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. The squeegee and brush can be replaced quickly and easily.	□
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm	13	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
All-purpose brushes				
All-purpose brush	14	6.900-425.0	All-purpose brush PPN_Bristle	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 30/1 TACT L

1.148-201.0



		Order no.	Description	
SUCTION NOZZLES				
Car cleaning nozzles				
Ergonomic car nozzle, DN 35, 100 mm	15	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	<input type="checkbox"/>
Car nozzle, DN 35, 90 mm	16	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	<input type="checkbox"/>
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	17	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Suction brushes				
Suction brush	18	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	<input type="checkbox"/>
SUCTION TUBES				
Suction tubes, stainless steel				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	19	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	<input checked="" type="checkbox"/>
Suction tubes, metal				
Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2	20	2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	<input type="checkbox"/>
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	21	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input checked="" type="checkbox"/>
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	22	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	23	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	24	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	25	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	26	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	27	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	28	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 30/1 TACT L

1.148-201.0



	Order no.	Description	
SUCTION HOSES			
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)			
Suction hose, NT, DN 40, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	29	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	30	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Repair kit for suction hoses DN 35, Clip 2.0	31	2.889-149.0	Repair kit ID 35 for the new clip system. <input type="checkbox"/>
Extension hose, T and NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter	32	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
FILTER BAGS			
Fleece filter bags			
Fleece filter bags, 5 × , NT 30/1	33	2.889-154.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack. <input type="checkbox"/>
FILTER T/ NT			
Flat pleated filter HEPA, dust class H			
Safety/HEPA flat pleated filter	34	6.907-671.0	Safety/HEPA flat pleated filter made from PES/PTFE fibre material with a red label. Certified for dust class H. For vacuuming hazardous dusts, coarse dirt and liquids. <input type="checkbox"/>
HEPA-14 flat pleated filter	35	6.904-242.0	HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids. <input type="checkbox"/>
Coarse dirt filter for wet vacuuming			
Coarse dirt filter for wet and dry vacuum cleaners	36	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher. <input type="checkbox"/>
Plastic sacks for dust-free disposal			
Plastic bag for dust-free disposal, 10 × , NT 30/1, NT 40/1, NT 50/1	37	2.889-158.0	PE plastic sack for dust-free disposal. <input type="checkbox"/>
Fabric filter			
Candle filter Wood, NT 30/1, NT 40/1, NT 50/1	38	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L. <input type="checkbox"/>
Membrane filter, NT 30/1, NT 40/1, NT 50/1	39	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused. <input type="checkbox"/>
CONNECTING SLEEVES			
Connection adapter C ID (clip to cone)			
Adapter clip DN 35 on cone DN 35	40	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles. <input type="checkbox"/>
Connection adapter for power tools, clip connection			
Tool adapter for power tools, DN 35, clip 2.0	41	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35. <input type="checkbox"/>
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS			
Universal trade and industrial set	42	2.637-595.0	Wet and dry accessory kit (DN 35) for Kärcher vacuum cleaners for use in trade and industry. The trade set comprises a multi-purpose brush, a crevice nozzle, an upholstery nozzle, a combi floor nozzle and a wet floor nozzle. <input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 30/1 TACT L 1.148-201.0



		Order no.	Description	
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS				
Car cleaning accessory kit	43	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	<input type="checkbox"/>
OTHER ACCESSORIES NT				
Drilling dust nozzle	44	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Cyclone preseparator CS 40 Me	45	2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>
Attachment kit for CS 40 Me cyclone preseparator	46	2.863-027.0	The attachment kit for the CS 40 Me cyclone preseparator for wet and dry vacuum cleaners is a specially developed, highly efficient accessory for fine dust applications on construction sites or in industrial applications.	<input type="checkbox"/>
Adapter clip new on clip old DN 35	47	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>
Adapter for NT hoses with bayonet connection 1.0	48	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.