



## NT 361 Eco

Small, handy, commercial wet/ dry vacuum cleaner with patented filter back flushing (PFC - Power Filter Clean) and complete equipped with accessory.

### 1 Semi-automatic filter cleaning

- The semi-automatic filter cleaning feature keeps the filter clean for maximum suction power.

### 2 Flat pleated filter (dust class M)

- The tried and tested flat pleated filter ensures maximum use of the container capacity and is easy to change from the clean side.

## NT 361 Eco

- Accessory holders on unit
- Flat pleated filter (dust class M)
- Power Filter Clean

### Technical data

<b>Order no.</b>	1.184-101.0	
<b>EAN code</b>	4002667343540	
<b>Current type</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	57
<b>Vacuum</b>	<b>mbar / kPa</b>	235 / 23.5
<b>Container capacity</b>	<b>l</b>	35
<b>Container material</b>	Plastic	
<b>Rated input power</b>	<b>W</b>	max. 1380
<b>Standard nominal width</b>	35	
<b>Cable length</b>	<b>m</b>	7.5
<b>Sound pressure level</b>	<b>dB(A)</b>	63
<b>Number of motors</b>	1	
<b>Weight</b>	<b>kg</b>	9.5
<b>Dimensions (L × W × H)</b>	<b>mm</b>	505 × 370 × 540

### Equipment

<b>Suction hose</b>	<b>m</b>	2.5 / with bend
<b>Suction tube</b>	<b>piece(s) × m</b>	2 × 0.5 / Metal
<b>Filter bag</b>	<b>piece(s)</b>	1 / Paper
<b>Wet/dry floor nozzle</b>	<b>mm</b>	300
<b>Crevice nozzle</b>	■	
<b>Automatic cut-out features at max. filling quality</b>	■	
<b>Eco filter system</b>	■	
<b>Flat pleated filter</b>	Paper	
<b>Filter cleaning</b>	Power Filter Clean	
<b>Protection class</b>	II	
<b>Stop swivel castor</b>	■	

■ Included in the scope of supply.

# NT 361 ECO 1.184-101.0

**KÄRCHER**




		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Flat pleated filter, paper</b>									
Dry flat pleated filter	1	6.904-367.0	1 piece(s)					Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	■
<b>Bend, plastic</b>									
Plastic bend	2	5.031-718.0	1 piece(s)	35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
Bend, plastic, electrically conductive	3	5.032-427.0	1 piece(s)	40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
Plastic bend	4	5.031-904.0	1 piece(s)	40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
PFC module, C-35, electrically conductive	5	4.060-478.0	1 piece(s)	35				For activating semi-automatic filter cleaning, electrically conductive.	□
<b>Floor nozzles</b>									
Wet and dry floor nozzle	6	6.906-512.0	1 piece(s)	35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	■
Multi-purpose nozzle, wet/dry	7	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
	8	6.906-383.0	1 piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
	9	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
DN 40 wet/dry floor nozzle	10	6.907-408.0	1 piece(s)	40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	□
<b>Crevice nozzles</b>									
Crevice nozzle	11	6.900-385.0	1 piece(s)	35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
	12	6.900-922.0	1 piece(s)	35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
	13	6.903-033.0	1 piece(s)	40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□
	14	6.905-817.0	1 piece(s)	40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
	15	6.906-240.0	1 piece(s)	35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□
<b>Suction tubes, metal</b>									
Suction tube	16	6.900-514.0	1 piece(s)	35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■
	17	6.900-275.0	1 piece(s)	40	0.55 m			The suction tube (NW 40, 1 x 0.55 m) made from chrome-plated metal is standard in almost all commercial vacuum cleaners with twin motor. Optional for commercial single motor NT vacuum cleaner with suction hose NW 40.	□

■ Included in the scope of supply. □ Available accessories.

# NT 361 ECO 1.184-101.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Nozzle kits</b>									
Nozzle kit	18	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	<input type="checkbox"/>
<b>Flat pleated filter HEPA, dust class H</b>									
HEPA flat pleated filter	19	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	<input type="checkbox"/>
<b>Flat pleated filter, PES</b>									
Flat pleated filter, PES	20	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	<input type="checkbox"/>
<b>Coarse dirt filter for wet vacuuming</b>									
Coarse dirt filter	21	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	<input type="checkbox"/>
<b>Wet filter bag</b>									
Wet filter bag	22	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
<b>Paper filter bags</b>									
Paper filter bags	23	6.904-224.0	300 piece(s)					BIA-C dust class M approved. Large-scale consumer pack.	<input type="checkbox"/>
	24	6.904-259.0	5 piece(s)					5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	<input type="checkbox"/>
<b>Plastic sacks for dust-free disposal</b>									
Plastic sacks for dust-free disposal	25	6.596-886.0	10 piece(s)					PE plastic sack.	<input type="checkbox"/>
<b>Fabric filter</b>									
Membrane filter	26	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	<input type="checkbox"/>
<b>Fleece filter bags</b>									
Adv fleece filter bags	27	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	<input type="checkbox"/>
<b>Bends, stainless steel</b>									
Bend, stainless steel, ID 35	28	6.903-141.0	1 piece(s)	35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel, ID 40	29	6.902-079.0	1 piece(s)	40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
<b>Bends, metal</b>									
Bend, metal	30	6.900-519.0	1 piece(s)	35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	<input type="checkbox"/>
	31	6.900-276.0	1 piece(s)	40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	<input type="checkbox"/>
<b>Car cleaning nozzles</b>									
Car nozzle	32	6.906-108.0	1 piece(s)	35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Rubber suction tools, nose 45°</b>									
Rubber suction tool, nose 45°	33	6.902-104.0	1 piece(s)	35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	34	6.902-105.0	1 piece(s)	40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# NT 361 ECO

## 1.184-101.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Combi-nozzles, dry</b>									
Combi-nozzle, dry	35	6.906-511.0	1 piece(s)	35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
<b>Pipe dusting nozzles</b>									
Pipe brush 35/100	36	6.903-035.0	1 piece(s)	35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
Pipe brush 35/200	37	6.903-036.0	1 piece(s)	35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
<b>Suction brushes</b>									
Suction brush	38	6.903-862.0	1 piece(s)	35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Turbo nozzles</b>									
Turbo upholstery nozzle	39	2.860-113.0	1 piece(s)	32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Turbo floor nozzle	40	2.860-114.0	1 piece(s)	32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
<b>Suction tubes, stainless steel</b>									
Suction tube	41	6.902-081.0	1 piece(s)	40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	42	6.906-531.0	1 piece(s)	40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	43	6.902-154.0	1 piece(s)	35	0.5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	<input type="checkbox"/>
<b>Suction tubes, plastic</b>									
Suction tube	44	6.900-384.0	1 piece(s)	35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
<b>Modification kit, non-conductive media</b>									
Modification kit, non-conductive media	45	2.882-517.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases	<input type="checkbox"/>
<b>Other</b>									
Drilling dust nozzle	46	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# NT 361 ECO 1.184-101.0



		Order no.	Anzahl	Nennweite	Länge	Price	Description	
<b>Complete suction hoses (clip system)</b>								
Suction hose + PFC module	1	4.440-627.0	1 piece(s)	35	2.5 m		With bend and module (4.060-420.0).	■
Suction hose	2	4.440-626.0	1 piece(s)	35	2.5 m		With bend, C ID 35.	□
Suction hose, electrically conductive	3	4.440-653.0	1 piece(s)	35	2.5 m		With bend, electrically conductive, C ID 35.	□
Suction hose + PFC module, electrically conductive	4	4.440-654.0	1 piece(s)	35	2.5 m		With bend and module (4.060-478.0), electrically conductive.	□
Suction hose + PFC module	5	4.440-679.0	1 piece(s)	40	4 m		With bend and module (4.060-474.0).	□
<b>Repair kits</b>								
Repair kit, C 35	6	2.639-682.0	1 piece(s)	35			Suction hose repair kit (clip system).	□
<b>Suction hoses (clip system)</b>								
Suction hose	7	6.906-241.0	1 piece(s)	35	4 m		With bayonet and clip connection.	□
	8	6.906-275.0	1 piece(s)	35	2.5 m		With bayonet and clip connection, electrically conductive, C-35.	□
	9	6.906-500.0	1 piece(s)	35	4 m			□
	10	6.906-321.0	1 piece(s)	40	4 m		With bayonet and clip connection, C 40.	□
	11	6.906-714.0	1 piece(s)	40	4 m		With bayonet and clip connection, oil-resistant, C-45.	□
	12	6.906-546.0	1 piece(s)	40	4 m		With bayonet and clip connection, electrically conductive, C 40.	□
	13	6.906-877.0	1 piece(s)	40	10 m		With bayonet and clip connection, electrically conductive, C-40.	□
Suction hose (clip system), C 35, 10 m	14	6.906-242.0	1 piece(s)	35	10 m		With bayonet and clip connection.	□
<b>Suction hoses complete</b>								
Suction hose, complete	15	4.440-461.0	1 piece(s)	27	7 m		Plastic, with connection bushing for power tools.	□
<b>Connecting sleeves</b>								
Adapter, ID 32/35, with internal thread	16	6.902-077.0	1 piece(s)	32			For connecting two suction hoses (not ESB 28 and 34).	□
Connecting adapter, ID 40, with internal thread	17	6.900-286.0	1 piece(s)	40			For connecting two suction hoses, threaded at both ends.	□
Connecting sleeve, ID 61, with female thread	18	6.902-078.0	1 piece(s)	61				□

■ Included in the scope of supply. □ Available accessories.

# NT 361 ECO 1.184-101.0

**KÄRCHER**




		Order no.	Anzahl	Nennweite		Price	Description	
<b>Y-adapter kit</b>								
Y-adapter kit	1	2.637-217.0	1 piece(s)	35			Distributor, plastic.	<input type="checkbox"/>
<b>Connection adapter C ID (clip to cone), electrically conductive</b>								
Connection adapter C DN 35	2	5.407-112.0	1 piece(s)	35			C 35 hose connection for ID 35 accessories, electrically conductive.	<input type="checkbox"/>
Connection adapter C DN 40	3	5.407-109.0	1 piece(s)	40			C 40 hose connection for ID 35 accessories, electrically conductive.	<input type="checkbox"/>
	4	5.407-111.0	1 piece(s)	40			C 40 hose connection for ID 40 accessories, electrically conductive.	<input type="checkbox"/>
<b>Connection adapter for power tools, clip-on, electrically conductive</b>								
Connection adapter for power tools, C 35, electrically conductive	5	5.453-048.0	1 piece(s)	35			Inside Ø 25.4 mm, outside Ø 34.6 mm / 38 mm, electrically conductive.	<input type="checkbox"/>
Connection Adaptor for power tools, C 35, electrically conductive	6	5.453-049.0	1 piece(s)	35			Inside Ø 28.6 mm, outside Ø 37.3 mm / 38.8 mm, electrically conductive. Only wet and dry suction adapter.	<input type="checkbox"/>
Connection adapter for power tools, C 35, electrically conductive	7	5.453-050.0	1 piece(s)	35			Inside Ø 27 mm, outside Ø 36.5 mm / 38.8 mm, electrically conductive.	<input type="checkbox"/>
Connection Adaptor for power tools, C 35, electrically conductive	8	5.453-051.0	1 piece(s)	35			Inside Ø 32 mm, outside Ø 39 mm, electrically conductive.	<input type="checkbox"/>
	9	5.453-052.0	1 piece(s)	35			Inside Ø 28 mm, outside Ø 34 mm / 38.8 mm, electrically conductive.	<input type="checkbox"/>
<b>Adapter for electric power tools, screwable</b>								
Adapter for electric power tools, screwable, ID 35	10	5.453-016.0	1 piece(s)	35			Plastic, adjustable from ID 26-36.	<input type="checkbox"/>
	11	5.453-026.0	1 piece(s)	35			Inside Ø 28.6 mm, outside Ø 37.3 mm / 38.8 mm.	<input type="checkbox"/>
	12	6.902-059.0	1 piece(s)	35			Inside Ø 32 mm, outside Ø 39 mm.	<input type="checkbox"/>
	13	6.902-095.0	1 piece(s)	35			Inside Ø 28 mm, outside Ø 34 / 38.8 mm, electrically conductive.	<input type="checkbox"/>
<b>Expansion pieces (tube -&gt; nozzle)</b>								
Adapter ID 35 - 40 (tube -> nozzle)	14	6.902-084.0	1 piece(s)	35			From ID 35 to ID 40, plastic.	<input type="checkbox"/>
<b>Reducing sleeves</b>								
Reducer	15	5.407-108.0	1 piece(s)	40			From C 40 hose with outer thread 35 for connection bushing, screwable, ID 35.	<input type="checkbox"/>
<b>Reducers (tube -&gt; nozzle)</b>								
Reducer	16	6.902-017.0	1 piece(s)	40			From ID 40 to ID 35, plastic.	<input type="checkbox"/>
Reducer from ID 35 to ID 32	17	6.902-072.0	1 piece(s)	35			From ID 35 to ID 32, metal.	<input type="checkbox"/>
<b>Reduction/expansion adapter kit</b>								
Set of reducers / adapter sleeves	18	2.860-117.0	1 piece(s)				ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# NT 361 ECO

## 1.184-101.0



		Order no.	ID					Price	Description
<b>Target-group-specific accessory kits for vacuum cleaners</b>									
Universal trade and industrial set	1	2.637-595.0	DN 35						Universal kit for industrial and commercial use. <input type="checkbox"/>
Heating boiler cleaning kit	2	2.638-852.0	DN 35						Heating boiler cleaning kit. <input type="checkbox"/>
Construction kit	3	2.637-352.0	DN 40						Construction kit. <input type="checkbox"/>
Professional cleaning kit	4	2.637-353.0	DN 40						Professional cleaning kit. <input type="checkbox"/>
Horse kit, electrically conductive	5	2.637-248.0	DN 40						Horse kit, electrically conductive. <input type="checkbox"/>
Wet and dry vacuuming kit, ID 40, electrically conductive	6	2.638-147.0	DN 40						Wet and dry vacuuming kit, electrically conductive. <input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# NT 361 ECO 1.184-101.0



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm <sup>2</sup> . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.