







K 5 Premium Full Control

Pressure washer with hose reel and pressure indicator on the trigger gun – for the right pressure on any surface. For regular use on moderate levels of dirt. Area performance of 40 m²/h.



1 Power gun Full Control and spray lances

- Three pressure settings and a detergent setting ensure the optimal setting for every surface.
- The pressure can be regulated by twisting the Vario Power spray lance until the desired level is shown.

2 Parking position for easy accessory storage at all times

- The power gun Full Control and the connected spray lance can be stored conveniently in the device during work breaks.
- The power gun Full Control is always ready to hand and easily accessible.

3 Plug 'n' Clean

- Quick, easy and convenient application of detergents with the pressure washer.
- Kärcher detergents increase efficiency and help protect and care for the surface being cleaned.

4 Hose reel

- With a practical reel, the high-pressure hose can always be stored neatly.



K 5 Premium Full Control

- Full Control Power trigger gun with pressure level display on an LED display
- Maximum stability thanks to low centre of gravity, hose guide and larger base
- Highly efficient water-cooled motor

Technical data

Order no.	1.324-600.0	
EAN code	4054278044781	
Supply voltage	V / Hz	230 / 50
Pressure	bar / MPa	20 - max. 145 / 2 - max. 14.5
Flow rate	l/h	max. 500
Inlet temperature	°C	max. 40
Connection load	kW	2.1
Weight without accessories	kg	13.06
Dimensions (L x W x H)	mm	411 × 305 × 584

Equipment

High-pressure gun	G 145 Q Full Control	Water-cooled motor	■
Vario Power Jet	■	Soft bag	■
Dirt Blaster	■		
High-pressure hose	m	8	
Device-side Quick Connect	■		
Detergent application via	Plug 'n' Clean system		
Water suction	■		
Integrated water filter	■		
Adapter for A3/4" garden hose connector	■		
Integrated HD hose reel	■		
Telescopic handle	■		

■ Included in the scope of supply.

K 5 PREMIUM FULL CONTROL 1.324-600.0

KÄRCHER



		Order no.					Price	Description	
Wheel washing brush	15	2.643-234.0						Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Wash brush	16	6.903-276.0						Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	<input type="checkbox"/>
	17	2.642-783.0						Universal brush with ergonomic handle and soft bristles for thorough and gentle cleaning of all surfaces.	<input type="checkbox"/>
Garden hose adapter	18	2.640-732.0						Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	<input type="checkbox"/>
Spray lances									
TLA 4 telescopic spray lance	19	2.644-190.0						Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	<input type="checkbox"/>
Façade & glass cleaning kit	20	2.644-249.0						Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	<input type="checkbox"/>
Splash guard	21	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	<input type="checkbox"/>
Angled spray lance	22	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	<input type="checkbox"/>
1-step lance extension	23	2.643-240.0						Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	<input type="checkbox"/>
VP 180 S vario power jet short 360° for K 2-K 7	24	2.643-254.0						VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	<input type="checkbox"/>
Telescopic spray lance	25	2.642-347.0						Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	<input type="checkbox"/>
High-pressure replacement hose: system starting 2009 with Quick Connect system									
H 10 Q High-Pressure Hose with Quick Connect and for hose reel devices	26	2.643-633.0						Replacement hose with Quick Connect adapters for quick attachment. For all Kärcher devices in classes K 4-K 7 with hose reel (from 2009 year of manufacture or later). The high-pressure hose is 10 metres long and suitable for temperatures up to 60°C and a pressure up to 180 bar.	<input type="checkbox"/>
High-pressure extension hose: System for devices with Quick Connect system									
XH 10 Q extension hose Quick Connect	27	2.641-710.0						High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	28	2.641-709.0						High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
Pipe cleaning									
PC 20 roof gutter and pipe cleaning kit	29	2.642-240.0						The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	30	2.637-767.0						Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 5 PREMIUM FULL CONTROL 1.324-600.0

KÄRCHER



		Order no.						Price	Description	
PC 7.5 pipe cleaning kit	31	2.637-729.0							Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
Foam jet										
FJ 6 foam jet	32	2.643-147.0							FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 3 foam jet	33	2.643-150.0							FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	34	2.643-143.0							Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	35	2.643-144.0							Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
Miscellaneous										
SH 5 suction hose	36	2.643-100.0							Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	<input type="checkbox"/>
SH 3 suction hose	37	2.643-101.0							3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	<input type="checkbox"/>
Sand and wet-blasting kit	38	2.638-792.0							Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	39	2.640-733.0							Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	40	4.730-059.0							Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
	41	2.642-794.0							Water filter to protect the high-pressure pump against dirt particles from contaminated water.	<input type="checkbox"/>
Anti-twist adapter	42	2.644-257.0							The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun.	<input type="checkbox"/>
O-ring set	43	2.640-729.0							Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 5 PREMIUM FULL CONTROL

1.324-600.0

KÄRCHER



		Order no.					Price	Description	
Hose storage and hose trolley									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering Station for the practical and space-saving storage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving storage. Fully assembled.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0						Watering Station for the practical and space-saving storage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	<input type="checkbox"/>
Hoses									
Hose set for pressure washers	4	2.645-156.0						Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0						The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	8	2.645-318.0						Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	9	2.645-322.0						Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks - for constant water flow.	<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	10	2.645-324.0						The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	<input type="checkbox"/>
Hose connection systems									
Universal hose coupling Plus	11	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	13	2.645-192.0						Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	<input type="checkbox"/>
Universal Hose Connector	14	2.645-191.0						Ergonomically designed universal hose coupling for convenient handling.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.